

AN ISO 9001:2015 CERTIFIED COMPANY

SINCE 1975<sup>®</sup>  
**Diamond**

ELECTRICAL SOLUTIONS

INTO

NEW



**1985**

Mr. Rajesh Gupta took over the company at the age of 16 years after the tragic death of Shri R.D. Gupta. The company had a 22 items catalogue at this time.


**2001**

Launched Innova Modular Series and revolutionised the industry with the least costing modular switch at the time.

**2013**

Became the First Electrical Accessories Company to venture into LED Lighting.

# CERTIFICATION



# THE MOST BEAUTIFUL



## Down Light

### ENDING CONTENTS

Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exercitation ullamcorper suscipit lobortis nisl ut aliquip

ELECTRICAL SOLUTIONS

Give Your  
**INDUSTRIES**  
The **SHIELD** of  
**SAFETY**



Your  
is our  
**PRIORITY**

sed diam nonummy nibh euismod tincidunt ut laoreet  
Lorem ipsum dolor sit amet, consectetur adipiscing elit,  
erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper  
suscipit lobortis nisl ut aliquip dolore magna aliquam



AN ISO 9001:2015 CERTIFIED COMPANY

SINCE 1975<sup>®</sup>  
**Diamond**

ELECTRICAL SOLUTIONS



REPUTATION FOR EXCELLENCE IN ELECTRICAL SOLUTIONS







AN ISO 9001:2015 CERTIFIED COMPANY

SINCE 1975<sup>®</sup>  
**Diamond**

ELECTRICAL SOLUTIONS

# INDOOR LIGHTS

Bright Is The Mood That Takes Over Us When We Are Delighted. And It Happens In Forms. Now Discover Lights That Not Only Give Your Style But Can Enliven The Moment.





# FOREVER

JUST BRIGHT



**VISION**  
SLIM LED PANEL



CODE	SHAPE	SIZE IN MM	CUT-OUT SIZE IN MM	POWER	LUMENS
VPLR10W	ROUND	117 X 177 X 20	Ø100	10W	80Lm / Per Watt
VPLR15W	ROUND	141 X 141 X 20	Ø125	15W	80Lm / Per Watt
VPLR20W	ROUND	166 x 166 x 20	Ø150	20W	80Lm / Per Watt
VPLSQ10W	SQUARE	117 X 117 X 20	Ø100	10W	80Lm / Per Watt
VPLSQ15W	SQUARE	141 x 141 x 20	Ø125	15W	80Lm / Per Watt
VPLSQ20W	SQUARE	166 x 166 x 20	Ø150	20W	80Lm / Per Watt



# PRIDE

SLIM LED PANEL  
WITH INBUILT DRIVER

Lights for Magnificent  
*Interiors*



ENERGY  
SAVING



EXCELLENT  
CRI



LONGER-LIFE  
Up to 40,000  
Burning Hours\*



HIGH  
LUMEN



EASY FIT  
into false ceiling



SURGE SHIELD  
Up to 3 kV\*\*





NO HARMFUL  
UV/ IR  
Radiation





CODE	SHAPE	SIZE IN MM	CUT-OUT SIZE IN MM	POWER	LUMENS	COL. TEMP.
PPLR3W	ROUND	83 X 25	∅ 70	3W	180LM	3K / 4K / 6K
PPLR6W	ROUND	120 X 25	∅ 105	6W	480LM	3K / 4K / 6K
PPLR6W	ROUND	120 X 25	∅ 105	6W	480LM	RD / GR / BL
PPLR12W	ROUND	170 X 25	∅ 150	12W	960LM	3K / 4K / 6K
PPLR12W	ROUND	170 X 25	∅ 150	12W	960LM	RD / GR / BL
PPLR15W	ROUND	190 X 25	∅ 175	15W	1200LM	3K / 4K / 6K
PPLR18W	ROUND	220 X 25	∅ 200	18W	1650LM	3K / 4K / 6K
PPLSQ3W	SQUARE	83 X 83 X 25	∅ 70 X 70	3W	180LM	3K / 4K / 6K
PPLSQ6W	SQUARE	120 X 120 X 25	∅ 105 X 105	6W	480LM	3K / 4K / 6K
PPLSQ12W	SQUARE	170 X 170 X 25	∅ 150 X 150	12W	960LM	3K / 4K / 6K
PPLSQ15W	SQUARE	190 X 190 X 25	∅ 175 X 175	15W	1200LM	3K / 4K / 6K
PPLSQ18W	SQUARE	220 X 220 X 25	∅ 200 X 200	18W	1650LM	3K / 4K / 6K

CODE	SHAPE	SIZE IN MM	CUT-OUT SIZE IN MM	POWER	LUMENS	COL. TEMP.
TCPR6W	ROUND	120 X 23	105	6W	480LM	3K + 4K + 6.5K
TCPSQ6W	SQUARE	120 X 120 X 23	105 X 105	6W	480LM	3K + 4K + 6.5K
TCPR12W	ROUND	170 X 23	150	12W	880LM	3K + 4K + 6.5K
TCPSQ12W	SQUARE	170 X 170 X 23	150 X 150	12W	880LM	3K + 4K + 6.5K
IPR12W <small>(Inverter Panel)</small>	ROUND	170 X 25	150	12W	960LM	3K + 4K + 6.5K
IPSQ12W <small>(Inverter Panel)</small>	SQUARE	170 X 170 X 25	150 X 150	12W	960LM	3K + 4K + 6.5K



CODE	SHAPE	SUITABLE FOR
RNGR6W	ROUND	6W
RNGR12W	ROUND	12W
RNGR18W	ROUND	18W
RNGSQ6W	SQUARE	6W
RNGSQ12W	SQUARE	12W
RNGSQ18W	SQUARE	18W

# SLIM

DOWN LIGHT

# Visual COMFORT

For Your  
OFFICE SPACES



ENERGY  
SAVING



EXCELLENT  
CRI



LONGER-LIFE  
Up to 40,000  
Burning Hours\*



HIGH  
LUMEN



EASY FIT  
into false ceiling



SURGE SHIELD  
Up to 3 kV\*\*



NO HARMFUL  
UV/ IR  
Radiation




CODE	SHAPE	SIZE IN MM	CUT-OUT SIZE IN MM	POWER	LUMENS	COL. TEMP.
MDLR8W	ROUND	121 x 38	∅ 106	8W	800Lm	W / NW / WW
MDLR12W	ROUND	155 x 38	∅ 125	12W	1200Lm	W / NW / WW
MDLR15W	ROUND	172 x 38	∅ 158	15W	1500Lm	W / NW / WW
MDLR22W	ROUND	225 x 40	∅ 208	22W	2200Lm	W / NW / WW
MDLSQ8W	SQUARE	121 x 121 x 38	∅ 106 x 106	8W	800Lm	W / NW / WW
MDLSQ12W	SQUARE	125 x 125 x 38	∅ 125 x 125	12W	1200Lm	W / NW / WW
MDLSQ15W	SQUARE	172 x 172 x 38	∅ 158 x 158	15W	1500Lm	W / NW / WW
MDLSQ22W	SQUARE	225 x 225 x 38	∅ 208 x 208	22W	2200Lm	W / NW / WW

CODE	SHAPE	SIZE IN MM	CUT-OUT SIZE IN MM	POWER	LUMENS	COL. TEMP.
SDLR16W	ROUND	126 x 30	∅110 mm	16W	1650Lm	W / NW / WW
SDLR2W	ROUND	175 x 30	∅160 mm	24W	2450Lm	W / NW / WW
SDLR32W	ROUND	225 x 30	∅210 mm	32W	3300Lm	W / NW / WW



CODE	SHAPE	SIZE IN MM	CUT-OUT SIZE IN MM	POWER	LUMENS
PCPSQ1X1	SQUARE	295 x 295x 25	∅ 275 x 275	24W	2400Lm
CPBSQ2X2	SQUARE	600 x 600 x 13	∅ 585 x 585	48W	4800Lm
DRIVER1X1	-	-	-	24W	-
DRIVER2X2	-	-	-	48W	-
CLIPS1X1&2X2	-	-	-	-	-



COLOUR TEMPERATURE : COOL WHITE / DAY LIGHT / WARM WHITE

Add these codes in suffix in the item code for color temperature :- W-White , WW-Warm White , NW-Natural White , RD-Red , GR-Green , BL-Blue , PK-Pink



# ENHANCE

THE INTERIOR



GLOFLO  
SURFACE LIGHT



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
GFSL12W	ROUND	112 x 28	24mm	12W	80Lm	3k / 4k / 6.5k

CODE	SHAPE	DIMENSION IN MM	POWER	LUMENS	COLOUR
XSL7W	ROUND	88 X 42 mm	7W	560Lm	3k / 4k / 6.5k
XSL9W	ROUND	120 x 42 mm	9W	720Lm	3k / 4k / 6.5k
XSL11W	ROUND	140 x 42 mm	11W	960Lm	3k / 4k / 6.5k
XSL12W	ROUND	140 x 42 mm	12W	960Lm	3k / 4k / 6.5k



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
BL3W	ROUND	110 mm	50 mm	3W	240lm	3k / 6.5k
BL3W	ROUND	110 mm	50 mm	3W	240lm	R / G / B / P

CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
GDL6W	ROUND	110 mm	75 mm	6W	560Lm	WH
GDL6W	ROUND	110 mm	75 mm	6W	560Lm	W+WW / W+R W+G / W+B / W+P



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
AU7W	ROUND	110 mm	50 mm	7W	560lm	WH
AU7W	ROUND	110 mm	50 mm	7W	560lm	W+WW / W+R W+G / W + B / W+P

# SYMBOL

OF WHITENESS



LUMOS  
DOWN LIGHT





CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
JDL3W	ROUND	75 mm	40mm	3W	240lm	3k / 6.5K / R / G/B/P



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
JDL3W	ROUND	75 mm	42 mm	3W	240lm	3k / 6.5K / R / G/B/P



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
LDL5W	ROUND	110 mm	75 mm	5W	400lm	3k / 4k / 6.5k
LDL5W	ROUND	110 mm	75 mm	5W	400lm	RD / GR / BL
LDL5W	ROUND	110 mm	75 mm	5W	400lm	W+WW+NW+R+B+P
LDL8W	ROUND	110 mm	75 mm	8W	800lm	3k / 4k / 6.5K
LDL8W	ROUND	100 mm	75 mm	8W	800lm	R / G / B / PK



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
GCLR3W	ROUND	75	50 mm	3W	240Lm	3K / 6.5K / RD/ GR / BL
GCLR7W	ROUND	110	75 mm	7W	500Lm	3K / 6.5K / RD/ GR / BL



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
SODLR2W	ROUND	42 mm	33 mm	2W	116lm	3K / 4K / 6.5K / R / G / B / PK
SODLR1W	ROUND	31 mm	24 mm	1W	80lm	3K / 4K / 6.5K / R / G / B / PK

# DARK

DAYS ARE OVER



DAWN LED  
CEILING LIGHT



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
DCL6W	ROUND	65 X 64 mm	58 mm	6W	420Lm	w /ww/nw
DCL12W	ROUND	80 X 73 mm	75 mm	12W	840Lm	w/ww/nw

CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
NCL6W	ROUND	65 x 64 mm	58 mm	6W	420 lm	W/WW/NW
NCL12W	ROUND	80 x73 mm	75 mm	12W	840 lm	W/WW/NW



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
CCL6W	ROUND	89 x 62	80 mm	6W	480lm	3k / 4k / 6.5k
CCL9W	ROUND	89 x 74	80 mm	9W	720lm	3k / 4k / 6.5k
CC116W	ROUND	115 x 88	100 mm	16W	1280lm	3k / 4k / 6.5k

CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
FCL30W	ROUND	160 x 113 mm	144 mm	30W	2400lm	3K /4k / 6.5K
FCL50W	ROUND	160 x 133 mm	145 mm	50W	4000lm	3K /4k / 6.5K



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
ZCL30W	ROUND	188 x 170 mm	150 mm	30W	2400lm	3K / 6.5K


CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
-	ROUND	85 mm	35 mm	3W	240lm	W/Y/R/G/B/P





# A BRIGHTER

WAY TO SHINE



AMAZE  
COB LIGHT



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
SCL6W	ROUND	-	-	6W	480lm	3k / 4k / 6.5k
SCL12W	ROUND	-	-	12W	960lm	3k / 4k / 6.5k
SCL18W	ROUND	-	-	18W	1440lm	3k / 4k / 6.5k

CODE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
LNL-6W RG BK	-	-	3 x2W	-	WW / 4K
LNL-6W PB BK	-	-	3x 2W	-	WW / 4K
LNL-10W RG BK	-	-	5x2W	-	WW / 4K
LNL-10W RG BK	-	-	5x2W	-	WW / 4K



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
RBL30W	ROUND	-	-	30W	2400lm	3k / 6.5k
RBL40W	ROUND	-	-	40W	3200lm	3k / 6.5k
RBL50W	ROUND	-	-	50W	4000lm	3k / 6.5k



# TRAIL

TRACK LIGHT

Integrated Optical Reflector  
Accurate Light Distribution, Uniform Light Color

Italian Patent Design, Two Kinds Of Illumination Angle, Soft,  
Uniform Light High Pd No Stroboscopic, Anti Glare Design







CODE	SHAPE	BODY COLOUR	POWER	LUMENS	COL. TEMP.
TTL10W	ROUND	WHITE / BLACK	10W	800lm	3K /4k / 6.5K
TTL20W	ROUND	WHITE / BLACK	20W	1600lm	3K /4k / 6.5K
TTL30W	ROUND	WHITE / BLACK	30W	2400lm	3K /4k / 6.5K

CODE	SHAPE	BODY COLOUR	POWER	LUMENS	COL. TEMP.
CTL10W	ROUND	WHITE / BLACK	10W	720lm	3K /4k / 6.5K
CTL16W	ROUND	WHITE / BLACK	16W	1280lm	3K /4k / 6.5K
CTL20W	ROUND	WHITE / BLACK	20W	1280lm	3K /4k / 6.5K
CTL30W	ROUND	WHITE / BLACK	30W	2400lm	3K /4k / 6.5K



CODE	SHAPE	BODY COLOUR	POWER	LUMENS	COL. TEMP.
SWL3W	ROUND	WHITE / BLACK	3W	240lm	3K /4k / 6.5K
SWL6W	ROUND	WHITE / BLACK	6W	480lm	3K /4k / 6.5K
SWL20W	ROUND	WHITE / BLACK	20W	1280lm	3K /4k / 6.5K

AN ISO 9001:2015 CERTIFIED COMPANY

SINCE 1975  
**Diamond**

ELECTRICAL SOLUTIONS



## New Generation Magnetic Suction Track Light

Multiple Combinations  
For Commercial Use

## New Generation. Modular Installation.

random with magnetic lamp, freely adjusts  
when magnetic has been mounted

AN ISO 9001:2015 CERTIFIED COMPANY

SINCE 1975  
**Diamond**

ELECTRICAL SOLUTIONS




CODE	BODY COLOUR	POWER	LUMENS	COL. TEMP.
MTMDL6W	PKW / BK / GRAY	6W	-	W / WW / NW / RD / GR / BL / PK
MTMLC6W	PKW / BK / GRAY	6W	-	W / WW / NW / RD / GR / BL / PK
MTMDL12W	PKW / BK / GRAY	12W	-	W / WW / NW / RD / GR / BL / PK
MTMLC12W	PKW / BK / GRAY	12W	-	W / WW / NW / RD / GR / BL / PK



# ***HANGING***

LED • DOWN • LIGHT




**TECHNOLOGY** REVOLUTION  
FOR A BRIGHT **BETTER TOMORROW**





CODE	BODY COLOUR	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
TRK1M	White / Black	-	-	-	-	-
TRK2M	White / Black	-	-	-	-	-

CODE	BODY COLOUR	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
WFTL	White / Black	-	-	-	-	-



CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
HDL10W	ROUND	-	110 X 75 mm	10W	1000lm	3k / 6.5k
HDL15W	ROUND	-	110 X 745 mm	15W	1500lm	3k / 6.5k

CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
LCLR5W	ROUND	-	-	5W	400lm	-
LCLR3W	ROUND	-	61 x 10 mm	3W	240lm	-
LCLR3W	ROUND	-	61 x 10 mm	3W	240lm	-
LCLSQ3W	SQUARE	-	65 x 10mm	3W	240lm	-





# TECHNOLOGY REVOLUTION FOR A BRIGHT BETTER TOMORROW

Compare with with the traditional light, the down light can save energy, more 70% than the conventional light. the whole lighting effect.

Excellent heating out- put, the housing temperature is less than 50 degrees, after working 24-hour which will be better for the lamps life span.





CODE	BODY COLOUR	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
BTL5W	-	1FT	-	5W	5000lm	3k / 6.5k
BTL10W	-	2FT	-	10W	1000lm	3k / 6.5k
BTL22W	-	4FT	-	15W	2200lm	3k / 6.5k



CODE	BODY COLOUR	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
BTL40W	-	4 FT	-	40W	3200lm	3K / 6.5K



CODE	BODY COLOUR	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
HPLA-45W	White	-	-	45W	4000lm	W / WW / NW
HPLB-45W	White	-	-	45W	4500lm	W / WW / NW


CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
SL4W	-	1 FT	-	4W	320lm	3k / 6.5k
SL8W	-	2 FT	-	8W	640lm	3k / 6.5k





# ALEXA<sup>+</sup>

MIRROR LIGHT



Shine A Light On Your Beauty With  
**Mirror Light.**

These lights can provide a glowing element while offering adequate lighting for the mirror area. They come in various styles and designs to complement different interior aesthetics.



CODE	BODY COLOUR	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COLOUR
ML-12W	Golden / Copper	-	-	12W	960lm	WH+WW+NW
	Wooden					



CODE	BODY COLOUR	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
AXWL6W	-	-	-	6W	480lm	WH+NW+WW
AXWL12W	-	-	-	12W	960lm	WH+NW+WW



CODE	BODY COLOUR	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
TML9W	-	76 X35X316	-	9W	810lm	3K / 4K / 6.5K
TML18W	-	76X35X552	-	18W	1620lm	3K / 4K / 6.5K

CODE	SHAPE	DIMENSION IN MM	CUT-OUT IN MM	POWER	LUMENS	COL. TEMP.
LBL3W	-	-	-	3W	300lm	3K / 4K / 6.5K
LBL6W	-	-	-	6W	600lm	3K / 4K / 6.5K



# GLARE

# LED # ROPE # LIGHT

Led Rope Lights Offer A Variety Of Lighting Colours And Effects To Decorate Your Home Thus, Making Them Suitable For The Cove Lighting.








CODE	INPUT VOLTAGE	POWER	LUMENS	COLOUR
SPL4040	90-300V	7.2W	750lm	3K / 4K / NW / BL
SPL4040	90-300V	7.2W	750lm	GR / RD / IB / AM / PK
SPL2835 (120 LED)	90-300V	9W	600lm	WH / WW / NW
SPL2835 (120 LED)	90-300V	18W	1200lm	WH / WW / NW

CODE	INPUT VOLTAGE	POWER	LUMENS	COLOUR
SPL2835	90-300V	8.9W	550lm	3K / 4K / NW / BL
SPL2835	90-300V	5W	550lm	GR / RD / IB / AM / PK



CODE	INPUT VOLTAGE	POWER	LUMENS	COLOUR
SLD2AMP	-	12V DC-2Amp(24W)	-	-
SLD5AMP	-	12V DC-5Amp(60W)	-	-
SLD10AMP	-	12V DC-10Amp(120W)	-	-

CODE	INPUT VOLTAGE	POWER	LUMENS	COLOUR
RPLRGB	90-300V	8.9W	550lm	RGB / Color Changing
PLUG				



CODE	INPUT VOLTAGE	POWER
DL-DRIVER 3A	90-300V	36W
DL-DRIVER 4A	90-300V	48W
DL-DRIVER 8A	90-300V	96W
ROPE LIGHT PLUG 2835	-	-
ROPE LIGHT CONNECTER 2835	-	-



AN ISO 9001:2015 CERTIFIED COMPANY

SINCE 1975  
**Diamond**<sup>®</sup>

ELECTRICAL SOLUTIONS



**BRIGHTER, SAFER, BETTER**

FLOOD LIGHTS FOR ALL YOUR OUTDOOR NEEDS.



CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
AFL30W	20X16X3.20	30W	4200lm	3K/6.5K
AFL50W	24.80X19X3.50	50W	7000lm	3K/6.5K
AFL50W	24.80X1X3.50	50W	7000lm	RD/GR/BL
AFL100W	29.5X21.8X4.4	100W	1400lm	3K/6.5K
AFL150W	33.5X24.5X4.3	150W	21000lm	3K/6.5K
AFL200W	38.1X28X4.8	200W	28000lm	3K/6.5K

CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
TFL50W	215 X 32 X 160	50W	4000lm	3k / 6.5k
TFL100W	271 X 34 X 210	100W	8000lm	3k / 6.5k
TFL150W	321 X 37 X 231	150W	12000lm	3k / 6.5k
TFL200W	381 X 38 X 281	200W	16000lm	3k/ 6.5k



CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
AFL50W	24.80 x 19 x 3.50	50W	7000lm	RD + GR + BL (RGB WITH REMOTE)
WFL300	-	300W	42000lm	3K / 6.5K
WFL400	-	400W	56000lm	3K / 6.5K

CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
GSL20	350 X 110 X 70	20W	2000lm	6.5k
GSL30	410 X 150 X 80	30W	3000lm	6.5k
GSL50	480 X 215 X 80	50W	5000lm	6.5k
GSL100	620 X 290 X 110	100W	10000lm	6.5k
GSL150	-	150W	150000lm	6.5k





AN ISO 9001:2015 CERTIFIED COMPANY

SINCE 1975<sup>®</sup>  
**Diamond**

ELECTRICAL SOLUTIONS

# LIGHT UP THE WORLD



## FEATURES



Dimmable 1-10V



Long Life-Cycle



5 Years Warranty



IP65 Rated



Efficient 3030 LEDs  
(145 iM/W) UFO LED Light



100V-277V



Beam Angles of 120°



Cast aluminum heatsink heads






CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
HBL50	-	50W	5000lm	6.5k
HBL100	-	100W	10000lm	6.5k
HBL150	-	150W	15000lm	6.5k
HBL200	-	200W	20000lm	6.5k

CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
SFL3W	-	3W	240lm	3K / 6.5K

CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
SFL3W	-	3W	240lm	3K / 6.5K



CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
FLR3W	-	3W	240lm	3k / 6.5k

AN ISO 9001:2015 CERTIFIED COMPANY

SINCE 1975<sup>®</sup>  
**Diamond**

ELECTRICAL SOLUTIONS

# GRACE YOUR EXTERIORS WITH BRIGHTNESS

Explore A Range Of Comprehensive  
Outdoor Lights That Add A Golden Touch  
To The Your Exterior Walls



AN ISO 9001:2015 CERTIFIED COMPANY

SINCE 1975<sup>®</sup>  
**Diamond**

ELECTRICAL SOLUTIONS



“Jewel  
of Your  
Garden”

**ARROW**  
SPIKE LIGHT






CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
ASL5W	-	5W	400lm	3K / 6.5K
ASL5W	-	5W	400lm	RD / GR / BL
ASL6W	-	6W	720lm	RD + GR + BL
ASL7W	-	7W	-	W / WW
ASL7W	-	7W	-	R / B / G
ASL9W	-	9W	720lm	3K
ASL9W	-	9W	720lm	RD / GR / BL



CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
BD1FT	-	6+3W	-	3K / 4K / 6.5K
BD2FT	-	6+3W	-	3K / 4K / 6.5K



CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
KWL3W	-	3W	-	3K / 6.5K
KWL6W	-	6W	-	3K / 6.5K



CODE	SHAPE	DIMENSION IN MM	POWER	LUMENS	COLOUR
WML10W	ROUND	60 X 125 X 82	2X5W	800lm	3K / 4K / 6.5K
WML18W	ROUND	80 X 190 X 103	2X9W	1440lm	3K / 4K / 6.5K



CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
OWL2W	-	2W	-	3K / 6.5K
OWL4W	-	4W	-	3K / 6.5K
OWL6W	-	6W	-	3K / 6.5K

CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
FUDL5W	-	5W	1000lm	3K / 6.5K



CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
FUDL10W	-	10W	1000lm	3K / 6.5K

CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
WL4W	-	1X4W	-	WW
WL4W	-	1X4W	-	RGBY
	-		-	






CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
BLW8W	-	8W	800lm	3K / 6.5K
BLW10W	-	10W	1000lm	W/WW
BLW20W	-	20W	2000lm	W/WW

CODE	DIMENSION IN MM	POWER	LUMENS	COLOUR
WL12W	-	12W	800lm	3K / 4K / 6.5K





# MANUFACTURING






AN ISO 9001:2015 CERTIFIED COMPANY

**Diamond**<sup>®</sup>  
SINCE 1975

ELECTRICAL SOLUTIONS



**Discover Our Delhi-based Factory and Research Hub.**

Over 500 Dedicated Employees Crafting Excellence.

Nationwide Presence: 500+ Dealers Across 15 States.

# 11000000

11000000

