

# THE EVOLUTION OF CONTINUOUS INNOVATION



SHINE PREMIUM LUMINAIRES 2023

SHINE  
PREMIUM LUMINAIRES




Collection May 2023

Dreams never cease and  
nor do our innovations  
in lighting.





A misty forest landscape with tall evergreen trees in the foreground and a hazy background. The scene is captured in a soft, ethereal light, with mist or fog filling the air between the trees. The colors are muted, with various shades of green and blue-grey. The text is overlaid on the right side of the image.

Light creates an effect.  
It is one of the components  
of nature that results in  
an ecstatic feel  
and elated mood.





# All for promoting extra vagance for all

I believe in continuous progression and GM believes in ceaseless innovation. Together, this thought qualifies for us to be a powerful team.

Introducing a new phase of luxury, which majorly focuses on the idea of 'extravagance for all', GM brings a splendid range of products that intensifies comfort and propagates exceptional convenience. By making luxury innovations accessible to all, GM sets a new standard of improved customer experience.


On behalf of GM, I proudly invite you to experience the extravagant luxury, and be a part of our revolutionary journey.

  
- Suniel Shetty



Bright lights for  
brighter lifestyles

Ceiling Light Series  
01-13



Innovative lighting for  
contemporary architecture

Ensemble Light Series  
14-48



Illumination for  
accentuating your spaces

Wall Light Series  
49-62



Lighting up your  
moments and interiors

Downlight Series  
63-106



Guiding you with  
brilliant lighting

Magnetic Track Light Series  
107-129  
Track Light Series  
130-138



Evolving lights for  
evolving lives

Outdoor Light Series  
139-159



CONTENT





A good mood is a  
reflection of a good lighting








Dreamy lighting  
is no more a fantasy







A larger than life lighting  
experience awaits









## CEILING LIGHTS

TRANSFORM YOUR CEILINGS INTO A WORK OF ART. WITH DELICATE DESIGN AND WARM ILLUMINATION OF NEW GM CEILING LIGHTS, CREATE A DELIGHTFUL AMBIENCE THAT MATCHES NUMEROUS MOODS AND OCCASIONS.



# When light comes full circle

They say that what goes around comes around, and the same is with lighting. A good lighting influences thinking and behaviour, and thus, promises a delightful mood and blissful ambience.



GM-CL-001-033W

LED : Epistar  
Power : 33W  
Flux : 1600 lm  
Beam Angle : 130°  
Material : MS + polycarbonate  
MRP : ₹ 23,900/-

GM-CL-001-045W

LED : Epistar  
Power : 45W  
Flux : 2395 lm  
Beam Angle : 130°  
Material : MS + polycarbonate  
MRP : ₹ 29,500/-

Colour Temperature

3000K



Body Colour

Black + Gold

IP	CRI
20	80










Presenting creativity in  
lighting and innovation





# The halo of extravagance

Lights radiate positivity and with a design so unique it certainly soothes the senses. From being an object of admiration to becoming the central point of discussion, it attracts everyone's attention.



GM-CL-002-042W-WB

LED : Osram  
Power : 42W  
Flux : 3675 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 53,800/-

GM-CL-002-042W-CB

LED : Osram  
Power : 42W  
Flux : 3675 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 65,000/-

Colour Temperature

3000K



Body Colour

White + Black

Dark Coffee + Black

IP	CRI
20	80









## The hula hoop lighting

The massive hoop with many lights in dramatic black colour is both functional and stylish. It smartly skips the need for multiple lighting accessories while strikingly enhancing the interiors.



Adjustability. Embedded installation (the lamp body can be pulled out)



GM-CL-003-030W

LED : Cree  
Power : 5x6W  
Flux : 2700 lm  
Beam Angle : 36°  
Material : Steel  
MRP : ₹ 41,100/-

GM-CL-003-045W

LED : Cree  
Power : 5x9W  
Flux : 4050 lm  
Beam Angle : 36°  
Material : Steel  
MRP : ₹ 51,600/-

GM-CL-003-060W

LED : Cree  
Power : 5x12W  
Flux : 5400 lm  
Beam Angle : 36°  
Material : Steel  
MRP : ₹ 80,800/-

Colour Temperature

3000K



Body Colour

Black



IP	CRI
20	90










## Light that sets its priorities straight

The GM Light of Infinity has no end to its utility and creativity. It can extend its reach as per your demands, thus giving priority to your interior designing style and personal lighting preferences.



The GM Light of Infinity is the new way to light up your ceiling. Made with premium aluminium, the slim light stretches across the ceiling horizontally or vertically. The unique ceiling light, although appears not to be touching the ceiling, has a sturdy fit on the sides. It illuminates the space with just the right amount of light and fits perfectly with your lighting preferences.



GM-LL-001-066W

LED : Strip  
 Power : 66W  
 Flux : 770 lm/M  
 Beam Angle : Diffused Light  
 Material : Steel  
 MRP : ₹ 32,000/-

GM-LL-001-0132W

LED : Strip  
 Power : 132W  
 Flux : 770 lm/M  
 Beam Angle : Diffused Light  
 Material : Steel  
 MRP : ₹ 47,500/-

Colour Temperature

3000K



BodyColour

Sand Black

IP	CRI
20	90

\*Drivers to be procured separately










## Light that encompasses all

A unique pattern in lighting design that breaks contemporary functional limitations. The massive black & gold lighting ring with equally distant standing lights serves multiple purposes and consequently becomes the centre of attraction. The aluminium body ensures strength and longevity, while the stunning design appeals to the eye.





GM-PD-001-034W

LED : Osram  
Power : 34W  
Flux : 2400 lm  
Beam Angle : 25°  
Material : Aluminium  
MRP : ₹ 28,400/-

GM-PD-001-050W

LED : Osram  
Power : 50W  
Flux : 4375 lm  
Beam Angle : 25°  
Material : Aluminium  
MRP : ₹ 43,300/-

Colour Temperature

3000K



Body Colour

Black

Gold

IP	CRI
20	80



The massive black and gold lighting ring with equally distant standing lights serves multiple purposes and consequently becomes the object of discussion. The aluminum body ensures strength and longevity, while the stunning design appeals to the eye.






## Light that's straight out of a fairytale

Light has the power to transport you to the world of fascination. Moreover, it possesses the ability to strike the right chord in the minds of individuals, thus creating an effect that is utterly satisfying.





The gold pendant lamp with its unique pattern is fascinating. It hangs gracefully from the ceiling with dainty looking strings and adds a touch of luxury to your décor.



<p><b>GM-PD-004-056W</b></p> <p>LED : Epistar          Power : 56W          Flux : 4400 lm          Beam Angle : 130°          Material : Aluminium          MRP : ₹ 27,600/-</p>	<p><b>GM-PD-004-084W</b></p> <p>LED : Epistar          Power : 84W          Flux : 6700 lm          Beam Angle : 130°          Material : Aluminium          MRP : ₹ 38,100/-</p>
---	---

Colour Temperature	Body Colour	IP	CRI
3000K	Gold	20	80







Light and leisure  
influence each other








# The ring of enchantment

The circle represents balance, harmony and eternity. The minimalist circular design of the GM pendant light, unified with pure luminance interprets nothing but absolute luxury.



GM-PD-011-052W

LED : Epistar  
Power : 52W  
Flux : 4550 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 39,300/-

Colour Temperature

3000K



Body Colour

Black



IP	CRI
20	80








Inspired by the orbits







GM-PD-019-050W

LED : Cree  
Power : 10x5W  
Flux : 4600 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 39,100/-

The miniature spherical luminaires on the orbital lighting item become a source of wonder. It not only complements the décor nicely, but also serves a practical purpose.

Colour Temperature

3000K



Body Colour

Gold + Black




IP	CRI
20	80







Lighting that is  
aesthetic and blissful



GM-PD-020-030W

LED : Cree  
Power : 6x5W  
Flux : 2800 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 21,700/-

Colour Temperature

3000K



Body Colour

Gold + Black




IP	CRI
20	80








# Lights to accentuate and impress



3-IN-1 | Hand Infrared Detection Dimming Function with Memory Function Module



GP10039-30W

LED : Bridgelux  
Power : 30W  
Flux : 2850 lm  
Beam Angle : 90°  
Material : Aluminium  
MRP : ₹ 18,000/-

The GM LED Pendant Light adorns your ceiling suitably. The light fixtures can be adjusted and directed to address a number of lighting needs in your beloved spaces. The unique LED lights have a heat-sink design and are slim in form.

Colour Temperature

3-in-1



Body Colour

Sand Black

IP	CRI
20	90



Warm to cool



Dimmable



HIGH CRI



HIGH VISUAL COMFORT





SURGE PROTECTION





Light with a wide scope for comfort



GM-PD-018-012W

LED : Osram  
Power : 12W  
Flux : 1050 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 18,800/-

Colour Temperature

3000K



Body Colour

Black  
White

IP	CRI
20	80








# A symbiosis between ambience and lighting

With an impressive curve, the GM ceiling light is sure to garner admiration for your decor and lighting. Neatly suspended over any table or otherwise, the light sets a comfortable mood and adds a calmness quotient to the spaces.



GM-PD-009-017W



LED : Epistar  
Power : 17W  
Flux : 1487 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 21,900/-

Colour Temperature

3000K



Body Colour

-  Brass
-  Coffee

IP	CRI
20	80







## The perfect harmony of form and innovation


To maintain the perfect harmony in your space that also comprises innovation is not much of a task. GM ceiling lights fill the gap between form and innovation, providing high performance. The lights add an aesthetic dimension and revive your spaces naturally.







The new wall lights steer away from conventional lights with their slim and minimalistic shape. It hangs delicately in the room with strong cables supporting it from above and a stand below the light. The square and circle pendant lights are available in a white shade with brilliant illumination.



GM-PD-007-028W-SQS

LED : Epistar  
Power : 28W  
Flux : 2450 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 19,600/-

GM-PD-007-020W-RDS

LED : Epistar  
Power : 20W  
Flux : 1750 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 16,600/-

Colour Temperature

3000K



Body Colour

White



IP	CRI
20	80







GM-CL-001-033W  
GM-CL-001-045W



GM-CL-002-042W-WB  
GM-CL-002-042W-CB



Explore the beauty in lighting



GM-CL-003-030W  
GM-CL-003-045W  
GM-CL-003-060W




GM-PD-004-056W  
GM-PD-004-084W



GM-PD-020-030W



GP10039-30W



GM-PD-018-012W



GM-PD-011-052W



GM-PD-009-017W




GM-WL-008-005W



GM-PD-001-034W  
GM-PD-001-050W



GM-PD-019-050W



GM-PD-007-020W-RDS



GM-PD-007-028W-SOS



GM-LL-001-132W  
GM-LL-001-066W



## ENSEMBLE LIGHTS

ADD A TOUCH OF LUXURY TO YOUR SURROUNDINGS WITH THE EXTRAORDINARY VERSATILITY OF GMS NEW ENSEMBLE LIGHTS. LIGHTEN UP LIVING ROOMS, DINING ROOMS, KITCHENS, RESTAURANTS, LOUNGES AND MORE, AND EXPERIENCE SHEER EXQUISITENESS.






## Drawing inspiration from everyday objects

While light in itself is a source of inspiration, we take hints from the objects around us. Shaped like a boat, the new GM light amplifies the artistic feel and adds to the beauty of your interiors.





An impressive shape that is a combination of a smooth, curved surface, and a sturdy rod in the centre, this wall light is a modern piece of art that lights up the walls in an exemplary fashion.



GM-WL-008-005W

LED : Epistar  
 Power : 5W  
 Flux : 437 lm  
 Beam Angle : 130°  
 Material : Aluminium  
 MRP : ₹ 14,800/-

Colour Temperature

3000K



Body Colour

White





IP	CRI
20	80








With its distinctive shape, the white curved pendant lamp suspended by sturdy cables and supported with black rod-like structure certainly draws attention. It excels in aesthetic appeal and lends originality to your interiors. Its elegant structure with warm illumination makes it an excellent medium for uplifting moods by transforming ambiances.



GM-PD-003-030W

LED : Epistar  
Power : 30W  
Flux : 2187 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 26,100/-



GM-PD-003-040W

LED : Epistar  
Power : 40W  
Flux : 3237 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 32,900/-

Colour Temperature

3000K



Body Colour

Black + White

IP	CRI
20	80









# Artistic to its core

Available in three different variations, the black and gold pendant light hangs delicately in your space. It amazes with its sturdy and stunning appearance and revamps your space impressively focusing on the aesthetics.



GM-PD-024-012W-108

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 7,800/-

GM-PD-024-012W-208

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 8,600/-

GM-PD-024-012W-308

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,100/-

Colour Temperature

3000K



Body Colour

Black + Gold

IP	CRI
20	90







Live the magic of illumination



GM-PD-023-012W-108

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,200/-

GM-PD-023-012W-188

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 10,200/-

GM-PD-023-012W-268

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 11,000/-

Colour Temperature

3000K



Body Colour

Black + Gold

IP	CRI
20	90








## All round radiance

They say all that glitters is not gold, and so we came up with a lighting concept that glitters and is also gold. The finely structured design with gold & black aluminium body is sure to add a class of sophistication to your interiors. With its adjustable beam angle feature, the lights surely have each other's back maintaining radiance everywhere.




GM-PD-022-012W

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 10,700/-

Colour Temperature

3000K 4000K



Body Colour

Gold+Black



IP	CRI
20	90









# Spectacular drops of light

Give your space a luxurious transformation with the new GM wall and pendant lights. The elongated neck is made of aluminium, while the glass-like structure releases glaring rays of brilliance.




GM-PD-013-010W

LED : Osram  
Power : 10W  
Flux : 875 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 9,700/-




GM-PD-015-007W

LED : Epistar  
Power : 7W  
Flux : 612 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 9,700/-



GM-PD-014-007W

LED : Epistar  
Power : 7W  
Flux : 612 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 9,700/-



GM-WL-012-007W

LED : Epistar  
Power : 7W  
Flux : 612 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 9,700/-

Colour Temperature

3000K



Body Colour

Gold



IP	CRI
20	80







## Light in every expression

Be it wall lamp, suspended light or floor light, GM lights outshine in every form. The attractive arrangement of the luminaire, in any form, will highlight the best of your interior.







Versatility is one of the core elements that is instilled in GM lights. The amazing ability to mould itself and suit the space is the focal point that GM lights revolve around. This offers the ultimate freedom to design a space exactly as you wish with quality lights that are perfectly in sync with your personality.




GM-WL-011-005W

LED : Epistar  
Power : 05W  
Flux : 375 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 6,000/-



GM-TL-006-005W

LED : Epistar  
Power : 05W  
Flux : 375 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 10,500/-



GM-PD-012-005W

LED : Epistar  
Power : 05W  
Flux : 375 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 10,500/-

Colour Temperature

3000K



Body Colour

Black + Gold Bronze

IP	CRI
20	80








# The centre of attention

Lights are an ideal choice to give your space that perfect bliss of brilliance. Available in three variations, the new GM light in black gold splendidly transforms your space making it the centre of attention.



GM-PD-010-010W

LED : Cree  
Power : 2x5W  
Flux : 760 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 21,800/-

GM-PD-010-015W

LED : Cree  
Power : 3x5W  
Flux : 1140 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 25,300/-

GM-PD-010-022W

LED : Cree + Epistar  
Power : 2x5W+1x12W  
Flux : 1660 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 25,300/-

Colour Temperature

3000K



Body Colour

Black + Gold

IP	CRI
20	80









# Focusing on the finer aspects

The perpendicular GM light with additional glowing spots on both ends provides extraordinary convenience. It focuses on the finer aspects of the object and lends an elegant appearance to the dwellings.



**GM-PD-009-010W**  
LED : Cree  
Power : 10W  
Flux : 1000 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 22,500/-

**GM-WL-009-022W**  
LED : Cree+Epistar  
Power : 2x5W+1x12W  
Flux : 1660 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 24,300/-

Colour Temperature

3000K

Body Colour

Black + Gold


IP	CRI
20	80







The vertical handle light looks well in a variety of settings. It highlights the appealing features of an object in the most pleasing way possible, giving the interiors a distinct look.



GM-WL-009-021W

LED : Epistar  
 Power : 21W  
 Flux : 1500 lm  
 Beam Angle : 100°  
 Material : Aluminium  
 MRP : ₹ 19,400/-


Colour Temperature

3000K



Body Colour

Black



IP	CRI
20	80







Embracing each & every element



GM-PD-025-014W

LED : Bridgelux  
Power : 14W  
Flux : 1000 lm  
Beam Angle : 110°  
Material : Aluminium  
MRP : ₹ 14,600/-

Colour Temperature

3000K



Body Colour

Sand Black



IP	CRI
20	90








## The lighting wand

Drawing inspiration from magical wands, here's GM presenting to you an innovation in lighting that is nothing less than phenomenal. Designed in an artistic way to complement your art, it effortlessly beautifies your spaces.



GM-FR-007-018W

LED : Bridgelux  
Power : 18W  
Flux : 437 lm  
Beam Angle : 110°  
Material : Aluminium + Iron  
MRP : ₹ 25,200/-

Colour Temperature

3000K



Body Colour

Sand Black



IP	CRI
20	90









# The magic of minimalistic lighting

Minimalist and simplistic design effectively influence people's well-being. It conveys the idea of aesthetic minimalism with ease. The simple mechanism of the GM floor light is inspired by such an idea. The luminaire is available in different heights as per requirement, making it a versatile choice for your spaces.



GM-LL-001-044W

LED : Strip  
Power : 44W  
Flux : 770 lm/M  
Beam Angle : Diffuse Light  
Material : Steel  
MRP : ₹ 38,200/-

Colour Temperature

3000K



BodyColour

Sand Black



IP	CRI
20	90








# Light, right where you need it

Whether you want light at your favourite spot in your home or to illuminate your space with elegance, you can never go wrong with GM floor lights. Floor lights are not only used for functionality, but they also are a style statement for your interiors.



GM-PD-009-028W

LED : Epistar  
Power : 28W  
Flux : 2000 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 21,700/-

Colour Temperature

3000K



Body Colour


Black




IP	CRI
20	80







GM-PD-003-030W  
GM-PD-003-040W



GM-PD-010-010W GM-PD-010-015W GM-PD-010-022W



GM-TL-006-005W GM-PD-012-005W GM-WL-011-005W




GM-PD-022-012W



GM-PD-032-014W



GM-PD-009-028W



GM-PD-009-010W GM-WL-009-022W



GM-WL-009-021W



GM-PD-024-012W-308 GM-PD-024-012W-208 GM-PD-024-012W-108



Changing  
the face  
of interior  
lighting



GM-FR-007-018W



GM-LL-001-044W



GM-PD-023-012W-108 GM-PD-023-012W-188 GM-PD-023-012W-268



GM-WL-012-007W



GM-PD-014-007W



GM-PD-013-010W




GM-PD-015-007W





# The art in illumination

With its beautiful twists, the finely constructed standing lamp radiates ethereal beauty and grace. It lavishly embellishes the rooms while also performing well in terms of illumination.



GM-FR-006-025W

LED : Epistar  
Power : 25W  
Flux : 1680 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 17,400/-

Colour Temperature

3000K



Body Colour

Nickel





IP	CRI
20	80







The table lamp with rotating lamp holder and twisting joint structure provides exceptional convenience. It provides a variety of lighting angles to beautifully accentuate things and blend in with the interiors.



GM-TL-004-006W

LED : Cree  
Power : 6W  
Flux : 437 lm  
Beam Angle : 60°  
Material : Aluminium  
MRP : ₹ 22,000/-

Colour Temperature

3000K



Body Colour

French Gold

Nickel

IP	CRI
20	60









Shine under  
the spotlight







Available in three luxurious colours—french gold, nickel and chrome—this GM floor lamp is a style statement that is sure to grab everyone’s attention. Its simplistic design and three different height options to choose from, make it ideal for spaces of all sizes.



GM-FR-003-012W

LED : Epistar  
Power : 12W  
Flux : 1050 lm  
Beam Angle : 90°  
Material : Aluminium  
MRP : ₹ 41,600/-

GM-FR-004-018W

LED : Epistar  
Power : 18W  
Flux : 1575 lm  
Beam Angle : 90°  
Material : Aluminium  
MRP : ₹ 51,400/-

GM-FR-005-018W

LED : Epistar  
Power : 18W  
Flux : 1575 lm  
Beam Angle : 90°  
Material : Aluminium  
MRP : ₹ 59,000/-

Colour Temperature

3000K

Body Colour

- French Gold
- Nickel
- Chrome

IP	CRI
20	80








## Light that's worth applauding

The new GM standing light takes care of your everyday needs. The single or triple illuminating branches of the extendable standing light provide exceptional convenience. It serves at all levels and in every direction, thus giving you holistic lighting comfort without compromising on aesthetics.





Light that's  
a multitasker



GM-FR-001-015W

LED : Cree  
Power : 15W  
Flux : 1321 lm  
Beam Angle : 60°  
Material : Aluminium  
MRP : ₹ 47,000/-

Colour Temperature

3000K



Body Colour

French Gold

Nickel

IP	CRI
20	80









# The comfort of light by your side

The design and finish of this table lamp in coffee and brass is influenced by the timeless classics. Its modern visual appeal and greater functionality, however, complement the modern interiors.



GM-TL-005-015W

LED : Edison  
Power : 15W  
Flux : 1312 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 21,000/-

Colour Temperature



3000K



Body Colour

Brass

Coffee



IP	CRI
20	80







# Peace comes from light

Light has the ability to calm you with its warm and soothing radiance. GM floor lamps follow the same principle in providing utmost relaxation, allowing you to unwind at ease in your treasured corners.



GM-FR-002-020W

LED : Epistar  
Power : 20W  
Flux : 1750 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 32,000/-

Colour Temperature

3000K



Body Colour

Coffee

Brass



IP	CRI
20	80







# Mirroring elegance in lighting

The sleek oval form of the chrome standing lamp creates a stunning aesthetic and illuminating experience. Its eye-catching design makes it stand out and adds a touch of class to your living space.



GM-TL-007-018W

LED : Epistar  
Power : 18W  
Flux : 1512 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 11,000/-

GM-FR-007-035W

LED : Epistar  
Power : 35W  
Flux : 2730 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 23,100/-

Colour Temperature

3000K



Body Colour

Chrome

IP	CRI
20	80







## Out-of-the box lighting innovation

The new GM light draws inspiration from the little things. Making use of an ordinary square-like shape, we intend to create extraordinary lighting innovations with an utterly satisfying conclusion, thus amping up your spaces.






Light that's an  
incredible piece of art








The artistically designed light which is available in a perfectly symmetrical, square frame makes it an impressive piece of fine craft. The illumination, as impressive as the design, gives your space a calm ambience with its subtle glow.




**GM-TL-001-009W**

LED : Cree  
Power : 9W  
Flux : 1050 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 29,800/-



**GM-TL-002-009W**

LED : Epistar  
Power : 9W  
Flux : 1050 lm  
Beam Angle : 270°  
Material : Aluminium  
MRP : ₹ 26,900/-



**GM-TL-003-009W**

LED : Epistar  
Power : 9W  
Flux : 1050 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 29,800/-

Colour Temperature

3000K



Body Colour

Black

IP	CRI
20	80








# Adding modernity to your spaces

The new downlight-like table lamp has a special feature that sets it apart from its contemporaries. Instead of being suspended from the ceiling, the light is elevated on a modish stand of premium black shade. The exclusive look adds modernity to your décor and is easy to maintain.



G34-3W-09-SF-PL

LED : Luminus  
Power : 3W  
Flux : 100 lm  
Beam Angle : 10-36°  
Material : Aluminium  
MRP : ₹ 4,800/-



G34-3W-09-RS-PL

LED : Luminus  
Power : 3W  
Flux : 100 lm  
Beam Angle : 10-36°  
Material : Aluminium  
MRP : ₹ 4,500/-

Colour Temperature

3000K



Body Colour

Black



IP	CRI
20	95








## An adept multitasker

This GM wall light adds a refreshing twist to the traditional lamp. The wall-mounted luminaire in sand black & sand white has a sleek design that works perfectly as reading or bedside lighting. Apart from its warm and relaxing illumination, it also has a wireless charging port that makes your leisure time all the more convenient.



GM-WL-017-006W

LED : Edison  
 Power : 6W  
 Flux : 378 lm  
 Beam Angle : 120°  
 Material : Aluminium  
 MRP : ₹ 13,000/-

Colour Temperature

3000K



Body Colour

Sand Black

Sand White


IP	CRI
20	80







The classic table lamp available in sand black & sand white shades is made with premium-grade aluminium. The lamp enlivens the space with its soothing golden light and creates a comfortable environment. The lamp tray doubles up as a wireless charger and is the perfect accessory to be always by your side.



GM-TL-008-006W

LED : Edison  
 Power : 6W  
 Flux : 130 lm  
 Beam Angle : 120°  
 Material : Aluminium  
 MRP : ₹ 13,500/-

Colour Temperature

3000K

Body Colour



Sand White  
 Sand Black

IP	CRI
20	80





The new GM Table Lamp has a unique square design that resembles 'mortarboard' and adds to the aesthetics of your interiors. The subtle illumination provides impeccable functionality and makes it suitable to be used as a study lamp or simply for the purpose of relaxing. The sturdy luminaire is made from high-quality aluminium and is available in acrylic sand black and sand white shades.




GM-TL-009-003W  
 LED : Edison  
 Power : 03W  
 Flux : 280 lm  
 Beam Angle : 120°  
 Material : Aluminium + Acrylic  
 MRP : ₹ 6,700/-

Colour Temperature



Body Colour



IP	CRI
20	80







Lights that are incredibly creative







## Instrumental in good lighting




The sleek vertical body of the GM ceiling lights amazes with its artistic appeal. It not only draws the attention of the individuals towards its unique structure but also enchants with its lustre and creative lighting style.







As much as we love innovation, in the same way, we love to create designs that are spectacular and functional in all possible ways. We love how innovatively this new vertical light will impact your interiors. The lustrous body is made of aluminium that assures sturdy form and adds both textures and layers to your space.



GM-PD-005-005W

LED : Osram  
Power : 05W  
Flux : 190 lm  
Beam Angle : 45°  
Material : Aluminium  
MRP : ₹ 10,100/-

GM-PD-005-040W

LED : Osram  
Power : 40W  
Flux : 3500 lm  
Beam Angle : 45°  
Material : Aluminium  
MRP : ₹ 59,800/-

Colour Temperature

3000K



Body Colour

Coffee



IP	CRI
20	80









# A great lighting story

Your home tells a story of who you are, and with great lighting comes a great story. Made of a solid aluminium body, the new GM lights are innovative in design and functions. It dangles freely from your ceiling and creates a mesmerising sight to behold.



GM-PD-008-005W

LED : Osram  
Power : 05W  
Flux : 190 lm  
Beam Angle : 45°  
Material : Aluminium  
MRP : ₹ 10,200/-

GM-PD-008-050W

LED : Osram  
Power : 50W  
Flux : 3500 lm  
Beam Angle : 45°  
Material : Aluminium  
MRP : ₹ 60,500/-

Colour Temperature

3000K



Body Colour

Coffee



IP	CRI
20	80









# Identical with the sky lanterns

This creatively crafted light not only allures with its exceptional design but also calls for meditation upon it due to its warm lighting effect. Put up independently or in a set of three or four, this GM light in coffee brown hue adds a touch of earthiness to the interiors.




GM-PD-002-011W

LED : Epistar  
Power : 11W  
Flux : 960 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 10,100/-



GM-PD-002-036W

LED : Epistar  
Power : 36W  
Flux : 3150 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 26,100/-



GM-PD-002-051W

LED : Epistar  
Power : 51W  
Flux : 4462 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 43,300/-

Colour Temperature

3000K



Body Colour

Coffee



IP	CRI
20	80








# Perfectly accentuating everything

The pendant light has a sophisticated wine glass-shaped design which is available in four shiny colours—black, gold, red, and silver. The light perfectly accentuates everything it focuses on. It is made of premium aluminium for long-lasting performance and easy maintenance.



GM-PD-006-007W

LED : Cree  
Power : 07W  
Flux : 500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,000/-

Colour Temperature

3000K



Body Colour

- Black
- Red
- Silver
- Gold


IP	CRI
20	90







# The upside down lighting bowl



GM-PD-021-025W

LED : Epistar  
Power : 25W  
Flux : 2187 lm  
Beam Angle : 130°  
Material : Aluminium + Glass  
MRP : ₹ 56,700/-

Colour Temperature

3000K



Body Colour

Grey




IP	CRI
20	80







# Illuminating lighting kettle



GM-PD-016-007W

LED : Cree  
Power : 07W  
Flux : 612 lm  
Beam Angle : 60°  
Material : Aluminium  
MRP : ₹ 9,500/-

Colour Temperature

3000K



Body Colour

Black + Gold

Gold + Black


IP	CRI
20	80







Appealing twist  
in lighting



GM-PD-017-005W

LED : Cree  
Power : 05W  
Flux : 437 lm  
Beam Angle : 130°  
Material : Aluminium  
MRP : ₹ 10,100/-

Colour Temperature

3000K



Body Colour

Gold

Black

IP	CRI
20	80








# Lights with a personality

The pendant lights add an alluring charm to the modern ceilings. The lights strike a perfect balance between modernity and elegance. Available in a variety of sizes and styles, the lights are a work of luxury coated in premium colours.



G30-7W-01

LED : Cree  
Power : 07W  
Flux : 470 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,600/-

G30-12W-01

LED : Cree  
Power : 12W  
Flux : 823 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,900/-

G30-7W-02

LED : Cree  
Power : 07W  
Flux : 470 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,300/-

G30-12W-03

LED : Osram  
Power : 12W  
Flux : 887 lm  
Beam Angle : 105°  
Material : Aluminium  
MRP : ₹ 4,000/-

G30-18W-03

LED : Osram  
Power : 18W  
Flux : 1647 lm  
Beam Angle : 105°  
Material : Aluminium  
MRP : ₹ 5,500/-

G30-12W-04

LED : Cree  
Power : 12W  
Flux : 754 lm  
Beam Angle : 90°  
Material : Aluminium  
MRP : ₹ 7,900/-

G30-5W-06

LED : Cree  
Power : 05W  
Flux : 406 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 1,330/-


G30-10W-06

LED : Cree  
Power : 10W  
Flux : 824 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,040/-


G30-15W-06

LED : Cree  
Power : 15W  
Flux : 1253 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,650/-

Colour Temperature




Body Colour



IP	CRI
20	90

Colour Temperature



Body Colour



IP	CRI
20	80





GM-PD-021-025W



GM-PD-005-005W

GM-PD-005-040W




G30-12W-04



GM-PD-008-005W

GM-PD-008-050W



GM-PD-002-051W



GM-PD-002-036W



GM-PD-002-011W




GM-PD-017-005W



GM-PD-016-007W



Stellar lighting that ensures brilliant radiance



G30-12W-03

G30-18W-03



GM-PD-006-007W



G30-7W-02



G30-5W-06



G30-10W-06



G30-15W-06



G30-7W-01

G30-12W-01



## WALL LIGHTS

PRESENTING GM WALL LIGHTS THAT ADD A STYLISH TOUCH TO YOUR WALLS AND ACCENTUATE INTERIORS. CHOOSE THE BEST FROM THE RANGE TO MATCH YOUR LIGHTING NEEDS. THE LED WALL LIGHTS WITH HEAT SINK DESIGN ARE MINIMAL IN LOOK AND YET OUTPERFORM THE FLUORESCENT BATTENS.



Exemplifying harmony  
between music and light


While music revives the senses, light adds to the process of rejuvenation. The two intend to fulfil similar goals which are mood upliftment and relaxation, thus showcasing true harmony.







The slim and linear structure of the wall lights propels soothing dim and even lighting. They can be set to any position that suits your décor quotient and gives a new dimension to customisation. The linear slim lights are available in classic shades of black and white.



GM-WL-001-012W

LED : Epistar  
Power : 12W  
Flux : 422 lm  
Beam Angle : 120°  
Material : Aluminium  
MRP : ₹ 12,000/-

Colour Temperature

3000K




Body Colour

Black  
 White

IP	CRI
20	80



Guiding you in the most beautiful way



**GM-WL-013-050W**  
 LED : Epistar  
 Power : 50W  
 Flux : 4375 lm  
 Beam Angle : 270°  
 Material : Aluminium + Glass  
 MRP : ₹ 49,900/-

Colour Temperature

3000K


Body Colour

Black

IP	CRI
20	80









GM-PD-028-035W

LED : Epistar  
Power : 35W  
Flux : 3060 lm  
Beam Angle : 270°  
Material : Aluminium + Glass  
MRP : ₹ 58,000/-



GM-PD-026-030W

LED : Epistar  
Power : 30W  
Flux : 3040 lm  
Beam Angle : 270°  
Material : Aluminium + Glass  
MRP : ₹ 59,086/-



GM-PD-027-050W

LED : Epistar  
Power : 50W  
Flux : 5770 lm  
Beam Angle : 270°  
Material : Aluminium + Glass  
MRP : ₹ 91,797/-

Colour Temperature

3000K 4000K



Body Colour




Black

IP	CRI
20	90



Beauty of the hour





# The bliss of incredible lighting

This GM wall light in three exclusive tones—sand black, oxidised gold, and oxidised coffee is a joy to behold. Its incredible design sense not only increases the beauty of the walls but also garners a lot of praise and attention. Installed independently or as a pair, the light fits perfectly as per the wall dimensions.

GM-WL-016-006W

LED : Edison  
Power : 6W  
Flux : 378 lm  
Beam Angle : 120°  
Material : Aluminium  
MRP : ₹ 4,300/-

GM-WL-016-012W

LED : Edison  
Power : 6x2W  
Flux : 756 lm  
Beam Angle : 120°  
Material : Aluminium  
MRP : ₹ 8,600/-

Colour Temperature

3000K



Body Colour

- Sand Black
- Oxidized Gold
- Oxidized Coffee

IP	CRI
20	80








## Shedding light on the aesthetics

The New GM wall lights give a smooth illuminating effect to the interiors. They beautifully complement the designer interiors, thus, imparting an enthralling effect to the spaces.





This wall light enlivens your interiors and draws attention to the most important areas and elements. The light has a unique camera-like structure that throws light on the aesthetics. Its aluminium body gives it a spectacular finish and the rotating ability adds to its impressive features.



GM-WL-015-014W


LED : Bridgelux  
Power : 2x7W  
Flux : 1004 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 11,200/-

Colour Temperature

3000K




Body Colour

 Sand White + Gold

IP	CRI
20	90







GM-WL-014-014W

LED : Bridgelux  
Power : 2x7W  
Flux : 538 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 8,600/-

## The incredible lighting

The round and assertive GM wall light clearly expresses its purpose of incredible lighting. The assortment in moulds grants variety to the interior setting, thus beautifying the spaces.

Colour Temperature

3000K



Body Colour



White + Black


IP	CRI
20	90





# Comfort that shines bright

The unique design of the premium wall lights and pendant lights is what sets them apart from their contemporaries. The lights have a high-quality focus, which is perfect for a reading light. Its rotatable feature adds to the convenience for everyday use.



GP10024-3W

LED : Samsung  
Power : 3W  
Flux : 207 lm  
Beam Angle : 120°  
Material : Aluminium + Iron  
MRP : ₹ 6,600/-

GP10025-3W

LED : Samsung  
Power : 3W  
Flux : 207 lm  
Beam Angle : 120°  
Material : Aluminium + Iron  
MRP : ₹ 5,100/-

GP10026-6W

LED : Edison  
Power : 6W  
Flux : 480 lm  
Beam Angle : 120°  
Material : Aluminium + Acrylic  
MRP : ₹ 3,500/-

Colour Temperature


3000K



Body Colour

Sand White

IP	CRI
20	80



GP10027-6W

LED : Edison  
Power : 6W  
Flux : 480 lm  
Beam Angle : 120°  
Material : Aluminium + Acrylic  
MRP : ₹ 3,450/-

GP10028-6W

LED : Edison  
Power : 6W  
Flux : 410 lm  
Beam Angle : 120°  
Material : Aluminium + Acrylic  
MRP : ₹ 1,250/-

GP10029-6W

LED : Samsung + Edison  
Power : 6W  
Flux : 660 lm  
Beam Angle : 120°  
Material : Aluminium + Iron + Acrylic  
MRP : ₹ 5,900/-

Colour Temperature

3000K



Body Colour

Sand White

IP	CRI
20	80









# The light that does it all

The premium wall lights are a perfect blend of utility and versatility. Available in sand white shade, the wall lights are ideal for individual and general lighting. The lights are made of high-grade aluminium with spotless and effective illumination.



GP10030-3+6W

LED : Samsung + Edison  
Power : 3+6W  
Flux : 660 lm  
Beam Angle : 120°  
Material : Aluminium + Iron + Acrylic  
MRP : ₹ 5,000/-




GP10031-3+6W

LED : Samsung + Edison  
Power : 3+6W  
Flux : 660 lm  
Beam Angle : 120°  
Material : Aluminium + Iron + Acrylic  
MRP : ₹ 4,900/-




GP10032-6+3W

LED : Samsung + Edison  
Power : 6+3W  
Flux : 660 lm  
Beam Angle : 120°  
Material : Aluminium + Acrylic  
MRP : ₹ 6,100/-




GP10033-4x2W

LED : Edison  
Power : 4x3W  
Flux : 610 lm  
Beam Angle : 120°  
Material : Aluminium + Acrylic  
MRP : ₹ 3,600/-



GP10034-2x8W

LED : Edison  
Power : 2x8W  
Flux : 1020 lm  
Beam Angle : 120°  
Material : Aluminium + Acrylic  
MRP : ₹ 4,000/-




GP10035-2x12W

LED : Edison  
Power : 2x12W  
Flux : 2040 lm  
Beam Angle : 120°  
Material : Aluminium + Acrylic  
MRP : ₹ 5,300/-

Colour Temperature

3000K



Body Colour

Sand White



IP	CRI
20	80



Colour Temperature

3000K



Body Colour

Sand White



IP	CRI
20	80








# The light of versatility

The premium GM wall lights are perfect in their functionality and make. Available in a variety of structures and designs, that are suitable for every kind of interior, the wall lights are made with high-quality materials and have spotless illumination. Along with effective lighting, they ensure clear and comfortable illumination with high CRI.



GM-WL-018-009W

LED : Edison  
Power : 09W  
Flux : 550 lm  
Beam Angle : 120°  
Material : Aluminium + Acrylic  
MRP : ₹ 5,100/-

Colour Temperature


3000K



Body Colour

- Sand White
- Sand Black

IP	CRI
20	80



GM-WL-019-020W

LED : Edison  
Power : 20W  
Flux : 1000 lm  
Beam Angle : 120° [Adjustable]  
Material : Aluminium  
MRP : ₹ 8,700/-

Colour Temperature

3000K



Body Colour

- Sand White
- Sand Black

IP	CRI
65	90









# Making your walls a masterpiece

The wall light highlights the best of your home décor. It has a luminous clear focus that can be used for specific illumination or as effective ambient lighting. The wall light is available as an independent one or in a cluster of two or three lights and in sand white +black shade.




G33-1x7W-01

LED : Bridgelux  
Power : 1x7W  
Flux : 394 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,100/-




G33-2x7W-01

LED : Bridgelux  
Power : 2x7W  
Flux : 742 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 7,200/-




G33-3x7W-01

LED : Bridgelux  
Power : 3x7W  
Flux : 1122 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 10,700/-




G33-1x7W-02

LED : Cree  
Power : 1x7W  
Flux : 378 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,100/-



G33-2x7W-02

LED : Cree  
Power : 2x7W  
Flux : 795 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,800/-



G33-3x7W-02

LED : Cree  
Power : 3x7W  
Flux : 1166 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,900/-

Colour Temperature

3000K



Body Colour

Sand White + Black

IP	CRI
20	90



Colour Temperature

3000K



Body Colour

Sand White + Black

IP	CRI
20	90







GM-WL-001-012W



Innovation  
in the form of  
lights



GM-WL-013-050W  
GM-PD-040-035W  
GM-PD-041-030W  
GM-PD-042-066W




GM-WL-016-012W




GM-WL-016-006W




G33-1x7W-01




G33-2x7W-01



G33-3x7W-01



GP10034-2x8W



GP10035-2x12W



G33-1x7W-02



G33-2x7W-02



G33-3x7W-02




GP10030-3+6W




GP10031-3+6W



GP10032-6+3W



GM-WL-019-020W



GP10033-4x2W



GM-WL-018-009W



GM-WL-015-014W



GM-WL-014-014W



GP10026-6W



GP10027-6W



GP10028-6W



GP10029-6W



GP10024-3W



GP10025-3W




## DOWN LIGHTS

EXPECT NOTHING BUT THE BEST FROM THE AESTHETICALLY PLEASING GM DOWNLIGHTS. WITH A TRADITIONAL TWIST AND FIT DESIGN, THE LIGHTS WILL ENHANCE THE ATTRACTIVENESS OF YOUR INTERIORS WITH THE LEAST AMOUNT OF ALTERATIONS WHILE ALSO PROVIDING EXCELLENT LIGHTING.






Unification  
of architecture and  
phenomenal lighting







GM-DL-011-007W

LED : Bridgelux  
Power : 7W  
Flux : 538 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 3,800/-

Colour Temperature

3000K



Body Colour

Sand White + Black

IP	CRI
20	90



## An urbane look

The new downlight available in sand white + black has a tiltable head that can be moved effortlessly to the desired position. It is rotatable up to 350° and the compact body of the downlight perfectly blends with the ceiling, giving the space an urbane look.







The epitome of subtlety & sophistication



GM-DL-001-007W

LED : Cree  
Power : 07W  
Flux : 450 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 7,700/-



GM-DL-001-009W

LED : Cree  
Power : 09W  
Flux : 700 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 13,500/-




GM-DL-002-007W

LED : Cree  
Power : 07W  
Flux : 450 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 7,700/-




GM-DL-002-009W

LED : Cree  
Power : 09W  
Flux : 700 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 13,400/-



GM-DL-003-007W

LED : Cree  
Power : 07W  
Flux : 450 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 8,200/-



GM-DL-003-009W

LED : Cree  
Power : 09W  
Flux : 700 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 14,200/-

Colour Temperature

3000K



Body Colour

GM-DL-001



White + Black

GM-DL-002



Bronze + Black

GM-DL-003



White + Black



Bronze + Black

IP	CRI
20	90








## Light that inspires to do better

Light is a source of energy and it is influential in boosting the ambience of a space. It not only fills the mind with positivity but also adds life to the surroundings, thus inspiring us to be the better of us each day.








## The individuality in lighting

Every lighting innovation has a unique identity that sets it apart from the rest. The new GM downlight with advanced grip technique holds on to the ceilings efficiently and is installation-friendly. Moreover, it attracts attention with its delicate design style and brilliant rotating feature.



GM-DL-004-007W

LED : Bridgelux  
Power : 07W  
Flux : 377 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 3,800/-

GM-DL-004-012W

LED : Bridgelux  
Power : 12W  
Flux : 835 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,200/-

GM-DL-005-007W

LED : Bridgelux  
Power : 07W  
Flux : 377 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 4,800/-


GM-DL-005-012W

LED : Bridgelux  
Power : 12W  
Flux : 835 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,300/-

GM-DL-006-007W

LED : Bridgelux  
Power : 07W  
Flux : 385 lm  
Beam Angle : 20°  
Material : Aluminium  
MRP : ₹ 3,400/-

Colour Temperature





Body Colour



IP	CRI
20	90








GM-DL-012-010W-RDR	GM-DL-012-010W-RDS	GM-DL-012-010W-RDT	GM-DL-012-022W-RDR	GM-DL-012-022W-RDS	GM-DL-012-022W-RDT
LED : Osram Power : 10W Flux : 616 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 6,700/-	LED : Osram Power : 10W Flux : 616 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 6,700/-	LED : Osram Power : 10W Flux : 616 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 9,000/-	LED : Osram Power : 22W Flux : 1316 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 11,100/-	LED : Osram Power : 22W Flux : 1316 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 11,000/-	LED : Osram Power : 22W Flux : 1316 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 13,200/-

Colour Temperature



Body Colour




IP	CRI
20	90



## Granting a pristine look

The circular downlight is made with utmost precision and advanced clustered LEDs. The frame has a cubic arrangement inside that gives an immaculate look to the ceiling. The surface has a sleek glass and the downlights are available in black + white colour.





<b>GM-DL-017-003W</b>	<b>GM-DL-017-009W</b>
LED : Osram	LED : Osram
Power : 03W	Power : 3x3W
Flux : 113 lm	Flux : 462 lm
Beam Angle : 8°	Beam Angle : 8°
Material : Aluminium	Material : Aluminium
MRP : ₹ 4,900/-	MRP : ₹ 6,600/-

Colour Temperature

3000K    4000K

Body Colour

Black + White

IP	CRI
20	90



# Modifying your spaces

A disc-shaped downlight available in two variants will impeccably modify your spaces. It easily grabs attention and vividly radiates every corner of your home and office. With its strong aluminium body and black + white colour, it is a style statement in itself.





# The spot on lighting

This GM downlight creates a design effect that enriches your spaces in an alluring way. It surpasses the ability to dispel the dark, thus becoming a mesmerising piece of art and décor. Furthermore, it possesses the ability to transform the ambience and influence one's mood.



GM-DL-010-003W

LED : Osram  
Power : 03W  
Flux : 119 lm  
Beam Angle : 8°  
Material : Aluminium  
MRP : ₹ 2,500/-

Colour Temperature

3000K



Body Colour

Black



IP	CRI
20	90







The chemistry between  
light and living





# Remarkably practical and sheer performance

The one thing that perfectly defines GM downlights is the meticulous yet logical design. Exceptional right from the raw make to the finished product, the unmatched illumination is achieved through close attention to the details and exploring how the downlight can add perfection to any space that it focuses on.



<b>G35-9W-01</b> LED : Bridgelux Power : 09W Flux : 600 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,500/-	<b>G35-9W-01-A</b> LED : Bridgelux Power : 09W Flux : 490 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 4,100/-	<b>G35-9W-02</b> LED : Bridgelux Power : 09W Flux : 380 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 4,100/-	<b>G35-9W-02-A</b> LED : Bridgelux Power : 09W Flux : 300 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 4,200/-	<b>G35-5W-01</b> LED : Bridgelux Power : 05W Flux : 195 lm Beam Angle : 16° - 30° Material : Aluminium MRP : ₹ 4,000/-	<b>G35-5W-01-A</b> LED : Bridgelux Power : 05W Flux : 140 lm Beam Angle : 16° - 30° Material : Aluminium MRP : ₹ 4,200/-	<b>G35-9W-01</b> LED : Bridgelux Power : 09W Flux : 400 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 6,000/-	<b>G35-9W-01-A</b> LED : Bridgelux Power : 09W Flux : 200 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 6,600/-

Colour Temperature 3000K 4000K 	Body Colour White + Black 	IP 20	CRI 90	Colour Temperature 3000K 4000K 	Body Colour White + Black 	IP 20	CRI 90
---------------------------------------	----------------------------------	----------	-----------	---------------------------------------	----------------------------------	----------	-----------

<b>G35-15W-01</b> LED : Bridgelux Power : 15W Flux : 850 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 8,600/-	<b>G35-15W-01-A</b> LED : Bridgelux Power : 15W Flux : 600 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 9,700/-	<b>G35-15W-02</b> LED : Bridgelux Power : 15W Flux : 850 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 9,500/-	<b>G35-15W-02-A</b> LED : Bridgelux Power : 15W Flux : 600 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 9,800/-	<b>G35-15W-01</b> LED : Bridgelux Power : 15W Flux : 850 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 8,600/-	<b>G35-15W-01-A</b> LED : Bridgelux Power : 15W Flux : 600 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 9,700/-	<b>G35-15W-02</b> LED : Bridgelux Power : 15W Flux : 850 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 9,500/-	<b>G35-15W-02-A</b> LED : Bridgelux Power : 15W Flux : 600 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 9,800/-


Colour Temperature 3000K 4000K 	Body Colour White + Black 	IP 20	CRI 90	Colour Temperature 3000K 4000K 	Available Colour Filter Options* Red Blue Yellow Green 	Body Colour White + Black 	IP 20	CRI 90
---------------------------------------	----------------------------------	----------	-----------	---------------------------------------	---	----------------------------------	----------	-----------

\* Filters not available in G35-5W / Filters to be procured separately






All eyes on the light




G34-3W-01

LED : Luminus  
Power : 3W  
Flux : 150 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 1,600/-



G34-7W-01


LED : Luminus  
Power : 7W  
Flux : 350 lm  
Beam Angle : 24°/5°  
Material : Aluminium  
MRP : ₹ 1,850/-



G34-1W-05

LED : Luminus  
Power : 1W  
Flux : 65 lm  
Beam Angle : 15°  
Material : Aluminium  
MRP : ₹ 2,400/-

Colour Temperature



Body Colour



IP	CRI
20	95








A glimpse of true  
sophistication







G34-3W-06

LED : Cree  
 Power : 3W  
 Flux : 150 lm  
 Beam Angle : 24°  
 Material : Aluminium  
 MRP : ₹ 3,400/-

G34-9W-07

LED : Cree  
 Power : 9W  
 Flux : 500 lm  
 Beam Angle : 24°  
 Material : Aluminium  
 MRP : ₹ 5,200/-


G34-9W-08

LED : Cree  
 Power : 9W  
 Flux : 360lm  
 Beam Angle : 24°  
 Material : Aluminium  
 MRP : ₹ 6,600/-

## Changing perception and illumination

The way we illuminate our spaces has a lot to do with how we perceive our lifestyle. As lighting plays an important role in defining the personality and the feel of the space, GM brings you innovative downlights that set the ambience and your mind just in the perfect state.

Colour Temperature



Body Colour



IP	CRI
20	90








# It's aesthetic inside out

Aesthetically designed for modern homes and offices, GM downlights are durable and consistent with their sturdy aluminium body. While minimising maintenance cost, the lights are also easy to install. Available in a classic black shade, it easily fits with the setting of your interiors.



GM-DL-007-003W

LED : Osram  
 Power : 3W  
 Flux : 32 lm  
 Beam Angle : 15°-24°  
 Material : Aluminium  
 MRP : ₹ 2,500/-


Colour Temperature

3000K



Body Colour

Black



IP	CRI
20	90









# Light with unique qualities

This GM downlight caters to different individual needs, by offering more than one lighting pattern. It gives an interesting effect to your interiors and eliminates monotony.



**GM-DL-008-003W**  
LED : Osram  
Power : 3W  
Flux : 108 lm  
Beam Angle : 15°  
Material : Aluminium  
MRP : ₹ 2,500/-



**GM-DL-009-003W**  
LED : Osram  
Power : 3W  
Flux : 109 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,000/-

Colour Temperature

3000K



Body Colour

Black




IP	CRI
20	90








Made with high-grade aluminium that promises durability, this GM downlight in a bright shade of White adds a quintessential charm to your spaces. Also, its unique installation features impress massively.



637-12W-02-RD

LED : Bridgelux  
 Power : 12W  
 Flux : 820 lm  
 Beam Angle : 24°  
 Material : Aluminium  
 MRP : ₹ 4,600/-

Colour Temperature



Body Colour




IP	CRI
54	90








The monochromatic black & white combination of the new GM downlight adds to the décor's timeless elegance. It provides the highest quality of illumination and elevates the aesthetic value of your spaces.



<b>637-7W-01-RD</b>	<b>637-9W-01-RD</b>
LED : Bridgelux Power : 07W Flux : 450 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,800/-	LED : Bridgelux Power : 09W Flux : 600 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 4,700/-

Colour Temperature	Body Colour	IP	CRI
3000K 4000K	White	54	90



<b>638-7W-01-RD</b>	<b>638-9W-01-RD</b>	<b>638-16W-01-RD</b>	<b>638-30W-01-RD</b>
LED : Bridgelux Power : 07W Flux : 345 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,600/-	LED : Bridgelux Power : 09W Flux : 525 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 4,100/-	LED : Bridgelux Power : 16W Flux : 1200 lm Beam Angle : 40° Material : Aluminium MRP : ₹ 5,500/-	LED : Bridgelux Power : 30W Flux : 2400 lm Beam Angle : 40° Material : Aluminium MRP : ₹ 8,300/-

Colour Temperature	Body Colour	IP	CRI
3000K 4000K	White+Black Black	20	90








## Fundamentally classic design

The circular downlights are classic in shape with a sleek and sophisticated design. The brilliant illumination is ideal for holistic ceiling lighting for tight as well as larger spaces. Available in sand white + black shade, the light is made of high-quality aluminium with great precision.



GM-DL-015-015W

LED : Lumens EDC  
Power : 15W  
Flux : 865 lm  
Beam Angle : 35°  
Material : Aluminium  
MRP : ₹ 7,100/-

GM-DL-015-020W

LED : Lumens EDC  
Power : 20W  
Flux : 1198 lm  
Beam Angle : 35°  
Material : Aluminium  
MRP : ₹ 8,900/-

GM-DL-015-030W

LED : Lumens EDC  
Power : 30W  
Flux : 2281 lm  
Beam Angle : 50°  
Material : Aluminium  
MRP : ₹ 11,500/-

Colour Temperature

3000K



Body Colour

Sand White + Black

IP	CRI
54	90









# Exudes dominance in lighting

The new GM recessed downlights in round and square form exude dominance in lighting. Designed to be installed in the hollow opening of the ceilings, they make any space look extraordinary with their brilliant lighting capability and functionality.




GM-DL-019-005W

LED : Cree & Luminus  
Power : 05W  
Flux : 450 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,400/-



GM-DL-019-010W

LED : Cree & Luminus  
Power : 10W  
Flux : 900 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,000/-



GM-DL-019-015W

LED : Cree & Luminus  
Power : 15W  
Flux : 1350 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 8,900/-



GM-DL-020-008W

LED : Everlight  
Power : 6+2W  
Flux : 500 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 5,000/-

GM-DL-020-012W

LED : Everlight  
Power : 10+2W  
Flux : 900 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 6,700/-

GM-DL-020-018W

LED : Everlight  
Power : 16+2W  
Flux : 1300 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 8,600/-

GM-DL-021-010W

LED : Everlight  
Power : 7+3W  
Flux : 550 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 9,200/-

GM-DL-021-018W

LED : Everlight  
Power : 15+3W  
Flux : 1200 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 12,200/-

GM-DL-022-015W

LED : Cree  
Power : 12+3W  
Flux : 900 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,200/-

GM-DL-022-023W

LED : Cree  
Power : 20+3W  
Flux : 1300 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 11,600/-

Colour Temperature

3000K



Body Colour

White + Black



IP	CRI
20	90



Colour Temperature

3000K



Body Colour

White  
Black



IP	CRI
20	90







# The joy of aesthetic illumination

These GM downlights come in multiple sizes to suit the individual needs and lighting preferences. They light up the interiors in the most graceful manner and infuse a vibe of pure joy to the spaces around.




GM-DL-018-010W-RDR

LED : Cree  
Power : 10W  
Flux : 900 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,600/-




GM-DL-018-010W-SQR

LED : Cree  
Power : 10W  
Flux : 900 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,800/-



GM-DL-018-020W-SQR

LED : Cree  
Power : 20W  
Flux : 1800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,200/-



GM-DL-018-030W-SQR

LED : Cree  
Power : 30W  
Flux : 3600 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,800/-

Colour Temperature

3000K



Body Colour

Sand White



IP  
20

CRI  
90










The power of  
quality & radiance

Downlights are all-purpose lighting fixtures that provide general lighting in a specific area. GM makes sure that these lights are manufactured using up to the mark resources. The downlights have a sturdy body and disperse radiance in every corner.





GP10082/83/84

LED : Bridgelux  
Power : 15W  
Flux : 1250 lm  
Beam Angle : 90°  
Material : Aluminium  
MRP : ₹ 6,400/-

GP10085/86/87

LED : Bridgelux  
Power : 25W  
Flux : 2250 lm  
Beam Angle : 90°  
Material : Aluminium  
MRP : ₹ 8,300/-

GP10088/89/90

LED : Bridgelux  
Power : 35W  
Flux : 3150 lm  
Beam Angle : 90°  
Material : Aluminium  
MRP : ₹ 12,400/-

Colour Temperature  
3000K 4000K 6000K

Body Colour  
White + Chrome

IP 54 CRI 90

These exquisite white + chrome downlights emphasise the notion of 'less is more'. They provide beauty and grace to your interior spaces and are suitable for passageways, attractive corners, etc. The lights add remarkable value to spaces because they are both stylish and functional.







# Impressive design and luminosity


Any light is capable of brightening a space or a structure but a light that blends in well with your interiors makes all the difference. GM downlights impeccably maintain the harmony between both aspects and offer the best in design and functionality.



G36-15W-3K-03  
RD-WW-W



G36-15W-3K  
02-RD-A-W



G36-15W-01

LED : Bridgelux  
Power : 15W  
Flux : 1200 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,700/-

G36-15W-02-A

LED : Bridgelux  
Power : 15W  
Flux : 1200 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,700/-


G36-15W-03

LED : Bridgelux  
Power : 15W  
Flux : 950 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 7,800/-


G36-15W-04-A

LED : Bridgelux  
Power : 15W  
Flux : 800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 7,700/-

Colour Temperature



Body Colour



IP	CRI
20	90



G36-15W-05-A

LED : Bridgelux  
Power : 15W  
Flux : 720 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 7,700/-

G36-15W-06

LED : Bridgelux  
Power : 15W  
Flux : 900 lm  
Beam Angle : 60°  
Material : Aluminium  
MRP : ₹ 6,400/-


G36-15W-07-TL

LED : Bridgelux  
Power : 15W  
Flux : 950 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 8,200/-


G36-15W-08-TL

LED : Bridgelux  
Power : 15W  
Flux : 800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 8,200/-

Colour Temperature



Body Colour



IP	CRI
20	90









# Lights that command attention

These GM recessed downlights fit effortlessly with the interiors and wonderfully adjust to your spaces. Moreover, the classic colour choices makes it easier for the lights to blend in with all sorts of decor.




G34-3W-02-D-B

LED : Luminus  
Power : 03W  
Flux : 100 lm  
Beam Angle : 10° - 36°  
Material : Aluminium  
MRP : ₹ 2,400/-




G34-3W-02-B

LED : Luminus  
Power : 03W  
Flux : 100 lm  
Beam Angle : 10° - 36°  
Material : Aluminium  
MRP : ₹ 2,290/-



G34-9W-03

LED : Cree  
Power : 09W  
Flux : 720 lm  
Beam Angle : 36°  
Material : Aluminium  
MRP : ₹ 4,430/-




G34-9W-04

LED : Cree  
Power : 09W  
Flux : 720 lm  
Beam Angle : 36°  
Material : Aluminium  
MRP : ₹ 3,380/-

### Colour Temperature



### Body Colour





IP	CRI
20	90






# An entity of admiration

COB downlights in a variety of colour combinations are sure to leave you spoilt for choice. Apart from beautifully lighting the interiors, they are excellent for accentuating interiors. Made from high-quality aluminium, which ensures durability, the lights are also exceptionally brilliant in efficiency.



G31-PL-BK-01 - MRP : ₹ 140/-  
 G31-PL-BK-02 - MRP : ₹ 280/-  
 G31-PL-BK-03 - MRP : ₹ 440/-



G31-10W

LED : Bridgelux  
 Power : 10W  
 Flux : 800 lm  
 Beam Angle : 24°  
 Material : Aluminium  
 MRP : ₹ 1,360/-

G31-10W-AIR

LED : Bridgelux  
 Power : 10W  
 Flux : 800 lm  
 Beam Angle : 24°  
 Material : Aluminium  
 MRP : ₹ 2,700/-




## Get the power to control your living space.

GM KONNECT App lets you operate your home lighting at a simple touch. From turning your lights on/off, dimming to creating entire lighting scenes or groups - GM AIR makes a wonderful synergy of moods and emotions for your home.


\*\*only for AIR series



### Colour Temperature



### Body Colour



IP	CRI
20	80




\*Metal plate for group installation in one frame to be procured separately




# Adding charm to the interiors

The COB downlights in amazing hue combinations add a special charm to the setups and interiors. The curvy and elegant design of this brilliant luminaire transforms ambience instantly with its dimmable feature and the option to change the warmth quotient of the light.



G32-10W

LED : Bridgelux  
Power : 10W  
Flux : 800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 1,360/-



G32-10W-AIR

LED : Bridgelux  
Power : 10W  
Flux : 800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,700/-




## Get the power to control your living space.

GM CONNECT App lets you operate your home lighting at a simple touch. From turning your lights on/off, dimming to creating entire lighting scenes or groups - GM AIR makes a wonderful synergy of moods and emotions for your home.

\*\*only for AIR series

- BLUETOOTH
- APP CONTROLLED
- DIMMABLE
- 2 YEARS WARRANTY
- GROUP CONTROL
- WARM TO COOL

### Colour Temperature



### Body Colour



IP	CRI
20	80







# Portraying individuality in lighting

The GM modular downlights with distinct designs portray individuality in lighting preferences. While the aluminium body ensures durability, the easy installation and colour combination options to choose from, make them a preferred choice for everyone.




RG27-07W - MRP : ₹ 500/-  
 RG27-12W - MRP : ₹ 600/-  
 RG27-18W - MRP : ₹ 750/-




Model	Model	Model	Model	Model	Model	Model	Model	Model	Model	Model	Model	Model	Model	Model
G27-7W-01*	G27-12W-01*	G27-18W-01*	G27-7W-02*	G27-12W-02*	G27-18W-02*	G27-7W-03*	G27-12W-03*	G27-18W-03*	G27-7W-04*	G27-12W-04*	G27-18W-04*	G27-7W-01*	G27-12W-01*	G27-18W-01*
LED : Bridgelux Power : 07W Flux : 481 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 1,600/-	LED : Bridgelux Power : 12W Flux : 978 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 2,200/-	LED : Bridgelux Power : 18W Flux : 1417 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,400/-	LED : Bridgelux Power : 07W Flux : 481 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 1,600/-	LED : Bridgelux Power : 12W Flux : 978 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 2,300/-	LED : Bridgelux Power : 18W Flux : 1417 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,500/-	LED : Bridgelux Power : 07W Flux : 481 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 1,600/-	LED : Bridgelux Power : 12W Flux : 976 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 2,300/-	LED : Bridgelux Power : 18W Flux : 1417 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,500/-	LED : Bridgelux Power : 07W Flux : 303 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 1,700/-	LED : Bridgelux Power : 12W Flux : 616 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 2,400/-	LED : Bridgelux Power : 18W Flux : 892 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,600/-	G27-7W-01*	G27-12W-01*	G27-18W-01*

Colour Temperature




Body Colour




IP	CRI
20	90

Colour Temperature



Body Colour



IP	CRI
20	90

\*To be installed with ring



\*To be installed with ring









## Synonymous with versatility

The GM downlights come in a variety of designs in square and round to provide spectacular interior illumination options. The white and black colour options add to the versatility of the space, making it more appealing.




G25-7W-01

LED : Osram  
Power : 07W  
Flux : 507 lm  
Beam Angle : Diffused  
Material : Aluminium  
MRP : ₹ 2,900/-




G25-18W-01

LED : Osram  
Power : 18W  
Flux : 1223 lm  
Beam Angle : Diffused  
Material : Aluminium  
MRP : ₹ 4,600/-




G25-28W-01

LED : Osram  
Power : 28W  
Flux : 2325 lm  
Beam Angle : Diffused  
Material : Aluminium  
MRP : ₹ 6,800/-




G25-7W-02-RD

LED : Lumens EDC  
Power : 07W  
Flux : 469 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,900/-




G25-07W-02-SQ

LED : Lumens EDC  
Power : 07W  
Flux : 469 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,900/-




G25-7W-03-RD

LED : Cree  
Power : 07W  
Flux : 840 lm  
Beam Angle : 75°  
Material : Aluminium  
MRP : ₹ 1,600/-




G25-7W-03-SQ

LED : Cree  
Power : 07W  
Flux : 840 lm  
Beam Angle : 75°  
Material : Aluminium  
MRP : ₹ 1,600/-



G25-12W-03-RD

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 75°  
Material : Aluminium  
MRP : ₹ 2,200/-



G25-12W-03-SQ

LED : Cree  
Power : 12W  
Flux : 900 lm  
Beam Angle : 75°  
Material : Aluminium  
MRP : ₹ 2,200/-

Colour Temperature

3000K



Body Colour

White


IP	CRI
20	90

Colour Temperature

3000K



4000K



6000K



Body Colour

White

Black

G25-7W-03-RD

IP	CRI
20	80







GM-DL-011-007W



GM-DL-010-003W



GM-DL-008-003W



GM-DL-009-003W



GM-DL-017-003W  
GM-DL-017-009W



GM-DL-022-015W



GM-DL-022-023W



GM-DL-021-010W



GM-DL-021-018W



GM-DL-018-010W-RDR



GM-DL-018-010W-SQR



GM-DL-001/002/003-007W  
GM-DL-001/002/003-009W



GM-DL-005-007W  
GM-DL-005-012W



GM-DL-004-007W



GM-DL-004-012W




GM-DL-006-007W



GM-DL-018-020W-SQR



GM-DL-018-030W-SQR



GP10082/83/84  
GP10085/86/87  
GP10088/89/90



GM-DL-019-005W



GM-DL-012-010W-RDR  
GM-DL-012-010W-RDS



GM-DL-012-010W-RDT  
GM-DL-012-022W-RDR



GM-DL-012-022W-RDS  
GM-DL-012-022W-RDT



GM-DL-007-003W



GM-DL-019-010W



GM-DL-019-015W



G25-7W-01  
G25-18W-01  
G25-28W-01



G34-9W-03



G35-9W-01  
G35-9W-01-A



G35-9W-02  
G35-9W-02-A



G35-15W-01  
G35-15W-01-A




G35-15W-02  
G35-15W-02-A



G34-1W-05



G37-12W-02-RD



G34-3W-02-B



G34-3W-02-D-B




G34-9W-04




G31-10W  
G31-10W-AIR




G32-10W  
G32-10W-AIR



G35-5W-01  
G35-5W-01-A



G35-9W-01  
G35-9W-01-A  
G35-15W-01  
G35-15W-01-A



G35-15W-02  
G35-15W-02-A



G34-9W-07




G34-3W-06



G34-9W-08



G36-15W-01



G36-15W-02-A



G36-15W-03



G36-15W-04-A



G36-15W-05-A



G36-15W-06



Enlightenment through illumination



G27-7W/12W/18W-01



G27-7W/12W/18W-02



G27-7W/12W/18W-03




G27-7W/12W/18W-04



G36-15W-07-TL



G36-15W-08-TL



G34-3W-01



G34-7W-01



G37-7W-01-RD  
G37-9W-01-RD




G38-7W-01-RD  
G38-9W-01-RD



G38-14W-01-RD  
G38-30W-01-RD




GM-DL-015-015W  
GM-DL-015-020W  
GM-DL-015-030W



G25-7W-02-RD  
G25-07W-02-SQ



G25-7W-03-SQ  
G25-12W-03-SQ



G25-7W-03-RD  
G25-12W-03-RD



GM-DL-020-008W



GM-DL-020-012W





GM-DL-020-018W




# Expanding the horizons in lighting

The new GM multiple spot light in pop-in and pop-out lighting options allows for a wide range of lighting styles. Moreover, the multiple lighting patterns in white + black provide a convenience in lighting while also beautifying the rooms.




G24-1x12W-01

LED : Bridgelux  
Power : 1x12W  
Flux : 800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,600/-




G24-2x12W-01

LED : Bridgelux  
Power : 2x12W  
Flux : 1544 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 10,900/-




G24-1x12W-02

LED : Bridgelux  
Power : 1x12W  
Flux : 800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,800/-




G24-2x12W-02

LED : Bridgelux  
Power : 2x12W  
Flux : 1544 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,700/-




G24-1x12W-03

LED : Bridgelux  
Power : 1x12W  
Flux : 1147 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,000/-



G24-2x12W-03

LED : Bridgelux  
Power : 2x12W  
Flux : 1805 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 7,400/-




G24-3x12W-03

LED : Bridgelux  
Power : 3x12W  
Flux : 2663lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 10,600/-




G24-7W-04

LED : Bridgelux  
Power : 7W  
Flux : 395 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,900/-



G24-12W-04


LED : Bridgelux  
Power : 12W  
Flux : 800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,300/-



G24-25W-04

LED : Bridgelux  
Power : 25W  
Flux : 1915 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,200/-

Colour Temperature




Body Colour



IP	CRI
20	90



Colour Temperature



Body Colour




IP	CRI
20	90








The new GM COB spot light in a vast variety of designs exhibit grace and charm. Available in white, black, and white + black, the lights work well with a host of interior types and styles. Made of high-quality aluminium, the lights are durable and easy to install.




<b>G23-28W-01</b> LED : Cree Power : 28W Flux : 1980 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 5,500/-	<b>G23-40W-01</b> LED : Cree Power : 40W Flux : 2480 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 8,000/-	<b>G23-60W-01</b> LED : Cree Power : 60W Flux : 3450 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 13,150/-	<b>G23-7W-02</b> LED : Cree Power : 07W Flux : 450 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 2,900/-	<b>G23-12W-02</b> LED : Cree Power : 12W Flux : 674 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 4,750/-
---	---	--	---	--



<b>G23-1x12W-07</b> LED : Cree Power : 1x12W Flux : 805 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 4,100/-	<b>G23-2x12W-07</b> LED : Cree Power : 2x12W Flux : 1920 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 7,500/-
--	---


Colour Temperature: 3000K, 4000K  
Body Colour: White  
IP: 20, CRI: 90

Colour Temperature: 3000K  
Body Colour: Black, Black+White  
IP: 20, CRI: 90



<b>G23-7W-03</b> LED : Bridgelux Power : 07W Flux : 610 lm Beam Angle : 90° Material : Aluminium MRP : ₹ 2,450/-	<b>G23-10W-03</b> LED : Bridgelux Power : 10W Flux : 800 lm Beam Angle : 90° Material : Aluminium MRP : ₹ 3,250/-	<b>G23-18W-03</b> LED : Bridgelux Power : 18W Flux : 1390 lm Beam Angle : 90° Material : Aluminium MRP : ₹ 5,500/-	<b>G23-7W-04</b> LED : Bridgelux Power : 07W Flux : 472 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 2,900/-
--	---	--	--

Colour Temperature: 3000K, 6000K  
Body Colour: White, Black  
G23-7W-04: 3000K, 4000K  
IP: 20, CRI: 90



<b>G23-12W-05</b> LED : Lumileds Power : 12W Flux : 960 lm Beam Angle : 15°-45° Material : Aluminium MRP : ₹ 5,200/-	<b>G23-18W-05</b> LED : Lumileds Power : 18W Flux : 1440lm Beam Angle : 15°-45° Material : Aluminium MRP : ₹ 7,900/-	<b>G23-25W-05</b> LED : Lumileds Power : 25W Flux : 1900 lm Beam Angle : 15°-45° Material : Aluminium MRP : ₹ 10,900/-	<b>G23-12W-06</b> LED : Bridgelux Power : 12W Flux : 960 lm Beam Angle : 40° Material : Aluminium MRP : ₹ 3,500/-	<b>G23-28W-06</b> LED : Bridgelux Power : 28W Flux : 2240 lm Beam Angle : 45° Material : Aluminium MRP : ₹ 7,100/-	<b>G23-40W-06</b> LED : Bridgelux Power : 40W Flux : 3200 lm Beam Angle : 45° Material : Aluminium MRP : ₹ 8,900/-
--	--	--	---	--	--

Colour Temperature: 3000K  
Body Colour: G23-05: Black, G23-06: White  
IP: 20, CRI: 90










# Highlight the beauty

The GM deep spot light elegantly puts light on the muse in focus to highlight their beauty. Moreover, the luminaire in circular or square shape carefully attends to the needs of various interior styles.




G22-1W-01

LED : Edison  
Power : 01W  
Flux : 43 lm  
Beam Angle : 20°  
Material : Aluminium  
MRP : ₹ 700/-




G22-3W-02

LED : Bridgelux  
Power : 03W  
Flux : 202 lm  
Beam Angle : 25°  
Material : Aluminium  
MRP : ₹ 950/-




G22-3W-03

LED : Bridgelux  
Power : 03W  
Flux : 240 lm  
Beam Angle : 25°  
Material : Aluminium  
MRP : ₹ 800/-




G22-1W-04

LED : Edison  
Power : 01W  
Flux : 80 lm  
Beam Angle : -  
Material : Aluminium  
MRP : ₹ 1,100/-




G22-3W-05

LED : Bridgelux  
Power : 03W  
Flux : 80 lm  
Beam Angle : -  
Material : Aluminium  
MRP : ₹ 2,500/-




G22-3W-06

LED : Bridgelux  
Power : 03W  
Flux : 240 lm  
Beam Angle : 8°  
Material : Aluminium  
MRP : ₹ 1,700/-





G22-5W-06

LED : Bridgelux  
Power : 05W  
Flux : 390 lm  
Beam Angle : 8°  
Material : Aluminium  
MRP : ₹ 2,600/-





G22-7W-06

LED : Cree  
Power : 07W  
Flux : 560 lm  
Beam Angle : 8°  
Material : Aluminium  
MRP : ₹ 4,500/-





G22-3W-06

LED : Cree  
Power : 03W  
Flux : 240 lm  
Beam Angle : 8°  
Material : Aluminium  
MRP : ₹ 1,700/-



IP	CRI
20	80



IP	CRI
20	90








# The perfection in lighting

The pursuit of perfection is in good lighting that enhances the space and simultaneously empowers it. The new GM trimless downlight is mounted in the ceiling to seamlessly shed light. The sturdy aluminium body ensures longevity while the three different variations of light subtly impart sophistication to your interiors.



Model	Power	Flux	Beam Angle	Material	MRP
G21-7W-01-RD	07W	481 lm	24°	Aluminium	₹ 1,800/-
G21-12W-01-RD	12W	978 lm	24°	Aluminium	₹ 2,500/-
G21-18W-01-RD	18W	1417 lm	24°	Aluminium	₹ 3,900/-
G21-7W-01-SQ	07W	481 lm	24°	Aluminium	₹ 1,800/-
G21-12W-01-SQ	12W	978 lm	24°	Aluminium	₹ 2,500/-
G21-18W-01-SQ	18W	1417 lm	24°	Aluminium	₹ 3,900/-



Model	Power	Flux	Beam Angle	Material	MRP
G21-7W-02-RD	07W	480 lm	24°	Aluminium	₹ 2,200/-
G21-12W-02-RD	12W	979 lm	24°	Aluminium	₹ 2,850/-
G21-18W-02-RD	18W	1411 lm	24°	Aluminium	₹ 4,250/-

Colour Temperature: 3000K, 4000K, 5000K

Body Colour: White

IP	CRI
20	90



Colour Temperature: 3000K, 4000K, 5000K

Body Colour: White

IP	CRI
20	90








Model	LED : Luminus	Power	Flux	Beam Angle	Material	MRP
G39-1x2W-02-A	Luminus	1x2W	150 lm	30°	Aluminium	₹ 5,800/-
G39-2x2W-02-A	Luminus	2x2W	310 lm	30°	Aluminium	₹ 7,400/-
G39-5x2W-02-A	Luminus	5x2W	800 lm	30°	Aluminium	₹ 10,600/-
G39-10x2W-02-A	Luminus	10x2W	1400 lm	30°	Aluminium	₹ 17,700/-
G39-15x2W-02-A	Luminus	15x2W	2100 lm	30°	Aluminium	₹ 23,800/-

Colour Temperature	Body Colour	IP	CRI
3000K	White Trim + Black Inner Ring	20	95
4000K	Black Trim + White Inner Ring		





The new GM spot light comes in different lengths (single or multiple box options) and seamlessly blends with the ceiling. The lights provide outstanding illumination and convenience of covering different space sizes.





# Adding radiating elegance

The downlight has a rectangular body with smooth finish and a cluster of mini spotlights that add radiating elegance to the ceilings. The lights are available in two sizes with different numbers of mini spotlights.



**GM-DL-016-009W**

LED : Osram  
Power : 09W  
Flux : 550 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 10,200/-

**GM-DL-016-015W**

LED : Osram  
Power : 15W  
Flux : 860 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 13,300/-

Colour Temperature

3000K



Body Colour


Black + White



IP	CRI
20	90








<b>G39-1x2W-01</b> LED : Luminus Power : 2W Flux : 150 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 2,700/-	<b>G39-2x2W-01</b> LED : Luminus Power : 4W Flux : 310 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 3,800/-	<b>G39-5x2W-01</b> LED : Luminus Power : 10W Flux : 800 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 5,500/-	<b>G39-10x2W-01</b> LED : Luminus Power : 20W Flux : 1400 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 9,700/-	<b>G39-15x2W-01</b> LED : Luminus Power : 30W Flux : 2100 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 17,500/-
---	---	--	--	---

Colour Temperature	Body Colour	IP	CRI
3000K 4000K	White Black	20	95



<b>G39-10W-03</b> LED : Luminus Power : 10W Flux : 360 lm Beam Angle : 80° Material : Aluminium MRP : ₹ 5,500/-	<b>G39-2x10W-03</b> LED : Luminus Power : 20W Flux : 720 lm Beam Angle : 80° Material : Aluminium MRP : ₹ 10,300/-	<b>G39-3x10W-03</b> LED : Luminus Power : 30W Flux : 1080 lm Beam Angle : 80° Material : Aluminium MRP : ₹ 18,100/-
---	--	---

Colour Temperature	Body Colour	IP	CRI
3000K	White Black	20	95




# Accentuating interiors magnificently

The new GM spot lights, which come in two colour variants, are a perfect match for your spaces. The lights are made of the highest quality aluminium to ensure durability and stability, accentuating the rooms magnificently.





This GM downlight creates the perfect ambience with its unique ability to transform every setting into a lively atmosphere. A cluster of lights enclosed in a rectangular shape evenly distributes the lights across the room. To match every type of setting, the lights are available in sand black + gold colour and in three different sizes.



**GM-DL-013-012W**

LED : Osram  
 Power : 6x2 W  
 Flux : 745 lm  
 Beam Angle : 24°  
 Material : Aluminium  
 MRP : ₹ 4,600/-

**GM-DL-013-018W**

LED : Osram  
 Power : 9x2 W  
 Flux : 1125 lm  
 Beam Angle : 15°  
 Material : Aluminium  
 MRP : ₹ 6,700/-

**GM-DL-013-024W**

LED : Osram  
 Power : 12x2 W  
 Flux : 1416 lm  
 Beam Angle : 24°  
 Material : Aluminium  
 MRP : ₹ 8,200/-

Colour Temperature

3000K





Body Colour

Sand Black + Gold

IP	CRI
20	90








610x40

GM-WW-001-016W



LED : Bridgelux  
Power : 16W  
Flux : 1519 lm  
Beam Angle : 15°+∠10°  
Material : Aluminium  
MRP : ₹ 8,000/-



910x40

GM-WW-001-024W

LED : Bridgelux  
Power : 24W  
Flux : 2630 lm  
Beam Angle : 15°+∠10°  
Material : Aluminium  
MRP : ₹ 11,000/-



1210x40

GM-WW-001-032W

LED : Bridgelux  
Power : 32W  
Flux : 2945 lm  
Beam Angle : 15°+∠10°  
Material : Aluminium  
MRP : ₹ 13,600/-

Colour Temperature

3000K



Body Colour


Sand White + Black

IP	CRI
20	90



## Enhancing the beauty

Add shining gems to your ceilings with the new GM lights. The linear form of lights is enclosed in a rectangular aluminium frame promising longevity. The sleek sand white + black body goes with every interior while brilliantly illuminating your spaces.










Be it people or light,  
it's always better together





# The sophistication of quality illumination

The cubic GM light is an outstanding piece of artistic design that adds luxury and elegance to your interiors. Available in classic sand black shade, the square-shaped luminaire looks impeccable with designer ceilings.




GM-DL-014-006W-XXS

LED : Bridgelux  
Power : 3x2 W  
Flux : 400 lm  
Beam Angle : 8°  
Material : Aluminium  
MRP : ₹ 4,000/-



GM-DL-014-008W-XXS

LED : Bridgelux  
Power : 4x2 W  
Flux : 500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,600/-



GM-DL-014-012W-XXS

LED : Bridgelux  
Power : 6x2 W  
Flux : 820 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,000/-

Colour Temperature

3000K



Body Colour

Sand Black



IP	CRI
20	90








# A complete standout

These GM downlights in sand black colour make for an outstanding choice that augment the sophistication quotient of your interiors. Available in square and rectangular shapes it can be folded into a number of ways to suit the lighting preferences.



GM-DL-014-006W-XXT

LED : Bridgelux  
Power : 06 W  
Flux : 400 lm  
Beam Angle : 8°  
Material : Aluminium  
MRP : ₹ 5,000/-

GM-DL-014-008W-XXT

LED : Bridgelux  
Power : 08 W  
Flux : 500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,400/-

GM-DL-014-012W-XXT

LED : Bridgelux  
Power : 12 W  
Flux : 820 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 8,400/-

Colour Temperature

3000K



Body Colour

Sand Black

IP	CRI
20	90








# Elegance through illumination

The new GM surface-mounted COB light is elegantly designed and integrates flawlessly with the ceiling while giving your space an appealing transformation. Made with high-grade material the light promises durability and excellent performance.




G29-07W-01


LED : Bridgelux  
Power : 07W  
Flux : 412 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,300/-

G29-12W-01

LED : Bridgelux  
Power : 12W  
Flux : 720 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,100/-




IP	CRI
20	80



G29-12W-02

LED : Bridgelux  
Power : 12W  
Flux : 860 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,700/-




G29-7W-03-25

LED : Bridgelux  
Power : 07W  
Flux : 370 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,100/-




G29-7W-03-50

LED : Bridgelux  
Power : 7W  
Flux : 634 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,300/-




G29-7W-03-75

LED : Bridgelux  
Power : 7W  
Flux : 951 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,500/-




IP	CRI
20	90




G29-7W-04

LED : Bridgelux  
Power : 07W  
Flux : 364 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,300/-




G29-10W-05

LED : Bridgelux  
Power : 10W  
Flux : 700 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 1,910/-



G29-20W-05

LED : Bridgelux  
Power : 20W  
Flux : 1400 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,940/-



IP	CRI
20	90







G24-1x12W-02



G24-2x12W-02



G24-1x12W-03



G24-2x12W-03



G24-1x12W-01



G24-7W-04  
G24-12W-04  
G24-25W-04



G24-2x12W-01



G24-3x12W-03




G23-28W-01  
G23-40W-01  
G23-60W-01



G23-7W-02  
G23-12W-02



G23-7W-04



GM-DL-016-009W  
GM-DL-016-015W



G39-10W-03  
G39-3x10W-03  
G39-2x10W-03



GM-WW-001-016W  
GM-WW-001-024W  
GM-WW-001-032W



G23-12W-05  
G23-18W-05  
G23-25W-05



G23-7W-03  
G23-10W-03  
G23-18W-03



G23-1x12W-07  
G23-2x12W-07



G23-12W-06  
G23-28W-06  
G23-40W-06



G39-1x2W-02-A G39-2x2W-02-A G39-5x2W-02-A G39-10x2W-02-A G39-15x2W-02-A



G22-1W-01



G22-3W-03




G22-3W-05



G22-1W-04



G22-3W-02




GM-DL-013-012W  
GM-DL-013-018W  
GM-DL-013-024W



G39-1x2W-01 G39-2x2W-01 G39-5x2W-01 G39-10x2W-01 G39-15x2W-01



Presenting the finest in illumination




GM-DL-014-006W-XXT GM-DL-014-008W-XXT GM-DL-014-012W-XXT



G21-7W-01-RD  
G21-12W-01-RD  
G21-18W-01-RD



G21-7W-01-SQ  
G21-12W-01-SQ  
G21-18W-01-SQ




G21-7W-02-RD  
G21-12W-02-RD  
G21-18W-02-RD



G22-3W-06




G22-3W-06  
G22-5W-06  
G22-7W-06



GM-DL-014-006W-XXS



GM-DL-014-008W-XXS



GM-DL-014-012W-XXS



G29-07W-01  
G29-12W-01



G29-7W-04



G29-10W-05  
G29-20W-05



G29-12W-02



G29-7W-03-25  
G29-7W-03-50  
G29-7W-03-75



## MAGNETIC TRACK LIGHTS



GM MAGNETIC TRACK LIGHTS  
ADD NOVELTY TO LUXURY  
ILLUMINATION. EVERY SINGLE  
LIGHT SPEAKS VOLUMES ABOUT  
ITS ARTISTRY IN BEAUTIFYING THE  
SPACE, PROVIDING THE MOST  
EXQUISITE EXPERIENCES ONE  
CAN IMAGINE.






# The harmonica lights

Your ceiling lights not only provide you with immense illumination but also act as a decorative element. Modify your lighting needs with a contemporary magnetic track light that resembles the form of a harmonica. The light adds a sense of luxury to your ceiling and the aluminium body promises longevity.




GP10040

Length: 1M  
Material : Aluminium  
MRP : ₹ 3,650/-





GP10041

Length: 3M  
Material : Aluminium  
MRP : ₹ 9,500/-




GP10042

Length: 1M  
Material : Aluminium  
MRP : ₹ 4,800/-



GP10043

Length: 3M  
Material : Aluminium  
MRP : ₹ 12,500/-



GP10044

Length: 1M  
Material : Aluminium  
MRP : ₹ 4,100/-

Body Colour





Sand Black

IP  
20

\*Corner sets, adapters and other accessories can be procured separately







GP10045

Details: Surface Magnetic  
Corner Set 90°  
Material : Aluminium  
MRP : ₹ 1,650/-

GP10046

Details: Recessed Magnetic  
Corner Set 90°  
Material : Aluminium  
MRP : ₹ 1,920/-

GP10047

Details: Recessed Magnetic  
Corner Set In 90°  
Material : Aluminium  
MRP : ₹ 1,920/-

GP10048

Details: Recessed Magnetic  
Corner Set Out 90°  
Material : Aluminium  
MRP : ₹ 1,920/-

GP10049

Details: Magnetic Track  
Wire and Lock  
Material : Aluminium  
MRP : ₹ 400/-

GP10050

Details: Magnetic  
Power Input  
Material : Aluminium  
MRP : ₹ 900/-

GP10051

Details: Magnetic Corner  
Power Input  
Material : Aluminium  
MRP : ₹ 1,500/-

GP10052

Details: Magnetic Straight  
Power Input  
Material : Aluminium  
MRP : ₹ 1,000/-

Body Colour

■ Sand Black

IP  
20



Body Colour

■ Sand Black

IP  
20







# The power of magnetic minimalism


Transform your space with a minimalistic lighting concept that goes well with even the simplest of decor. The new GM track light offers convenience while giving the required attention to the details of your space. The sand black light hangs on a rafter and can be moved as per need.



<b>GP10053</b> LED : Bridgelux Power : 3W Flux : 240 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 2,100/-	<b>GP10054</b> LED : Bridgelux Power : 2x3W Flux : 480 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,750/-	<b>GP10055</b> LED : Bridgelux Power : 6W Flux : 480 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 2,400/-	<b>GP10056</b> LED : Bridgelux Power : 2x6W Flux : 960 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 4,650/-	<b>GP10057</b> LED : Bridgelux Power : 12W Flux : 960 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,000/-	<b>GP10058</b> LED : Bridgelux Power : 2x12W Flux : 1920 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 5,650/-	<b>GP10059</b> LED : Bridgelux Power : 3W Flux : 240 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 2,050/-	<b>GP10060</b> LED : Bridgelux Power : 2x3W Flux : 480 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,750/-	<b>GP10061</b> LED : Bridgelux Power : 6W Flux : 480 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 2,400/-	<b>GP10062</b> LED : Bridgelux Power : 2x6W Flux : 960 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 4,650/-	<b>GP10063</b> LED : Bridgelux Power : 12W Flux : 960 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 3,000/-	<b>GP10064</b> LED : Bridgelux Power : 2x12W Flux : 1920 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 5,700/-
---	---	---	---	--	---	---	---	---	---	--	---


Colour Temperature

3000K



Body Colour

Sand Black



IP	CRI
20	90


Colour Temperature

3000K



Body Colour

Sand Black



IP	CRI
20	90

\*Drivers to be procured separately




\*Drivers to be procured separately








The bold and sturdy appearance of the new GM magnetic track light speaks for its durability and reliability. It remarkably highlights the best of the interiors and enhances the aesthetic appeal of the spaces. The track light in sand black shade is available in different shapes and sizes, and caters to various interior styles and decor.




GP10065

LED : Osram  
Power : 6x1W  
Flux : 480 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 3,000/-




GP10066

LED : Osram  
Power : 9x1W  
Flux : 720 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 3,650/-




GP10067

LED : Osram  
Power : 12x1W  
Flux : 960 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 4,600/-




GP10068

LED : Osram  
Power : 10W  
Flux : 800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,850/-




GP10069

LED : Osram  
Power : 20W  
Flux : 1600 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,600/-




GP10070

LED : Osram  
Power : 8W  
Flux : 640 lm  
Beam Angle : 110°  
Material : Aluminium  
MRP : ₹ 3,150/-



GP10071

LED : Osram  
Power : 16W  
Flux : 1280 lm  
Beam Angle : 110°  
Material : Aluminium  
MRP : ₹ 4,300/-



GP10072

LED : Osram  
Power : 24W  
Flux : 1920 lm  
Beam Angle : 110°  
Material : Aluminium  
MRP : ₹ 7,000/-

Colour Temperature

3000K



Body Colour

Sand Black

IP	CRI
20	90

\*Drivers to be procured separately



Colour Temperature

3000K



Body Colour

Sand Black

IP	CRI
20	90


\*Drivers to be procured separately








The GM pendant and track lights expand your illumination horizon and enhance your spaces with elegant designs. The lights provide exceptional luminosity while seamlessly hanging from the ceiling. The high CRI with maximum visual comfort makes them an ideal choice for homes and offices.




GP10073

LED : Osram  
Power : 16W  
Flux : 1920 lm  
Beam Angle : 110°  
Material : Aluminium  
MRP : ₹ 5,050/-




GP10074

LED : Bridgelux  
Power : 6W  
Flux : 480 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,100/-




GP10075

LED : Bridgelux  
Power : 10W  
Flux : 800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,700/-



GP10076

LED : Bridgelux  
Power : 20W  
Flux : 1600 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,250/-



GP10077

LED : Bridgelux  
Power : 30W  
Flux : 2400 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,000/-



GP10078-01

LED : Bridgelux  
Power : 06W  
Flux : 480 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,750/-




GP10079-01

LED : Bridgelux  
Power : 12W  
Flux : 960 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,750/-



GP10080-02

LED : Bridgelux  
Power : 06W  
Flux : 480 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,100/-



GP10081-02

LED : Bridgelux  
Power : 12W-02  
Flux : 960 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,110/-

Colour Temperature

3000K



Body Colour

Sand Black

IP	CRI
20	90

Colour Temperature

3000K



Body Colour

Sand Black

IP	CRI
20	90

\*Drivers to be procured separately



\*Drivers to be procured separately









# Seamless blends for interiors

A cosy living room signifies the best of comfort & leisure when accompanied by the right lighting. Accentuate your interiors with the flawless application of the new track light in your spaces. The sleek metal body in sand black colour is sure to impress.



GM-TR-A01-001M-XXS

GM-TR-A01-002M-XXS

GM-TR-A01-001M-XXR

GM-TR-A01-002M-XXR

Length: 1M  
Material : Aluminium  
MRP : ₹ 3,800/-

Length: 2M  
Material : Aluminium  
MRP : ₹ 7,500/-

Length: 1M  
Material : Aluminium  
MRP : ₹ 3,400/-

Length: 2M  
Material : Aluminium  
MRP : ₹ 6,700/-

Body Colour





IP  
20

\*Corner sets, adapters and other accessories can be procured separately







GM-TR-A01-VXXL-XX-BL-XXR

Details: Recessed Track  
Plane Connection  
Material : Aluminium  
MRP : ₹ 1,800/-

GM-TR-A01-HXXL-XX-BL-XXR

Details: Recessed Track  
Front Side Connection  
Material : Aluminium  
MRP : ₹ 1,800/-

GM-TR-A01-VXXL-XX-BL-XXS

Details: Surface Track  
Plane Connection  
Material : Aluminium  
MRP : ₹ 1,700/-

GM-TR-A01-ACC1-XX-BL-XXX

Details: Input Connector  
Material : Aluminium  
MRP : ₹ 800/-

GM-TR-A01-ACC2-XX-BL-XXX

Details: Connector  
Material : Aluminium  
MRP : ₹ 1,600/-

GM-TR-A01-ACC3-XX-BL-XXX

Details: Connection Accessory  
Material : Aluminium  
MRP : ₹ 180/-

GM-TR-A01-ACC4-XX-BL-XXX

Details: Suspended Accessories  
Material : Aluminium  
MRP : ₹ 1,000/-



GM-TR-A01-HXXL-XX-BL-XXS

Details: Surface Track  
Front Side Connection  
Material : Aluminium  
MRP : ₹ 1,700/-

GM-TR-A01-XXXL-XX-BL-XXR

Details: Recessed Magnetic  
T Shape Connection  
Material : Aluminium  
MRP : ₹ 4,400/-

GM-TR-A01-XXXP-XX-BL-XXR

Details: Recessed Magnetic  
Cross Connection  
Material : Aluminium  
MRP : ₹ 5,500/-

GM-TR-XXX-075W-XX-DR-48V

Make : Meanwell  
Power : 75W  
Voltage : 48V  
Material : Aluminium  
MRP : ₹ 6,200/-

GM-TR-XXX-100W-XX-DR-48V

Make : Meanwell  
Power : 100W  
Voltage : 48V  
Material : Aluminium  
MRP : ₹ 6,700/-

GM-TR-XXX-150W-XX-DR-48V

Make : Meanwell  
Power : 150W  
Voltage : 48V  
Material : Aluminium  
MRP : ₹ 7,500/-

GM-TR-XXX-200W-XX-DR-48V

Make : Meanwell  
Power : 200W  
Voltage : 48V  
Material : Aluminium  
MRP : ₹ 10,000/-

Body Colour

■ Sand Black

IP  
20



Body Colour

■ Sand Black


IP  
20








The new GM magnetic track lights are a perfect blend of efficiency and sophistication. The luminaire surprises with its powerful illumination, simple installation and maintenance. Available in sand black, the designs are especially made to suit the modern interiors.




GM-TR-001-006W-A01

LED : Osram  
Power : 06W  
Flux : 500 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 5,400/-




GM-TR-001-012W-A01

LED : Osram  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 7,300/-




GM-TR-002-006W-A01

LED : Osram  
Power : 06W  
Flux : 500 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 3,800/-




GM-TR-002-012W-A01

LED : Osram  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 4,600/-




GM-TR-003-012W-A01

LED : Everlight  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 120°  
Material : Aluminium  
MRP : ₹ 3,600/-




GM-TR-003-020W-A01

LED : Everlight  
Power : 020W  
Flux : 1800 lm  
Beam Angle : 120°  
Material : Aluminium  
MRP : ₹ 4,500/-



GM-TR-004-006W-A01

LED : Cree  
Power : 06W  
Flux : 500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,200/-



GM-TR-004-012W-A01

LED : Cree  
Power : 12W  
Flux : 900 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,500/-

Colour Temperature

3000K



Body Colour

Sand Black

IP	CRI
20	90

\*Drivers to be procured separately



Colour Temperature

3000K



Body Colour

Sand Black

IP	CRI
20	90


\*Drivers to be procured separately








The new GM pendant and track lights bring about substantial aesthetic appeal to your interiors with their state-of-the-art designs and flawless illumination. The lights provide high visual comfort with their subtle radiance.




GM-TR-005-005W-A01

LED : Cree  
Power : 05W  
Flux : 500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,200/-




GM-TR-006-005W-A01

LED : Osram  
Power : 05W  
Flux : 180 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 8,900/-




GM-TR-006-009W-A01

LED : Cree  
Power : 09W  
Flux : 700 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 12,500/-




GM-TR-007-005W-A01

LED : Cree  
Power : 05W  
Flux : 500 lm  
Beam Angle : 40°  
Material : Aluminium  
MRP : ₹ 5,900/-




GM-TR-007-009W-A01

LED : Cree  
Power : 09W  
Flux : 700 lm  
Beam Angle : 40°  
Material : Aluminium  
MRP : ₹ 9,700/-




GM-TR-008-005W-A01

LED : Cree  
Power : 05W  
Flux : 500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,400/-




GM-TR-008-009W-A01

LED : Cree  
Power : 09W  
Flux : 700 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 7,500/-




GM-TR-008-012W-A01

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 8,900/-



GM-TR-009-012W-A01

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 7,400/-



GM-TR-009-022W-A01

LED : Cree  
Power : 22W  
Flux : 1800 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 8,500/-


Colour Temperature

3000K



Body Colour

GM-TR-005




Red

GM-TR-006



White+Gold

GM-TR-007



White

Black

Black+Silver

Black

IP	CRI
20	80/90



\*Drivers to be procured separately

Colour Temperature

3000K



Body Colour

Black

IP	CRI
20	80




\*Drivers to be procured separately






## A radiating convenience

Transform your space seamlessly with impeccable lighting concepts that are perfect for your modern decor. The new GM magnetic track light offers warm glow keeping in mind the uniqueness of your spaces. These lights are available in sand black shade and are dimmable to provide maximum visual comfort.




GM-TR-A02-001M-XXS

Length : 1M  
Material : Aluminium  
MRP : ₹ 3,800/-



GM-TR-A02-002M-XXS

Length : 2M  
Material : Aluminium  
MRP : ₹ 7,500/-



GM-TR-A02-001M-XXR

Length : 1M  
Material : Aluminium  
MRP : ₹ 3,600/-



GM-TR-A02-002M-XXR

Length : 2M  
Material : Aluminium  
MRP : ₹ 7,200/-

Body Colour




 Sand Black

IP  
20

\*Corner sets, adapters and other accessories can be procured separately







GM-TR-A02-HXXL-XX-BL-XXR

Details : Magnetic Track Recessed  
L Horizontal Coupler  
22mm Slot - 48V  
Material : Aluminium  
MRP : ₹ 2,000/-

GM-TR-A02-VXXL-XX-BL-XXR

Details : Magnetic Track Recessed  
L Vertical Coupler  
22mm Slot - 48V  
Material : Aluminium  
MRP : ₹ 2,000/-

GM-TR-A02-VTRL-XX-BL-XXR

Details : Magnetic Track Recessed  
L Vertical Trimless Coupler  
22mm Slot - 48V  
Material : Aluminium  
MRP : ₹ 2,000/-

GM-TR-A02-ACC1-XX-BL-XXX

Details : Magnetic Track  
End Cap - 22mm Slot  
Material : Aluminium  
MRP : ₹ 200/-

GM-TR-A02-ACC3-XX-BL-XXX

Details : Magnetic Track Mid Connector  
Material : Aluminium  
MRP : ₹ 1,500/-

GM-TR-A02-ACC4-XX-BL-XXX

Details : Magnetic Connector - 02  
Material : Aluminium  
MRP : ₹ 1,000/-

GM-TR-A02-ACC5-XX-BL-XXX

Details : Magnetic Input Connector  
Material : Aluminium  
MRP : ₹ 1,000/-

GM-TR-A02-ACC6-XX-BL-XXX

Details : Magnetic Track Suspension Wire  
Material : Aluminium  
MRP : ₹ 1,200/-



GM-TR-A02-ACC2-XX-BL-XXX

Details : Magnetic Track  
Bracket - 22mm Slot  
Material : Aluminium  
MRP : ₹ 200/-

GM-TR-A02-HXXL-XX-BL-XXS

Details : Magnetic Track Surface  
L Horizontal Coupler  
22mm Slot - 48V  
Material : Aluminium  
MRP : ₹ 2,200/-

GM-TR-A02-VXXL-XX-BL-XXS

Details : Magnetic Track Surface  
L Vertical Coupler  
22mm Slot - 48V  
Material : Aluminium  
MRP : ₹ 2,200/-

GM-TR-A02-VTRL-XX-BL-XXS

Details : Magnetic Track Surface  
L Track Plane Coupler  
22mm Slot - 48V  
Material : Aluminium  
MRP : ₹ 2,200/-

GM-TR-XXX-075W-XX-DR-48V

Details : Meanwell  
Power : 75W  
Voltage : 48V  
Material : Aluminium  
MRP : ₹ 6,200/-

GM-TR-XXX-100W-XX-DR-48V

Details : Meanwell  
Power : 100W  
Voltage : 48V  
Material : Aluminium  
MRP : ₹ 6,700/-

GM-TR-XXX-150W-XX-DR-48V

Details : Meanwell  
Power : 150W  
Voltage : 48V  
Material : Aluminium  
MRP : ₹ 7,500/-

GM-TR-XXX-200W-XX-DR-48V

Details : Meanwell  
Power : 200W  
Voltage : 48V  
Material : Aluminium  
MRP : ₹ 11,000/-

Body Colour

■ Sand Black

IP  
20



Body Colour

■ Sand Black



IP  
20








The GM track lights have highly functional and adjustable heads, which are available in unique circular and harmonica-shaped designs. The lights provide high luminous flux along with impressive CRI and maximum visual comfort.




GM-TR-001-009W-A02

LED : Cree  
Power : 09W  
Flux : 700 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 13,000/-




GM-TR-001-012W-A02

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 14,400/-




GM-TR-002-012W-A02

LED : Cree  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 13,000/-




GM-TR-002-022W-A02

LED : Cree  
Power : 22W  
Flux : 1800 lm  
Beam Angle : 100°  
Material : Aluminium  
MRP : ₹ 14,000/-




GM-TR-003-006W-A02

LED : 3535  
Power : 06W  
Flux : 500 lm  
Beam Angle : 20°  
Material : Aluminium  
MRP : ₹ 10,000/-



GM-TR-003-012W-A02

LED : 3535  
Power : 12W  
Flux : 1100 lm  
Beam Angle : 20°  
Material : Aluminium  
MRP : ₹ 11,500/-



GM-TR-003-018W-A02

LED : 3535  
Power : 18W  
Flux : 1800 lm  
Beam Angle : 20°  
Material : Aluminium  
MRP : ₹ 12,900/-


Colour Temperature

3in1 Dali




Body Colour

GM-TR-001



GM-TR-002



White + Black Black

IP	CRI
20	80

\*Drivers to be procured separately




Colour Temperature

3in1 Dali



Body Colour

Sand Black



IP	CRI
20	80


\*Drivers to be procured separately







The new GM pendant lights beautify the spaces with their appealing design and flexibility. The lights can be set in different positions and provide holistic illumination for homes and offices. The visually comforting and clear lights give a new dimension to interior design.



Model	Model	Model	Model	Model	Model	Model	Model	Model	Model	Model
GM-TR-004-006W-A02	GM-TR-004-012W-A02	GM-TR-004-018W-A02	GM-TR-005-007W-A02	GM-TR-005-010W-A02	GM-TR-005-014W-A02	GM-TR-006-007W-A02	GM-TR-006-010W-A02	GM-TR-007-012W-A02	GM-TR-008-012W-A02	GM-TR-009-005W
LED : Cree Power : 06W Flux : 500 lm Beam Angle : 20° Material : Aluminium MRP : ₹ 12,000/-	LED : Cree Power : 12W Flux : 1100 lm Beam Angle : 20° Material : Aluminium MRP : ₹ 13,500/-	LED : Cree Power : 18W Flux : 1600 lm Beam Angle : 20° Material : Aluminium MRP : ₹ 15,000/-	LED : Cree Power : 07W Flux : 500 lm Beam Angle : 100° Material : Aluminium MRP : ₹ 10,300/-	LED : Cree Power : 10W Flux : 1000 lm Beam Angle : 100° Material : Aluminium MRP : ₹ 11,300/-	LED : Cree Power : 14W Flux : 1300 lm Beam Angle : 100° Material : Aluminium MRP : ₹ 12,300/-	LED : Cree Power : 06W Flux : 500 lm Beam Angle : 100° Material : Aluminium MRP : ₹ 12,000/-	LED : Cree Power : 10W Flux : 1000 lm Beam Angle : 100° Material : Aluminium MRP : ₹ 13,400/-	LED : Cree Power : 12W Flux : 1100 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 14,200/-	LED : Cree Power : 12W Flux : 1100 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 15,700/-	LED : Cree Power : 05W Flux : 500 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 14,600/-

Colour Temperature: 3in1 Dali (Warm to cool)

Body Colour: Black

IP	CRI
20	80

48V dc, DALI 2, Warm to cool, Dimmable, CE, RoHS, HIGH CRI, HIGH VISUAL COMFORT, SURGE PROTECTION

\*Drivers to be procured separately

Colour Temperature: 3in1 Dali (Warm to cool)

Body Colour: Black, Gold + Black, Red, Black


GM-TR-007&008, GM-TR-009

IP	CRI
20	80

48V dc, DALI 2, Warm to cool, Dimmable, CE, RoHS, HIGH CRI, HIGH VISUAL COMFORT, SURGE PROTECTION

\*Drivers to be procured separately





GP10040  
GP10041




GP10042  
GP10043




GP10044



GP10045



GP10046



GP10047



GP10048



GM-TR-001-006W-A01  
GM-TR-001-012W-A01



GM-TR-005-007W-A02  
GM-TR-005-010W-A02  
GM-TR-005-014W-A02



GM-TR-002-006W-A01  
GM-TR-002-012W-A01



GM-TR-008-012W-A02  
GM-TR-009-005W



GP10052



GP10050



GP10051




GP10049




GM-TR-008-005W-A01  
GM-TR-008-009W-A01  
GM-TR-008-012W-A01



GM-TR-007-012W-A02



GM-TR-009-012W-A01  
GM-TR-009-022W-A01



GM-TR-004-006W-A01  
GM-TR-004-012W-A01



GP10065  
GP10066  
GP10067




GP10054  
GP10056  
GP10058  
GP10060  
GP10062  
GP10064

GP10053  
GP10055  
GP10057  
GP10059  
GP10061  
GP10063




GM-TR-A01-001M-XXS  
GM-TR-A01-002M-XXS

GM-TR-A01-001M-XXR  
GM-TR-A01-002M-XXR



GM-TR-XXX-075W-XX-DR-48V  
GM-TR-XXX-100W-XX-DR-48V  
GM-TR-XXX-150W-XX-DR-48V  
GM-TR-XXX-200W-XX-DR-48V




GM-TR-A02-001M-XXS  
GM-TR-A02-002M-XXS

GM-TR-A02-001M-XXR  
GM-TR-A02-002M-XXR



GM-TR-003-006W-A02  
GM-TR-003-012W-A02  
GM-TR-003-018W-A02




GP10070  
GP10071  
GP10072




GM-TR-002-006W-A01  
GM-TR-002-012W-A01




GP10068  
GP10069




GM-TR-A01-VXXL-XX-BL-XXR



GM-TR-A01-HXXL-XX-BL-XXR




GM-TR-A01-VXXL-XX-BL-XXS



GM-TR-A01-HXXL-XX-BL-XXS



GM-TR-A01-XXXL-XX-BL-XXR



GM-TR-A01-XXXX-XX-BL-XXR




GM-TR-002-012W-A02  
GM-TR-002-022W-A02



GM-TR-A01-ACC1-XX-BL-XXX

GM-TR-A01-ACC3-XX-BL-XXX

GM-TR-A01-ACC2-XX-BL-XXX



GM-TR-A01-ACC4-XX-BL-XXX



GM-TR-001-009W-A02  
GM-TR-001-012W-A02



GP10073



GM-TR-005-007W/010W/014W-A02  
GM-TR-006-007W/010W-A02




GP10078/79-01  
GP10080/81-02



GP10074  
GP10075  
GP10076  
GP10077




A welcoming change in lighting design



GM-TR-A02-HXXL-XX-BL-XXR



GM-TR-A02-VXXL-XX-BL-XXR



GM-TR-A02-VTRL-XX-BL-XXR



GM-TR-A02-ACC1-XX-BL-XXX



GM-TR-A02-ACC3-XX-BL-XXX



GM-TR-A02-ACC4-XX-BL-XXX



GM-TR-A02-ACC2-XX-BL-XXX



GM-TR-A02-HXXL-XX-BL-XXS



GM-TR-A02-VXXL-XX-BL-XXS



GM-TR-A02-VTRL-XX-BL-XXS



GM-TR-A02-ACC6-XX-BL-XXX



GM-TR-A02-ACC5-XX-BL-XXX




GM-TR-005-005W-A01



GM-TR-006-005W-A01  
GM-TR-006-009W-A01



GM-TR-007-005W-A01  
GM-TR-007-009W-A01



GM-TR-004-006W-A02  
GM-TR-004-012W-A02  
GM-TR-004-018W-A02




## TRACK AND PROJECTOR LIGHTS

PRESENTING GM TRACK AND PROJECTOR LIGHTS THAT CLEARLY EXPRESS THEIR PURPOSE WHICH IS INCREDIBLE LIGHTING. THE ASSORTMENT IN MOULDS GRANTS VARIETY TO THE INTERIOR SETTING, THUS BEAUTIFYING THE SPACES.




Simply illuminating  
and stylish




<b>G28-18W-01</b> LED : Cree Power : 18W Flux : 1307 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 4,800/-	<b>G28-28W-01</b> LED : Cree Power : 28W Flux : 1609 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 6,300/-	<b>G28-28W-02</b> LED : Cree Power : 28W Flux : 2300 lm Beam Angle : 15° Material : Aluminium MRP : ₹ 8,400/-	<b>G28-35W-02</b> LED : Cree Power : 35W Flux : 2889 lm Beam Angle : 15° Material : Aluminium MRP : ₹ 10,900/-	<b>G28-18W-03</b> LED : Cree Power : 18W Flux : 1125 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 6,400/-
---	---	---	--	---


Colour Temperature



Body Colour



IP	CRI
20	90



<b>G28-28W-03</b> LED : Cree Power : 28W Flux : 2079 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 8,700/-	<b>G28-12W-04</b> LED : Cree Power : 12W Flux : 890 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 5,100/-	<b>G28-18W-04</b> LED : Cree Power : 18W Flux : 1335 lm Beam Angle : 24° Material : Aluminium MRP : ₹ 6,400/-	<b>G28-12W-05</b> LED : Osram Power : 12W Flux : 887 lm Beam Angle : 105° Material : Aluminium MRP : ₹ 6,700/-	<b>G28-18W-05</b> LED : Osram Power : 18W Flux : 1515 lm Beam Angle : 105° Material : Aluminium MRP : ₹ 8,200/-
---	--	---	--	---

Colour Temperature



Body Colour



IP	CRI
20	90








# The light of balance

Every space needs a transition, be it in terms of decor or lighting with great lighting comes great transformation. With the GM track lights give your space the perfect modification you need. The lights perfectly balance the ambience and add an aesthetic charm to your favourite corners.



G28-12W-06

LED : Cree  
Power : 12W  
Flux : 900 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,600/-

G28-18W-06

LED : Cree  
Power : 18W  
Flux : 1350 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,900/-

G28-20W-07

LED : Cree  
Power : 20W  
Flux : 1500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 2,350/-

G28-30W-08

LED : Cree  
Power : 30W  
Flux : 2250 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,000/-

G28-30W-09

LED : Cree  
Power : 30W  
Flux : 2250 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 9,400/-

G28-12W-10

LED : Cree  
Power : 12W  
Flux : 900 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,800/-

G28-20W-10

LED : Cree  
Power : 20W  
Flux : 1500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,100/-

G28-30W-10

LED : Cree  
Power : 30W  
Flux : 2250 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 6,500/-

G28-12W-11

LED : Cree  
Power : 12W  
Flux : 900 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,500/-

G28-20W-11-B

LED : Cree  
Power : 20W  
Flux : 1500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,400/-


Colour Temperature

3000K



Body Colour

G28-06



G28-07



IP	CRI
20	80

Colour Temperature


3000K



4000K



Body Colour



IP	CRI
20	90








# Options that are bright & bold

The primary agenda of any space is to make a person comfortable in its ambience and when you have proper lights it becomes easy. GM brings you a wide variety of track lights that are brilliant in functionality and are efficient. The lights are impeccably designed with their unique zoom-in and zoom-out feature that helps you focus on the beauty of your space.



G28-12W-12

LED : Cree  
Power : 12W  
Flux : 900 lm  
Beam Angle : 36°  
Material : Aluminium  
MRP : ₹ 2,600/-

G28-20W-12

LED : Cree  
Power : 20W  
Flux : 1500 lm  
Beam Angle : 36°  
Material : Aluminium  
MRP : ₹ 3,800/-

G28-25W-13

LED : Cree  
Power : 25W  
Flux : 1500 lm  
Beam Angle : 15-60°  
Material : Aluminium  
MRP : ₹ 6,900/-

G28-09W-14-T

LED : Cree  
Power : 09W  
Flux : 2100 lm  
Beam Angle : 36°  
Material : Aluminium  
MRP : ₹ 3,470/-

G28-15W-14-T

LED : Cree  
Power : 15W  
Flux : 1125 lm  
Beam Angle : 36°  
Material : Aluminium  
MRP : ₹ 4,380/-

G28-12W-15-T

LED : Cree  
Power : 12W  
Flux : 900 lm  
Beam Angle : 10° to 60°  
Material : Aluminium  
MRP : ₹ 4,300/-

G28-20W-15-T

LED : Cree  
Power : 20W  
Flux : 1500 lm  
Beam Angle : 10° to 60°  
Material : Aluminium  
MRP : ₹ 7,320/-


G28-30W-15-T

LED : Cree  
Power : 30W  
Flux : 2250 lm  
Beam Angle : 10° to 60°  
Material : Aluminium  
MRP : ₹ 9,050/-


G28-12W-16-T

LED : Cree  
Power : 12W  
Flux : 900 lm  
Beam Angle : 10° to 60°  
Material : Aluminium  
MRP : ₹ 4,400/-

Colour Temperature




Body Colour



IP	CRI
20	90

Colour Temperature



Body Colour






IP	CRI
20	90







The brilliance of simplistic versatility is what sets the new GM track lights apart from its contemporaries. Along with its easy maintenance and high luminosity the lights perfectly highlight everything that they focus on. The lights are available in a variety of sizes and designs in classic black and white shades.



G28-15W-17-W

LED : Cree  
Power : 15W  
Flux : 1000 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,600/-

G28-15W-17-T

LED : Cree  
Power : 15W  
Flux : 1000 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,600/-

G28-20W-17-W

LED : Cree  
Power : 20W  
Flux : 1500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,750/-

G28-20W-17-T

LED : Cree  
Power : 20W  
Flux : 1500 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,750/-

G28-30W-17-W

LED : Cree  
Power : 30W  
Flux : 2300 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,630/-

G28-30W-17-T

LED : Cree  
Power : 30W  
Flux : 2300 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,630/-

G28-10W-18

LED : Cree  
Power : 10W 3in1  
Flux : 750 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 1,000/-


G28-15W-18

LED : Cree  
Power : 15W 3in1  
Flux : 1125 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 1,250/-


G28-24W-18

LED : Cree  
Power : 24W 3in1  
Flux : 1800 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 1,800/-

Colour Temperature



Body Colour



IP	CRI
20	90

Colour Temperature



Body Colour



IP	CRI
20	80







# Simple design & powerful illumination

Often a simple light can bring out a wonderful transformation in your space. Introducing the new GM track light with powerful illumination and a sturdy aluminium body in black and white that beautifies your space with its classic look and finish.



G28-7W-18	G28-12W-18	G28-20W-18	G28-30W-18
LED : Cree	LED : Cree	LED : Cree	LED : Cree
Power : 7W	Power : 12W	Power : 20W	Power : 30W
Flux : 525 lm	Flux : 900 lm	Flux : 1500 lm	Flux : 2250 lm
Beam Angle : 36°	Beam Angle : 36°	Beam Angle : 36°	Beam Angle : 36°
Material : Aluminium	Material : Aluminium	Material : Aluminium	Material : Aluminium
MRP : ₹ 950/-	MRP : ₹ 1,150/-	MRP : ₹ 1,650/-	MRP : ₹ 2,300/-

Colour Temperature: 3000K, 4000K, 6000K

Body Colour: White, Black

IP	CRI
20	80







G28-18W-01  
G28-28W-01




G28-28W-02  
G28-35W-02



G28-18W-03  
G28-28W-03




G28-18W-01  
G28-28W-01



G28-09W-14-T  
G28-15W-14-T



G28-12W-16-T



G28-12W-04  
G28-18W-04




G28-12W-05  
G28-18W-05



G28-12W-06  
G28-18W-06



G28-12W-15-T



G28-20W-15-T



G28-30W-15-T



G28-10W-18  
G28-15W-18  
G28-24W-18



G28-20W-07



G28-30W-08



G28-30W-09



## Variety and vivacity in illumination



G28-15W-17-W  
G28-15W-17-T



G28-20W-17-W  
G28-20W-17-T



G28-30W-17-W  
G28-30W-17-T



G28-12W-10  
G28-20W-10  
G28-30W-10



G28-12W-11  
G28-20W-11-B



G28-12W-12  
G28-20W-12



G28-7W-18



G28-12W-18



G28-20W-18



G28-30W-18



## OUTDOOR LIGHTS

PRESENTING GM OUTDOOR LIGHTS THAT COMPLEMENT YOUR SPACES LIKE NONE OTHER. THE STYLISH AND GORGEOUS DESIGNS NOT ONLY ENHANCE THE ATTRACTIVENESS OF THE OUTDOORS SUCH AS THE WALKWAY, GARDEN, AND MORE BUT ALSO PROVIDE ADEQUATE SAFETY.






Light with unmatched  
symmetry





Light in every form  
imaginable and otherwise



GM-WL-003-005W

LED : Osram  
Power : 5W  
Flux : 185 lm  
Beam Angle : 17°  
Material : Aluminium  
MRP : ₹ 7,100/-

Colour Temperature

3000K



Body Colour

Black


IP	CRI
65	80







The vertical wonder of parabolic lighting



GM-WL-004-020W

LED : Osram  
 Power : 20W  
 Flux : 1750 lm  
 Beam Angle : 24°  
 Material : Aluminium  
 MRP : ₹ 10,900/-

Colour Temperature

3000K



Body Colour

Black




IP	CRI
65	80








The vertical wall lights are an excellent addition to the outdoor lighting system with their effective and perfectly scattered illumination. The lights that are a symbol of quality illumination are made of premium material for durability and look exceptionally beautiful in a classic black body.



**GM-WL-005-010W**  
 LED : Cree  
 Power : 10W  
 Flux : 875 lm  
 Beam Angle : 30°  
 Material : Aluminium  
 MRP : ₹ 8,200/-



**GM-WL-006-014W**  
 LED : Cree  
 Power : 14W  
 Flux : 1225 lm  
 Beam Angle : 30°  
 Material : Aluminium  
 MRP : ₹ 9,000/-

Colour Temperature

3000K

Body Colour

Black


IP	CRI
65	80







This outdoor light has a unique boomerang design that effectively illuminates the ground and the walls in three ways. The premium light is made of high-quality materials for low maintenance and easy installation which is durable even in harsh weather conditions.



GM-WL-007-007W

LED : Cree  
 Power : 07W  
 Flux : 612 lm  
 Beam Angle : 45°  
 Material : Aluminium  
 MRP : ₹ 6,600/-

Colour Temperature

3000K

Body Colour

Black


IP	CRI
65	80







The perfect ambience from sunset to sunrise



GM-GT-001-020W

LED : Epistar  
Power : 20W  
Flux : 1750 lm  
Beam Angle : 270°  
Material : Aluminium  
MRP : ₹ 11,600/-

Colour Temperature

3000K



Body Colour

Black



IP	CRI
65	80








# For a bright night

Evenings are beautiful when the outdoor lighting has a sense of familiarity and subtlety to it. Feels as natural as daylight but with a tinge of nightly calmness to it, the GM outdoor light does a fantastic job illuminating your evenings like no other.



GM-WL-002-012W

LED : Epistar  
Power : 12W  
Flux : 980 lm  
Beam Angle : 270°  
Material : Aluminium  
MRP : ₹ 7,900/-

Colour Temperature

3000K



Body Colour

Black



IP

65

CRI


80







This GM facade light has a series of small spotlights which illuminate the path. With its radiant LED lights, it is the perfect choice for well lit outdoors. The strip has a sleek iron grey body that can be customised and installed in any desired length.



GM-FD-001-006W	GM-FD-001-012W	GM-FD-001-024W
LED : Osram	LED : Osram	LED : Osram
Power : 06W	Power : 12W	Power : 24W
Flux : 500 lm	Flux : 1100 lm	Flux : 2300 lm
Beam Angle : 30°	Beam Angle : 30°	Beam Angle : 30°
Material : Aluminium	Material : Aluminium	Material : Aluminium
MRP : ₹ 5,200/-	MRP : ₹ 6,200/-	MRP : ₹ 9,700/-

Colour Temperature	Body Colour
3000K	Iron Gray

IP	CRI
67	80

\*Drivers to be procured separately







## Brilliantly lighting your ways


Whether it is a closed or an open space, modifying it with proper lighting makes it stand out. Suitable for all sorts of outdoor spaces, GM bollard lights are capable of turning dull exteriors into bright and lively ones.







Perfect in every arch and angle



GM-B0-004-006W

LED : Osram  
Power : 06W  
Flux : 525 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 19,400/-

GM-B0-004-012W

LED : Osram  
Power : 06 x 2W  
Flux : 1050 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 29,100/-

Colour Temperature

3000K



Body Colour

Black + Wood Grain

IP	CRI
65	80








## Bright lights for brighter paths

This GM bollard light complements your outdoors and enhances the safety and beauty of the areas like walkways, gardens, outdoor staircase, patios, and more. Stylish and unique in design, the lights provide excellent illumination.






The pillar of beauty and illumination




GM-BO-001-003W

LED : Osram  
Power : 03W  
Flux : 175 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 15,000/-



GM-BO-001-006W

LED : Osram  
Power : 06W  
Flux : 525 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 21,000/-




GM-BO-001-009W

LED : Osram  
Power : 09W  
Flux : 787 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 28,400/-

Colour Temperature



Body Colour



IP	CRI
65	80








## An exemplar in outdoor lighting

Illumination is not optional especially when it comes to your home. The GM bollard light offers an impressive lighting solution that makes your way home glowing with lights.





Brilliance in every stature



GM-BO-002-012W-250	GM-BO-002-012W-650	GM-BO-002-012W-800
LED : Epistar	LED : Epistar	LED : Epistar
Power : 12W	Power : 12W	Power : 12W
Flux : 980 lm	Flux : 980 lm	Flux : 980 lm
Beam Angle : 270°	Beam Angle : 270°	Beam Angle : 270°
Material : Aluminium	Material : Aluminium	Material : Aluminium
MRP : ₹ 11,800/-	MRP : ₹ 16,400/-	MRP : ₹ 20,200/-

Colour Temperature



Body Colour





IP	CRI
65	80







The charm of a good evening



**GM-B0-003-020W-600**


LED : Epistar  
 Power : 20W  
 Flux : 1750 lm  
 Beam Angle : 270°  
 Material : Aluminium  
 MRP : ₹ 20,900/-

**GM-B0-003-020W-900**

LED : Epistar  
 Power : 20W  
 Flux : 1750 lm  
 Beam Angle : 270°  
 Material : Aluminium  
 MRP : ₹ 24,700/-

Colour Temperature

3000K



Body Colour

Black



IP	CRI
65	80









# Masterpieces in lighting and design

Artistically crafted illuminations, the GM outdoor lights are tailored to suit various exterior settings and transform your spaces into works of art while also changing the atmosphere around. Furthermore the simple installation feature enhances functionality of these outdoor lights.



GM-BO-005-005W-430

LED : Lantian  
Power : 05W  
Flux : 420 lm  
Beam Angle : Diffuse Light  
Material : Aluminium  
MRP : ₹ 31,200/-

GM-BO-005-005W-700

LED : Lantian  
Power : 05W  
Flux : 420 lm  
Beam Angle : Diffuse Light  
Material : Aluminium  
MRP : ₹ 40,000/-

GM-BO-007-008W\*

LED : Cree  
Power : 08W  
Flux : 560 lm  
Beam Angle : 60°  
Material : Aluminium  
MRP : ₹ 10,700/-

GM-BO-007-018W\*

LED : Cree  
Power : 18W  
Flux : 1180 lm  
Beam Angle : 60°  
Material : Aluminium  
MRP : ₹ 17,100/-

GM-BO-006-013W\*

LED : Bridgelux  
Power : 13W  
Flux : 780 lm  
Beam Angle : 45°  
Material : Aluminium  
MRP : ₹ 40,000/-

Colour Temperature

3000K



Body Colour

Black



IP	CRI
65	80








Guiding you unconditionally in every path




GM-FT-001-005W

LED : Osram  
Power : 05W  
Flux : 437 lm  
Beam Angle : 15°  
Material : Aluminium  
MRP : ₹ 3,600/-




GM-FT-002-005W

LED : Osram  
Power : 05W  
Flux : 437 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 3,600/-



GM-FT-003-005W

LED : Osram  
Power : 05W  
Flux : 437 lm  
Beam Angle : 15°  
Material : Aluminium  
MRP : ₹ 4,900/-



GM-FT-004-005W

LED : Osram  
Power : 05W  
Flux : 437 lm  
Beam Angle : 30°  
Material : Aluminium  
MRP : ₹ 4,900/-

Colour Temperature

3000K



Body Colour

Silver



IP  
65


CRI  
80








## Making your exteriors bright

Buried ground lights have a wide level of use, from lighting the facade of a building to illuminating any outer space of your garden or backyard. Although these lights are ground-mounted, they are safe and create an aesthetically pleasing atmosphere.







GM-UG-002-003W

LED : Osram  
Power : 03W  
Flux : 180 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 4,100/-

GM-UG-002-005W

LED : Cree  
Power : 05W  
Flux : 450 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,500/-

GM-UG-002-009W

LED : Cree  
Power : 09W  
Flux : 700 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 8,200/-



GM-UG-003-003W

LED : Osram  
Power : 03W  
Flux : 180 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 3,500/-

GM-UG-003-005W


LED : Cree  
Power : 05W  
Flux : 450 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 5,000/-

GM-UG-003-009W

LED : Cree  
Power : 09W  
Flux : 700 lm  
Beam Angle : 24°  
Material : Aluminium  
MRP : ₹ 7,800/-

Colour Temperature

3000K



Body Colour

Silver

IP	CRI
67	80



\*Drivers to be procured separately

Colour Temperature

3000K



Body Colour

Silver

IP	CRI
67	80




\*Drivers to be procured separately





The underground lights seamlessly blend in with the ground and pacify the evening atmosphere with their soothing glow. These GM lights have a smooth shimmering panel made of aluminium which is available in shining silver coating.



GM-UG-001-003W

LED : Epistar  
 Power : 03W  
 Flux : 150 lm  
 Beam Angle : 52°  
 Material : Aluminium  
 MRP : ₹ 3,400/-


Colour Temperature

3000K



Body Colour

Silver



IP	CRI
65	80







# Syncing power and beauty




GM10022

GM10023

GM10024

GM10025

The premium outdoor lighting collection of the most innovative LED lighting brand is study, durable, and elegant. The lights are a perfect choice for pathways, pillars, and outdoor accent lighting. They are available in unique shapes and designs in classic black shade.



GM10022-12W

LED : Osram  
Power : 12W  
Flux : 700 lm  
Beam Angle : 270°  
Material : Aluminium  
MRP : ₹ 4,100/-

GM10023-20W

LED : Osram  
Power : 20W  
Flux : 1100 lm  
Beam Angle : 270°  
Material : Aluminium  
MRP : ₹ 7,850/-

GM10024-5W

LED : Epistar  
Power : 5W  
Flux : 680 lm  
Beam Angle : 120°  
Material : Aluminium  
MRP : ₹ 5,350/-

GM10025-6W

LED : Osram  
Power : 6W  
Flux : 420 lm  
Beam Angle : 270°  
Material : Aluminium  
MRP : ₹ 4,300/-

Colour Temperature

3000K



Body Colour

Black

IP	CRI
65	80








# The groundbreaking illumination

The LED outdoor lights are sturdy and durable and can withstand harsh external usage. The lights blend in perfectly with the outdoor decor. Made with high-quality materials, the illumination of the lights is absolutely to vouch for.




<b>GP10000-2W</b> LED : Epistar Power : 02W Flux : 150 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 3,500/-	<b>GP10001-5W</b> LED : Epistar Power : 05W Flux : 180 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 5,800/-	<b>GP10002-7W</b> LED : Epistar Power : 07W Flux : 210 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 6,975/-	<b>GP10003-10W</b> LED : Epistar Power : 10W Flux : 250 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 8,500/-	<b>GP10004-10W</b> LED : Epistar Power : 10W Flux : 250 lm Beam Angle : 5° Material : Aluminium MRP : ₹ 9,600/-
---	---	---	--	---

Colour Temperature 3000K	Body Colour Grey	IP 66	CRI 80
-----------------------------	---------------------	----------	-----------



\*Drivers to be procured separately




<b>GP10005-10W</b> LED : Epistar Power : 10W Flux : 250 lm Beam Angle : 45° Material : Aluminium MRP : ₹ 8,150/-	<b>GP10006-6W</b> LED : Epistar Power : 06W Flux : 180 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 5,400/-	<b>GP10007-10-6W</b> LED : Osram Power : 06W Flux : 180 lm Beam Angle : 60° Material : Aluminium MRP : ₹ 7,350/-	<b>GP10011-15W</b> Master Controller Power : 15W Flux : - Beam Angle : - Material : Aluminium MRP : ₹ 1,35,000/-	<b>GP10012-5W</b> Slave Controller Power : 05W Flux : - Beam Angle : - Material : Aluminium MRP : ₹ 70,000/-
--	---	--	--	--

Colour Temperature 3000K	Body Colour Grey	IP 66	CRI 80
-----------------------------	---------------------	----------	-----------





\*Drivers to be procured separately





# The fine line of illumination

The premium outdoor lights shine bright both in appearance and functionality. These durable LED lights are made with materials that are capable of withstanding difficult external conditions. These outdoor lights are a great choice for every exterior type.



<b>GP10013-20W</b> LED : Epistar Power : 20W Flux : 520 lm Beam Angle : 60° Material : Aluminium MRP : ₹ 13,500/-	<b>GP10014-20W</b> LED : Epistar Power : 20W Flux : - Beam Angle : 30° Material : Aluminium MRP : ₹ 12,800/-	<b>GP10015-5W</b> LED : Epistar Power : 05W Flux : 180 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 10,500/-	<b>GP10016-.7.5W</b> LED : Epistar Power : 7.5W Flux : 220 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 13,200/-	<b>GP10017-10W</b> LED : Epistar Power : 10W Flux : 250 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 17,850/-
---	--	--	--	---

<b>GP10018-12W</b> LED : Epistar Power : 12W Flux : 280 lm Beam Angle : 30° Material : Aluminium MRP : ₹ 20,000/-	<b>GP10019-5W</b> LED : Epistar Power : 05W Flux : 160 lm Beam Angle : 5x130° Material : Aluminium MRP : ₹ 8,500/-	<b>GP10020-10W</b> LED : Epistar Power : 10W Flux : 220 lm Beam Angle : 5x130° Material : Aluminium MRP : ₹ 14,750/-	<b>GP10021-15W</b> LED : Epistar Power : 15W Flux : 260 lm Beam Angle : 5x130° Material : Aluminium MRP : ₹ 19,800/-	<b>GP10022-12W</b> LED : Epistar Power : 12W Flux : 600 lm Beam Angle : 120° Material : Aluminium MRP : ₹ 6,200/-	<b>GP10023-250W</b> Linear Driver Power : 250W Flux : - Beam Angle : - Material : Aluminium MRP : ₹ 12,150/-
---	--	--	--	---	--

Colour Temperature: GP10014 - RGB 3000K

Body Colour: Grey

IP	CRI
66	80

Colour Temperature: 3000K

Body Colour: Grey

IP	CRI
66	80







GM-WL-003-005W




GM-WL-005-010W  
GM-WL-006-014W



GM-WL-004-020W



GM-B0-004-006W GM-B0-004-012W




GM-B0-002-012W-250



GM-B0-002-012W-650



GM-B0-002-012W-800



GM-B0-005-005W-430



GM-B0-005-005W-700



GM-B0-006-013W\*



GM-WL-002-012W



GM-GT-001-020W



GM-B0-007-008W



GM-B0-007-018W



Lighting that's thoughtful



GM-UG-001-003W



GM-WL-007-007W



GP10015-5W



GP10016-7.5W



GP10017-10W



GP10018-12W



GM-FT-001-005W



GM-FT-002-005W



GM-FT-003-005W



GM-FT-004-005W




GM-UG-003-003W  
GM-UG-003-005W  
GM-UG-003-009W



GM-UG-002-003W  
GM-UG-002-005W  
GM-UG-002-009W




GP10013-20W



GP10019-5W



GP10020-10W



GP10021-15W



GM-FD-001-006W  
GM-FD-001-012W  
GM-FD-001-024W



GM10022-12W  
GM10023-20W



GM-B0-003-020W-600



GM-B0-003-020W-900



GM-B0-001-009W



GM-B0-001-006W



GM-B0-001-003W



GP10000-2W



GP10001-5W



GP10002-7W



GP10003-10W



GP10004-10W




GP10005-10W



GP10006-6W



GP10007-10-6W



GP10022-12W



GP10014-20W



GP10023-250W



GM10024-5W



GM10025-6W





# EXPERIENCE EXCLUSIVITY

## GM EXCLUSIVE EXPERIENCE CENTRES

### INDIA

Mumbai - Andheri  
GM Luxury Lighting - Experience Centre  
Unit No. 21, Q/G, Laxmi Industrial Estate,  
Next to Laxmi Chhaya Hotel, New Link Road,  
Andheri (W), Mumbai - 400 053, Maharashtra.  
Email: info@gmmodular.com

Mumbai - Andheri  
G-6, Laxmi Industrial Estate,  
Opp. Laxmi Chhaya Hotel,  
New Link Road, Andheri (W),  
Mumbai - 400 053, Maharashtra.  
Email: info@gmmodular.com  
Contact: +91 88799 18221.

Mumbai - Lohar Chawl  
Shop No.1 Plot No. 151/153,  
Bhabha Building, Lohar Chawl,  
Mumbai - 400 002, Maharashtra.  
Email: info@gmmodular.com  
Contact: 022 2206 6545

Ahmedabad  
07, Ground Floor,  
Times Square Grand,  
Near Saltva Vikas School,  
Sindhuhavan Main Road,  
Thaltej, Ahmedabad - 380 059.  
Email: info@gmmodular.com

Belagavi  
Shop No. 571,  
Bhatti Tower, Patil Galli,  
Belagavi - 590 001, Karnataka.  
Email: info@gmmodular.com  
Contact: +91 99453 33107

Bengaluru  
460/20/1, 30th Cross,  
8th B Main Road, 4th Block,  
Beside Jain Temple, Jayanagar,  
Bengaluru - 560 011, Karnataka.  
Email: info@gmmodular.com  
Contact: 080 4097 1188

Bhilwara  
G-4, Govindram Commercial Hub,  
Old RTO Road,  
Bhilwara - 311 001, Rajasthan.  
Email: info@gmmodular.com  
Contact: +91 89550 48560

Bihar  
Ambition Business Centre  
Ground Floor, Block A  
Jamal Road,  
Patna -800 001.  
Email: info@gmmodular.com

Calicut  
GM Avenue, 2nd Floor,  
Red Cross Road,  
Calicut 673 032, Kerala.  
Email: info@gmmodular.com  
Contact: 049 5277 3500

Chennai - Egmore  
Stall No: F50, F51 & F52, 1st Floor,  
Build HQ, Raja Annamalai Building,  
Rukmani Lakshmiipathi Road,  
Egmore, Chennai, Tamil Nadu - 600 008.  
Email: info@gmmodular.com

Chennai - Anna Salai  
Prestige Zackria,  
Metropolitan 200/1-8,  
Anna Salai,  
Chennai - 600 002.  
Email: info@gmmodular.com

Coimbatore  
22, Mill Road, Below ICICI Bank,  
Coimbatore - 641 001,  
Tamil Nadu.  
Email: info@gmmodular.com  
Contact: +91 99523 07025

Hyderabad  
No. 5-5-84/87, Shop No. 2 & 3,  
Katpakunj Apartment, Jambaug,  
Hyderabad - 500 012, Telangana.  
Email: info@gmmodular.com  
Contact: 040 2473 4545

Jalore  
Near Kanchangiri Jain Temple,  
Opp. Haridev Joshi Circle, Bagoda Rd.,  
Jalore - 343 001, Rajasthan.  
Email: info@gmmodular.com  
Contact: 02973 - 222 288 / +91 79769 79283

Kochi  
Chidambaram Chambers,  
Doraiswamy Iyer Road,  
Kochi - 682 035.  
Email: info@gmmodular.com

Kolkata  
39/40, Ezra Street, Ground Floor,  
Kolkata - 700 001, West Bengal.  
Email: info@gmmodular.com  
Contact: +91 33406 02048

Noida  
C-161, Sector 63,  
Near Hindustan Times Office,  
Noida, Uttar Pradesh - 201 301.  
Email: info@gmmodular.com  
Contact: 0120-456 2087

Puducherry  
No. 298, J. N. Street,  
Opp. to Sony Centre Showroom,  
Puducherry - 605 001.  
Email: info@gmmodular.com  
Contact: 0413-450 0222

Ranchi  
Mahavir Chowk, Upper Bazar,  
Ranchi - 834 001, Jharkhand.  
Email: info@gmmodular.com  
Contact: 065 1355 1309  
+91 94715 55599

Surat  
Nilkanth House, 29 to 32,  
Ambica Industrial Society,  
Opp. Gandhi Kutir, Bhatar,  
Udhana Magdalla Road,  
Surat- 395 007.  
Email: info@gmmodular.com

Tirunelveli  
48, Raja Building,  
Tirunelveli - 627 001,  
Tamil Nadu.  
Email: info@gmmodular.com  
Contact: +91 94431 51008

Vijayawada  
Shop No. 17-18, Ground Floor,  
KS Vyas Complex, Opp IGM Stadium,  
MG Road, Vijayawada - 520 010,  
Andhra Pradesh.  
Email: info@gmmodular.com  
Contact: +91 74166 14545.

Shop No: 1-10, Second Floor,  
KS Vyas Complex,  
Opp. IGM Stadium, MG Road,  
Vijayawada - 520 010,  
Andhra Pradesh.  
Email: info@gmmodular.com  
Contact: +91 86624 99945.

### BHUTAN

Thimphu  
T.D.E.  
P.O.Box 1162,  
Honkong Market  
Thimphu, Bhutan.

### BOTSWANA

Gaborone  
Choppies  
P.O.Box 00278, Plot No: 880,  
Unit 4, Gaborone International  
Commerce Park, Gaborone,  
Botswana.

### GHANA

Accra  
Global Lighting Limited  
Adj. Soromall, Baatsona,  
Spintex, P.O.Box St 527,  
Accra, Ghana.

### KENYA

Nairobi  
Ramco Limited  
Nine Grove, Grevillea Grove,  
Near Pkf, Brookside,  
Westlands, P.O.Box 18833-00500  
Nairobi, Kenya

### NEPAL

Kathmandu  
Delta Marketing Pvt. Ltd.  
Lazimpat,  
Kathmandu, 44600,  
Nepal.

### RUSSIA

Moscow  
LLC Primtek,  
Moscow Region, City - Noginsk,  
Street - Ilich Techno Park Zhilino,  
Russia.

### SPAIN

Madrid  
GMM Electric Europe S.A.  
Calle Valdeon 28, 28947 Fuentelabrada,  
Madrid [Spain]  
Contact : +34 677 62 09 45

### UAE

Dubai  
GMM Electricals LLC.  
AL Tayer Warehouse #38,  
Behind NICO International, P.O. Box No. 132 456,  
Al Quoz Industrial Area 1, Dubai, U.A.E  
Contact : +971-4354 4036

### Dubai

GMM Nexus LLC.  
Clover bay, 1711, 17th floor,  
Dubai, U.A.E

Concept, Design, Product Visualization GM Modular Pvt. Ltd.

Printing Mumbai, India. Possible colour variations in product images in the catalogue.

We reserve the right to make technical changes to the products as well as amendments to the content of this document at any time without prior notice. The agreed properties are definitive for any orders placed.


GM Modular Pvt. Ltd. shall not be for any consequences arising from the errors or incomplete information in this document. We reserve all rights in this document and in the subject matter and illustrations contained therein.

Reproduction, transfer to third parties or processing of the content including sections thereof, is not permitted without prior expressed written permission from GM Modular Pvt. Ltd.


Copyright © 2019 GM. All rights reserved.



Notes







BIS Certified



CE Certified



RoHS Certified



High CRI



High Visual Comfort



Surge Protection




Dali Compatible Driver



Dimmable



3 Step Dimmable




CCT Tunable




Round Cutout



Square Cutout



Wireless Charging




Tilttable



Rotatable



Bluetooth Control



Mobile Application Control



Group Control



24Volt DC Power Required



48Volt DC Power Required

