

JANUARY 2024

 **KOLORSLED**[®]
Illuminating Life

INNOVATIVE BRILLIANCE
FOR A BRIGHTER WORLD.



“

IT ALWAYS SEEMS IMPOSSIBLE
UNTIL IT'S DONE.

”

- NELSON MANDELA





Research suggests that **lights play an important role** in our well-being. Exposure to natural light affects our energy, mood, sleep and overall quality of life. However, due to the modern lifestyle, optimal exposure to natural light becomes difficult. Even when it comes to our interiors, it is said that an adequate amount of light improves energy levels while inadequate or dull lighting may add to depression and other deficiencies in the body. The type of light and its luminance affects other aspects of daily life like concentration, appetite and many others. So to cater to lighting requirements that help alleviate our mood, Kolors brings to you a range of LED lights that's just the right blend of everything required to uplift your mood through efficient lighting and make you happy.



At Kolors, the unsatiated desire to innovate is what keeps us going relentlessly in our journey of surpassing excellence and achieving perfection. Taking the journey of beautifying lives a little farther, we bring to you a new offering - Kolors LED lighting. A concoction of the finest designs, world-class materials and advanced technology, this range of LED lighting is conceived to offer lighting solutions that are superior and sustainable. Perfected to the finest details, these products undergo rigorous quality checks at our in-house international standard laboratory where they are tested by a full-fledged Research & Development department. Crafted to let you embrace a world adorned with unmatched brightness, these are just what you need to light up your spaces with Happy Lighting!



DRIVEN BY INNOVATION, MEASURED BY TRUST.

At Kolors, we take immense pride in our unwavering focus on top-notch quality, finesse in execution, and a diverse range of products that place us at the forefront of the industry. As a Fast-Moving Electrical Goods (FMEG) Company, we are dedicated to delivering international standard products that are conceived, designed, and manufactured right here in India for the world.

Since our inception in 1970 as a small trading company specializing in electrical products and accessories, we have grown to become a leading manufacturer of electrical switches and fixtures for various sectors. Today, our product range includes switches, sockets, accessories, switchgears, distribution boards, LED lighting products, wires & cables, home automation products, plug tops, lamp holders, doorbells, extension cords, spikeguards, mounting boxes and motion sensors for every imaginable market segment.

With 5 state-of-the-art manufacturing plants, 13 Depots, 5000 plus Channel Partners, and a workforce of over 1500, we have achieved a wide-ranging presence across India, making our top-quality products accessible to a vast audience.

Our unwavering pursuit of quality, sophistication, and style drives us on our journey to the forefront of the industry. Offering a wide array of products, we cater to every style of living. Through innovation and expertise, we provide world-class quality products that radiate grandeur and class. The unmatched quality of Kolors products and our state-of-the-art manufacturing plants has helped us claim ISO, OHSAS & CE certification. These certifications allow us to sell our products anywhere around the world. Our commitment to excellence has been recognized with the prestigious India Design Mark, twice.

For us, sustainability is at the heart of our ethos. Committed to reducing our carbon footprint, we harness renewable resources like solar power and rainwater harvesting initiatives, contributing to a greener future. At Kolors, we strive to lead the industry not only in quality but also in our responsibility towards the environment.

For us, social responsibility is at the core of every initiative. We strive our best to bring a valuable difference to the society by contributing in the areas of Education, Environment, Health & Housing. Our CSR endeavours align with our mission to 'make life better' while providing opportunities for all.

At Kolors, we are devoted to enhancing stylish living through superior electrical goods, and our unwavering commitment to quality sets us apart in the market.



नवीनता से प्रेरित, विश्वास द्वारा मापा गया ।

कलर्स में, गुणवत्ता पर हमारा बेजोड़ फोकस, निष्पादन में सूक्ष्मता और विविध श्रेणी ने हमें उद्योग में सबसे आगे स्थापित करने में मदद की है। आज हम अंतर्राष्ट्रीय गुणवत्ता वाले उत्पादों के निर्माता होने में गर्व महसूस करते हैं जिनकी कल्पना, डिज़ाइन एवं निर्मितता भारत में ही की गई है।



यह बात १९७० की है जब कलर्स ने एक छोटी सी व्यापारिक कंपनी को स्थापित किया, जो कि इलेक्ट्रिकल वायरिंग एक्सेसरीज़ में व्यापार करती थी। अपनी कार्यप्रणाली के दौरान, इस समूह ने धीरे-धीरे घरों, कार्यलयों, कारखानों, हवाई अड्डों और होटलों के लिए इलेक्ट्रिकल स्विचों और एक्सेसरीज़ उत्पादन के क्षेत्र में अपने कदम रखे। आज, कलर्स ने हर बाजार खंड के लिए सभी प्रकार के स्विच, सॉकेट, एक्सेसरीज़, एमसीबी, एलईडी लाईटिंग उत्पाद, प्लग टॉप, तार, लैम्प होल्डर, डोर बेल, मार्केटिंग बॉक्स और घर स्वचालन उत्पादन के निर्माण से उद्योग जगत में अपना एक स्थान बनाया है।


५ अत्याधुनिक उत्पादन प्लांट्स, १३ डिपो, ५००० से अधिक चैनल पार्टनर्स, १५०० से ज्यादा कर्मचारियों और ५००० से ज्यादा प्रोडक्ट्स के साथ कलर्स पूरे भारत में मौजूद है और अनगिनत लोगों को विश्वस्तरीय उत्पाद प्रदान कर रहा है।

गुणवत्ता, परिष्कार और शैली का अनुसरण हमें उद्योग के शीर्ष की ओर ले जाता है। हमारे उत्पादों की विस्तृत श्रृंखला कुछ ऐसा प्रदान करती है जो जीवन शैली की हर शैली के अनुरूप हो। हमारे इन्वोल्वमेंट अग्रणी दृष्टिकोण और प्रवीणता ने हमें विश्व स्तरीय गुणवत्ता वाले उत्पाद प्रदान करने में मदद की है जो भव्य जीवनशैली और विशेष श्रेणी दर्शाती है। कलर्स उत्पादों की बेजोड़ गुणवत्ता और हमारे अत्याधुनिक विनिर्माण संयंत्रों ने हमें आईएसओ, ओएचएसएस और सीई प्रमाणीकरण का दावा करने में मदद की है। ये प्रमाणपत्र हमें दुनिया भर में कहीं भी अपने उत्पाद बेचने की अनुमति देते हैं। हमारे प्रयास का नतीजा वास्तव में पुरस्कृत हुआ है जैसे – भारत डिजाइन मार्क से दो बार सम्मानित होना।

पर्यावरण, सदभावनापूर्ण जीवन हमारे सिद्धांतों के केंद्र में है। अपने कार्बन फुटप्रिंट को कम करने लिए हम प्रतिबद्ध हैं, सौर ऊर्जा और वर्षा जल संचयन जैसे नवीनीकृत ऊर्जा संसाधनों का उपयोग करते हुए हरीत भविष्य की ओर अग्रसीत समाज में हमारे योगदान के रूप में देखा जा सकता है। कलर्स में हम न केवल गुणवत्ता में बल्कि पर्यावरण के प्रति हमारी जिम्मेदारी में भी उद्योग का नेतृत्व करने का प्रयास करते हैं।

हमारे लिए, सामाजिक जिम्मेदारी हर पहल के मूल में है। हम शिक्षा, पर्यावरण, स्वास्थ्य और आवास के क्षेत्रों में योगदान देकर समाज में एक मूल्यवान अंतर लाने के लिए अपनी पूरी कोशिश करते हैं। हमारा सीएसआर प्रयास सभी के लिए अवसर प्रदान करते हुए जीवन को बेहतर बनाने के हमारे कर्तव्य को साफ दर्शाते हैं।





Click on the page number
or name to open the page

PANEL LIGHT

| | |
|------------------|----|
| Kyle | 11 |
| Klara | 14 |
| Karis | 17 |
| Karis Trio | 20 |
| Keeto | 23 |
| Keeto Neo | 26 |
| Keeto 2x2 | 28 |
| Kongo | 30 |
| Novva | 32 |
| Bling | 32 |
| Krown | 34 |

DOWNLIGHT

| | |
|---------------------|----|
| Karis | 36 |
| Kute | 38 |
| Klair | 38 |
| Kandid | 39 |
| Klay | 40 |
| Kliff | 41 |
| Kute 2.0 | 44 |
| Kute 2.0 Trio | 44 |
| Kenzo | 46 |

BULKHEAD

| | |
|-------------|----|
| Igloo | 46 |
| Boat | 46 |

SPOTLIGHT

| | |
|------------------|----|
| Primus | 50 |
| Kornet | 52 |
| Kornet 2.0 | 54 |
| Karat | 56 |
| Deko | 58 |
| Kandy 2.0 | 60 |

TRACK LIGHT

| | |
|--------------|----|
| Matrix | 62 |
|--------------|----|



STRIP LIGHT

Kove 65

ROPE LIGHT

Groove 67

BULBS

Keeto B22 70

Keeto Inverter 70

Nano 71

Teeny 71

Keeto E27 72

Kandle 74

Kball 76

KGlow 76

T-BULB

Kate 74

BATTEN LIGHT

Kosmic 79

Komet 79

Karis 80

Karis Trio 80

NYX.....80

STREET LIGHT

Kite 82

Edge 82

FLOODLIGHT

Kanon 84

Kite 84



LIVE ECO-FRIENDLY IN A FUTURISTIC LIFE.

Now it's easier to follow your agenda of environmental responsibility. To begin with, eco-friendly LED lights are energy-efficient due to the design of the fixture and device. Apart from being non-toxic and made from recyclable material, these lights do not emit ultraviolet radiation.



KILE
PANEL LIGHT

UNVEILING A NEW ERA
OF LED LIGHTING.



BRING OUT
EXCEPTIONAL
RADIANCE.



In-built Driver



FEATURES:

- Available in Warm White (3000K)
Natural White (4000K) & Cool White (6500K)
- Recessed Type
- Non-isolated Driver, Efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- Housing Material & Diffuser Type: Engineering Plastic
- 4-stage Electrical Protection:
 - Over Voltage
 - Under Voltage
 - Short Circuit
 - Open Circuit



Superior Surge
Protection 2.5KV




Wide Voltage
Range 85 - 265 V~











120°
Beam Angle



IP20



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|--------------|-------------|---------|-------|
| KYLE PANEL LIGHT SLIM-ROUND | | | | | | | | | | |
|  | 2409PL06R WW | 6W | 3000K | >0.9 | 120° | >80 | Φ120*22.5 | Φ 98 | 560.00 | 01/40 |
| | 2409PL06R NW | 6W | 4000K | >0.9 | 120° | >80 | Φ120*22.5 | Φ 98 | 560.00 | 01/40 |
| | 2409PL06R CW | 6W | 6500K | >0.9 | 120° | >80 | Φ120*22.5 | Φ 98 | 560.00 | 01/40 |
|  | 2409PL10R WW | 10W | 3000K | >0.9 | 120° | >80 | Φ145*22.5 | Φ 125 | 675.00 | 01/40 |
| | 2409PL10R NW | 10W | 4000K | >0.9 | 120° | >80 | Φ145*22.5 | Φ 125 | 675.00 | 01/40 |
| | 2409PL10R CW | 10W | 6500K | >0.9 | 120° | >80 | Φ145*22.5 | Φ 125 | 675.00 | 01/40 |
|  | 2409PL15R WW | 15W | 3000K | >0.9 | 120° | >80 | Φ170*22.5 | Φ 150 | 850.00 | 01/40 |
| | 2409PL15R NW | 15W | 4000K | >0.9 | 120° | >80 | Φ170*22.5 | Φ 150 | 850.00 | 01/40 |
| | 2409PL15R CW | 15W | 6500K | >0.9 | 120° | >80 | Φ170*22.5 | Φ 150 | 850.00 | 01/40 |
|  | 2409PL20R WW | 20W | 3000K | >0.9 | 120° | >80 | Φ225*22.5 | Φ 205 | 1200.00 | 01/40 |
| | 2409PL20R NW | 20W | 4000K | >0.9 | 120° | >80 | Φ225*22.5 | Φ 205 | 1200.00 | 01/40 |
| | 2409PL20R CW | 20W | 6500K | >0.9 | 120° | >80 | Φ225*22.5 | Φ 205 | 1200.00 | 01/40 |
| KYLE PANEL LIGHT SLIM-SQUARE | | | | | | | | | | |
|  | 2409PL06S WW | 6W | 3000K | >0.9 | 120° | >80 | 120*120*22.5 | 98*98 | 560.00 | 01/40 |
| | 2409PL06S NW | 6W | 4000K | >0.9 | 120° | >80 | 120*120*22.5 | 98*98 | 560.00 | 01/40 |
| | 2409PL06S CW | 6W | 6500K | >0.9 | 120° | >80 | 120*120*22.5 | 98*98 | 560.00 | 01/40 |
|  | 2409PL10S WW | 10W | 3000K | >0.9 | 120° | >80 | 145*145*22.5 | 125*125 | 675.00 | 01/40 |
| | 2409PL10S NW | 10W | 4000K | >0.9 | 120° | >80 | 145*145*22.5 | 125*125 | 675.00 | 01/40 |
| | 2409PL10S CW | 10W | 6500K | >0.9 | 120° | >80 | 145*145*22.5 | 125*125 | 675.00 | 01/40 |
|  | 2409PL15S WW | 15W | 3000K | >0.9 | 120° | >80 | 170*170*22.5 | 150*150 | 850.00 | 01/40 |
| | 2409PL15S NW | 15W | 4000K | >0.9 | 120° | >80 | 170*170*22.5 | 150*150 | 850.00 | 01/40 |
| | 2409PL15S CW | 15W | 6500K | >0.9 | 120° | >80 | 170*170*22.5 | 150*150 | 850.00 | 01/40 |
|  | 2409PL20S WW | 20W | 3000K | >0.9 | 120° | >80 | 225*225*22.5 | 205*205 | 1200.00 | 01/40 |
| | 2409PL20S NW | 20W | 4000K | >0.9 | 120° | >80 | 225*225*22.5 | 205*205 | 1200.00 | 01/40 |
| | 2409PL20S CW | 20W | 6500K | >0.9 | 120° | >80 | 225*225*22.5 | 205*205 | 1200.00 | 01/40 |

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY




KLARA
PANEL LIGHT



WHERE ELEGANCE MEETS ENCHANTMENT.

Crafted with precision and designed to inspire, these luminous marvels seamlessly blend modern aesthetics with unparalleled functionality. Experience the art of illumination as Klara's soft, even glow transforms any space into a haven of sophistication.





KLARA

PANEL LIGHT




REVOLUTIONIZE
YOUR STYLE.




FEATURES:

- Available in Warm White (3000K)
Natural White (4000K) & Cool White (6500K)
- Recessed & Surface (Separate Ring) Type
- Non-isolated Driver, Efficiency: >80%
- Total Harmonic Distortion (THD%): <15%
- Housing Material & Diffuser Type: Engineering Plastic
- 4-stage Electrical Protection:
 - Over Voltage
 - Under Voltage
 - Short Circuit
 - Open Circuit



Adjustable clips



Easy installation



In-built Driver



Superior Surge
Protection 2.5KV






Wide Voltage
Range 100 - 300 V~







Beam Angle
120°




IP20

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| KLARA PANEL LIGHT (RIMLESS) ROUND | | | | | | | | | | |
|  | 2405PL12R WW | 12W | 3000K | >0.9 | 120° | >80 | Φ120*30 | Φ 75-100 | 860.00 | 01/40 |
| | 2405PL12R NW | 12W | 4000K | >0.9 | 120° | >80 | Φ120*30 | Φ 75-100 | 860.00 | 01/40 |
| | 2405PL12R CW | 12W | 6500K | >0.9 | 120° | >80 | Φ120*30 | Φ 75-100 | 860.00 | 01/40 |
|  | 2405PL18R WW | 18W | 3000K | >0.9 | 120° | >80 | Φ170*32 | Φ 75-150 | 1160.00 | 01/20 |
| | 2405PL18R NW | 18W | 4000K | >0.9 | 120° | >80 | Φ170*32 | Φ 75-150 | 1160.00 | 01/20 |
| | 2405PL18R CW | 18W | 6500K | >0.9 | 120° | >80 | Φ170*32 | Φ 75-150 | 1160.00 | 01/20 |
|  | 2405PL24R WW | 24W | 3000K | >0.9 | 120° | >80 | Φ223*32 | Φ 75-200 | 1475.00 | 01/20 |
| | 2405PL24R NW | 24W | 4000K | >0.9 | 120° | >80 | Φ223*32 | Φ 75-200 | 1475.00 | 01/20 |
| | 2405PL24R CW | 24W | 6500K | >0.9 | 120° | >80 | Φ223*32 | Φ 75-200 | 1475.00 | 01/20 |

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|------------|-------------|---------|-------|
| KLARA PANEL LIGHT (RIMLESS) SQUARE | | | | | | | | | | |
|  | 2405PL12S WW | 12W | 3000K | >0.9 | 120° | >80 | 120*120*30 | Φ 75-100 | 900.00 | 01/40 |
| | 2405PL12S NW | 12W | 4000K | >0.9 | 120° | >80 | 120*120*30 | Φ 75-100 | 900.00 | 01/40 |
| | 2405PL12S CW | 12W | 6500K | >0.9 | 120° | >80 | 120*120*30 | Φ 75-100 | 900.00 | 01/40 |
|  | 2405PL18S WW | 18W | 3000K | >0.9 | 120° | >80 | 170*170*32 | Φ 75-150 | 1200.00 | 01/20 |
| | 2405PL18S NW | 18W | 4000K | >0.9 | 120° | >80 | 170*170*32 | Φ 75-150 | 1200.00 | 01/20 |
| | 2405PL18S CW | 18W | 6500K | >0.9 | 120° | >80 | 170*170*32 | Φ 75-150 | 1200.00 | 01/20 |
|  | 2405PL24S WW | 24W | 3000K | >0.9 | 120° | >80 | 223*223*32 | Φ 75-200 | 1515.00 | 01/20 |
| | 2405PL24S NW | 24W | 4000K | >0.9 | 120° | >80 | 223*223*32 | Φ 75-200 | 1515.00 | 01/20 |
| | 2405PL24S CW | 24W | 6500K | >0.9 | 120° | >80 | 223*223*32 | Φ 75-200 | 1515.00 | 01/20 |

| | Code | Particular | Dimension | MRP ₹/U | Pack |
|---|-----------|---|-----------|---------|-------|
| KLARA PANEL LIGHT SURFACE FRAME-ROUND | | | | | |
|  | 2405PL12R | 12W Surface Frame Round LED Panel Light | Φ120*30 | 160.00 | 01/40 |
| | 2405PL18R | 18W Surface Frame Round LED Panel Light | Φ170*30 | 255.00 | 01/40 |
| | 2405PL24R | 24W Surface Frame Round LED Panel Light | Φ225*30 | 325.00 | 01/40 |

| | | | | | |
|---|-----------|--|------------|--------|-------|
| KLARA PANEL LIGHT SURFACE FRAME-SQUARE | | | | | |
|  | 2405PL12S | 12W Surface Frame Square LED Panel Light | 120*120*30 | 160.00 | 01/40 |
| | 2405PL18S | 18W Surface Frame Square LED Panel Light | 170*170*30 | 255.00 | 01/40 |
| | 2405PL24S | 24W Surface Frame Square LED Panel Light | 225*225*30 | 325.00 | 01/40 |

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY















KARIS

PANEL LIGHT

LET YOUR SPACES RADIATE GLORY.

Minimalistic, compact and sophisticated, these panels with a high lumen value offer efficient and uniform brightness to your spaces. Energy-efficient and enduring, these are at par with electrical safety standards. Designed to cater to a range of requirements, these add a dash of warmth to the spaces they adorn.



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|------------|-------------|---------|-------|
| KARIS PANEL LIGHT-ROUND | | | | | | | | | | |
|  | 2402PL03R WW | 3W | 3000K | >0.5 | 120° | >80 | Φ 82*36 | Φ 60 | 350.00 | 01/60 |
| | 2402PL03R NW | 3W | 4000K | >0.5 | 120° | >80 | Φ 82*36 | Φ 60 | 350.00 | 01/60 |
| | 2402PL03R CW | 3W | 6500K | >0.5 | 120° | >80 | Φ 82*36 | Φ 60 | 350.00 | 01/60 |
|  | 2402PL06R WW | 6W | 3000K | >0.9 | 120° | >80 | Φ 116*36 | Φ 95 | 450.00 | 01/40 |
| | 2402PL06R NW | 6W | 4000K | >0.9 | 120° | >80 | Φ 116*36 | Φ 95 | 450.00 | 01/40 |
| | 2402PL06R CW | 6W | 6500K | >0.9 | 120° | >80 | Φ 116*36 | Φ 95 | 450.00 | 01/40 |
|  | 2402PL09R WW | 9W | 3000K | >0.9 | 120° | >80 | Φ 116*36 | Φ 95 | 535.00 | 01/40 |
| | 2402PL09R NW | 9W | 4000K | >0.9 | 120° | >80 | Φ 116*36 | Φ 95 | 535.00 | 01/40 |
| | 2402PL09R CW | 9W | 6500K | >0.9 | 120° | >80 | Φ 116*36 | Φ 95 | 535.00 | 01/40 |
|  | 2402PL12R WW | 12W | 3000K | >0.9 | 120° | >80 | Φ 166*36 | Φ 145 | 700.00 | 01/40 |
| | 2402PL12R NW | 12W | 4000K | >0.9 | 120° | >80 | Φ 166*36 | Φ 145 | 700.00 | 01/40 |
| | 2402PL12R CW | 12W | 6500K | >0.9 | 120° | >80 | Φ 166*36 | Φ 145 | 700.00 | 01/40 |
|  | 2402PL15R WW | 15W | 3000K | >0.9 | 120° | >80 | Φ 166*36 | Φ 145 | 775.00 | 01/40 |
| | 2402PL15R NW | 15W | 4000K | >0.9 | 120° | >80 | Φ 166*36 | Φ 145 | 775.00 | 01/40 |
| | 2402PL15R CW | 15W | 6500K | >0.9 | 120° | >80 | Φ 166*36 | Φ 145 | 775.00 | 01/40 |
|  | 2402PL18R WW | 18W | 3000K | >0.9 | 120° | >80 | Φ 220*36 | Φ 200 | 960.00 | 01/40 |
| | 2402PL18R NW | 18W | 4000K | >0.9 | 120° | >80 | Φ 220*36 | Φ 200 | 960.00 | 01/40 |
| | 2402PL18R CW | 18W | 6500K | >0.9 | 120° | >80 | Φ 220*36 | Φ 200 | 960.00 | 01/40 |
|  | 2402PL22R WW | 22W | 3000K | >0.9 | 120° | >80 | Φ 220*36 | Φ 200 | 1150.00 | 01/40 |
| | 2402PL22R NW | 22W | 4000K | >0.9 | 120° | >80 | Φ 220*36 | Φ 200 | 1150.00 | 01/40 |
| | 2402PL22R CW | 22W | 6500K | >0.9 | 120° | >80 | Φ 220*36 | Φ 200 | 1150.00 | 01/40 |
| KARIS PANEL LIGHT-SQUARE | | | | | | | | | | |
|  | 2402PL03S WW | 3W | 3000K | >0.5 | 120° | >80 | 82*82*36 | 60*60 | 350.00 | 01/60 |
| | 2402PL03S NW | 3W | 4000K | >0.5 | 120° | >80 | 82*82*36 | 60*60 | 350.00 | 01/60 |
| | 2402PL03S CW | 3W | 6500K | >0.5 | 120° | >80 | 82*82*36 | 60*60 | 350.00 | 01/60 |
|  | 2402PL06S WW | 6W | 3000K | >0.9 | 120° | >80 | 116*116*36 | 95*95 | 450.00 | 01/40 |
| | 2402PL06S NW | 6W | 4000K | >0.9 | 120° | >80 | 116*116*36 | 95*95 | 450.00 | 01/40 |
| | 2402PL06S CW | 6W | 6500K | >0.9 | 120° | >80 | 116*116*36 | 95*95 | 450.00 | 01/40 |
|  | 2402PL09S WW | 9W | 3000K | >0.9 | 120° | >80 | 116*116*36 | 95*95 | 535.00 | 01/40 |
| | 2402PL09S NW | 9W | 4000K | >0.9 | 120° | >80 | 116*116*36 | 95*95 | 535.00 | 01/40 |
| | 2402PL09S CW | 9W | 6500K | >0.9 | 120° | >80 | 116*116*36 | 95*95 | 535.00 | 01/40 |
|  | 2402PL12S WW | 12W | 3000K | >0.9 | 120° | >80 | 166*166*36 | 145*145 | 700.00 | 01/40 |
| | 2402PL12S NW | 12W | 4000K | >0.9 | 120° | >80 | 166*166*36 | 145*145 | 700.00 | 01/40 |
| | 2402PL12S CW | 12W | 6500K | >0.9 | 120° | >80 | 166*166*36 | 145*145 | 700.00 | 01/40 |
|  | 2402PL15S WW | 15W | 3000K | >0.9 | 120° | >80 | 166*166*36 | 145*145 | 775.00 | 01/40 |
| | 2402PL15S NW | 15W | 4000K | >0.9 | 120° | >80 | 166*166*36 | 145*145 | 775.00 | 01/40 |
| | 2402PL15S CW | 15W | 6500K | >0.9 | 120° | >80 | 166*166*36 | 145*145 | 775.00 | 01/40 |
|  | 2402PL18S WW | 18W | 3000K | >0.9 | 120° | >80 | 220*220*36 | 200*200 | 960.00 | 01/40 |
| | 2402PL18S NW | 18W | 4000K | >0.9 | 120° | >80 | 220*220*36 | 200*200 | 960.00 | 01/40 |
| | 2402PL18S CW | 18W | 6500K | >0.9 | 120° | >80 | 220*220*36 | 200*200 | 960.00 | 01/40 |
|  | 2402PL22S WW | 22W | 3000K | >0.9 | 120° | >80 | 220*220*36 | 200*200 | 1150.00 | 01/40 |
| | 2402PL22S NW | 22W | 4000K | >0.9 | 120° | >80 | 220*220*36 | 200*200 | 1150.00 | 01/40 |
| | 2402PL22S CW | 22W | 6500K | >0.9 | 120° | >80 | 220*220*36 | 2008200 | 1150.00 | 01/40 |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI















ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|------------|---------|-------|
| KARIS SURFACE PANEL LIGHT-ROUND | | | | | | | | | |
|  | 2403PL06R WW | 6W | 3000K | >0.9 | 120° | >80 | Φ 116*36 | 550.00 | 01/40 |
| | 2403PL06R NW | 6W | 4000K | >0.9 | 120° | >80 | Φ 116*36 | 550.00 | 01/40 |
| | 2403PL06R CW | 6W | 6500K | >0.9 | 120° | >80 | Φ 116*36 | 550.00 | 01/40 |
|  | 2403PL09R WW | 9W | 3000K | >0.9 | 120° | >80 | Φ 116*36 | 695.00 | 01/40 |
| | 2403PL09R NW | 9W | 4000K | >0.9 | 120° | >80 | Φ 116*36 | 695.00 | 01/40 |
| | 2403PL09R CW | 9W | 6500K | >0.9 | 120° | >80 | Φ 116*36 | 695.00 | 01/40 |
|  | 2403PL12R WW | 12W | 3000K | >0.9 | 120° | >80 | Φ 166*36 | 820.00 | 01/40 |
| | 2403PL12R NW | 12W | 4000K | >0.9 | 120° | >80 | Φ 166*36 | 820.00 | 01/40 |
| | 2403PL12R CW | 12W | 6500K | >0.9 | 120° | >80 | Φ 166*36 | 820.00 | 01/40 |
|  | 2403PL15R WW | 15W | 3000K | >0.9 | 120° | >80 | Φ 166*36 | 930.00 | 01/40 |
| | 2403PL15R NW | 15W | 4000K | >0.9 | 120° | >80 | Φ 166*36 | 930.00 | 01/40 |
| | 2403PL15R CW | 15W | 6500K | >0.9 | 120° | >80 | Φ 166*36 | 930.00 | 01/40 |
|  | 2403PL18R WW | 18W | 3000K | >0.9 | 120° | >80 | Φ 220*36 | 1180.00 | 01/40 |
| | 2403PL18R NW | 18W | 4000K | >0.9 | 120° | >80 | Φ 220*36 | 1180.00 | 01/40 |
| | 2403PL18R CW | 18W | 6500K | >0.9 | 120° | >80 | Φ 220*36 | 1180.00 | 01/40 |
|  | 2403PL22R WW | 22W | 3000K | >0.9 | 120° | >80 | Φ 220*36 | 1460.00 | 01/40 |
| | 2403PL22R NW | 22W | 4000K | >0.9 | 120° | >80 | Φ 220*36 | 1460.00 | 01/40 |
| | 2403PL22R CW | 22W | 6500K | >0.9 | 120° | >80 | Φ 220*36 | 1460.00 | 01/40 |
| KARIS SURFACE PANEL LIGHT-SQUARE | | | | | | | | | |
|  | 2403PL06S WW | 6W | 3000K | >0.9 | 120° | >80 | 116*116*36 | 550.00 | 01/40 |
| | 2403PL06S NW | 6W | 4000K | >0.9 | 120° | >80 | 116*116*36 | 550.00 | 01/40 |
| | 2403PL06S CW | 6W | 6500K | >0.9 | 120° | >80 | 116*116*36 | 550.00 | 01/40 |
|  | 2403PL09S WW | 9W | 3000K | >0.9 | 120° | >80 | 116*116*36 | 695.00 | 01/40 |
| | 2403PL09S NW | 9W | 4000K | >0.9 | 120° | >80 | 116*116*36 | 695.00 | 01/40 |
| | 2403PL09S CW | 9W | 6500K | >0.9 | 120° | >80 | 116*116*36 | 695.00 | 01/40 |
|  | 2403PL12S WW | 12W | 3000K | >0.9 | 120° | >80 | 166*166*36 | 820.00 | 01/40 |
| | 2403PL12S NW | 12W | 4000K | >0.9 | 120° | >80 | 166*166*36 | 820.00 | 01/40 |
| | 2403PL12S CW | 12W | 6500K | >0.9 | 120° | >80 | 166*166*36 | 820.00 | 01/40 |
|  | 2403PL15S WW | 15W | 3000K | >0.9 | 120° | >80 | 166*166*36 | 930.00 | 01/40 |
| | 2403PL15S NW | 15W | 4000K | >0.9 | 120° | >80 | 166*166*36 | 930.00 | 01/40 |
| | 2403PL15S CW | 15W | 6500K | >0.9 | 120° | >80 | 166*166*36 | 930.00 | 01/40 |
|  | 2403PL18S WW | 18W | 3000K | >0.9 | 120° | >80 | 220*220*36 | 1180.00 | 01/40 |
| | 2403PL18S NW | 18W | 4000K | >0.9 | 120° | >80 | 220*220*36 | 1180.00 | 01/40 |
| | 2403PL18S CW | 18W | 6500K | >0.9 | 120° | >80 | 220*220*36 | 1180.00 | 01/40 |
|  | 2403PL22S WW | 22W | 3000K | >0.9 | 120° | >80 | 220*220*36 | 1460.00 | 01/40 |
| | 2403PL22S NW | 22W | 4000K | >0.9 | 120° | >80 | 220*220*36 | 1460.00 | 01/40 |
| | 2403PL22S CW | 22W | 6500K | >0.9 | 120° | >80 | 220*220*36 | 1460.00 | 01/40 |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

NATURAL WHITE

WARM WHITE

COOL WHITE



3-IN-1 COLOUR
CHANGING

KARIStrio

PANEL LIGHT

This 3-in-1 LED panel light is thoughtfully designed to turn your spaces into different moods. Offering an ideal setting for each occasion, these stunning pieces of accessories will give your interiors a touch of radiance that's unmatched.

Changes colour by clicking the switch OFF & ON





KARIS trio

PANEL LIGHT



3-IN-1 COLOUR
CHANGING

SHINING
A LIGHT ON
INNOVATION.



Complement different shades of your mood with cool, warm and natural white lights with Karis Trio LED panels. Aesthetically designed to uplift your spaces, these panels are fluctuation proof and provide a wide beam angle. While these stay lit for amazingly long hours, they are suitable for both residential and commercial spaces.

3-in-1 Colour Changing Light Available in 6W, 9W, 12W & 15W

Changes colour
by clicking the switch
OFF & ON



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack | | |
|---|--------------------|-------|-------------------------|--------------|------------|-----|------------|-------------|---------|-------|--|------------|
| KARIS TRIO 3-IN-1 COLOUR CHANGING PANEL LIGHT-ROUND | | | | | | | | | | | | NEW |
|  | 2402PL06R (3-in-1) | 6W | 3000K 4000K 6500K | >0.9 | 120° | >80 | Φ 116*36 | Φ 95 | 520.00 | 01/40 | | |
|  | 2402PL09R (3-in-1) | 9W | 3000K 4000K 6500K | >0.9 | 120° | >80 | Φ 116*36 | Φ 95 | 640.00 | 01/40 | | |
|  | 2402PL12R (3-in-1) | 12W | 3000K 4000K 6500K | >0.9 | 120° | >80 | Φ 172*38 | Φ 146 | 840.00 | 01/40 | | |
|  | 2402PL15R (3-in-1) | 15W | 3000K 4000K 6500K | >0.9 | 120° | >80 | Φ 172*38 | Φ 146 | 900.00 | 01/40 | | |
| KARIS TRIO 3-IN-1 COLOUR CHANGING PANEL LIGHT-SQUARE | | | | | | | | | | | | NEW |
|  | 2402PL06S (3-in-1) | 6W | 3000K 4000K 6500K | >0.9 | 120° | >80 | 116*116*36 | 95*95 | 520.00 | 01/40 | | |
|  | 2402PL09S (3-in-1) | 9W | 3000K 4000K 6500K | >0.9 | 120° | >80 | 116*116*36 | 95*95 | 640.00 | 01/40 | | |
|  | 2402PL12S (3-in-1) | 12W | 3000K 4000K 6500K | >0.9 | 120° | >80 | 172*172*38 | 146*146 | 840.00 | 01/40 | | |
|  | 2402PL15S (3-in-1) | 15W | 3000K 4000K 6500K | >0.9 | 120° | >80 | 172*172*38 | 146*146 | 900.00 | 01/40 | | |
| KARIS TRIO 3-IN-1 COLOUR CHANGING SURFACE PANEL LIGHT-ROUND | | | | | | | | | | | | NEW |
|  | 2403PL06R (3-in-1) | 6W | 3000K 4000K 6500K | >0.9 | 120° | >80 | Φ 116*36 | - | 630.00 | 01/40 | | |
|  | 2403PL09R (3-in-1) | 9W | 3000K 4000K 6500K | >0.9 | 120° | >80 | Φ 116*36 | - | 765.00 | 01/40 | | |
|  | 2403PL12R (3-in-1) | 12W | 3000K 4000K 6500K | >0.9 | 120° | >80 | Φ 166*36 | - | 970.00 | 01/40 | | |
|  | 2403PL15R (3-in-1) | 15W | 3000K 4000K 6500K | >0.9 | 120° | >80 | Φ 166*36 | - | 1035.00 | 01/40 | | |
| KARIS TRIO 3-IN-1 COLOUR CHANGING SURFACE PANEL LIGHT-SQUARE | | | | | | | | | | | | NEW |
|  | 2403PL06S (3-in-1) | 6W | 3000K 4000K 6500K | >0.9 | 120° | >80 | 116*116*36 | - | 630.00 | 01/40 | | |
|  | 2403PL09S (3-in-1) | 9W | 3000K 4000K 6500K | >0.9 | 120° | >80 | 116*116*36 | - | 765.00 | 01/40 | | |
|  | 2403PL12S (3-in-1) | 12W | 3000K 4000K 6500K | >0.9 | 120° | >80 | 166*166*36 | - | 970.00 | 01/40 | | |
|  | 2403PL15S (3-in-1) | 15W | 3000K 4000K 6500K | >0.9 | 120° | >80 | 166*166*36 | - | 1035.00 | 01/40 | | |

All dimensions in mm

KEETO
PANEL LIGHT








LUMINANCE
THAT LEAVES YOU
SPELLBOUND.










Aluminium
Body



Contemporary, stylish and smart these are an ideal fit for every modern space. Made to cater to a range of requirements, these let you embrace a brighter world with no compromise on style. Its uniform and consistent brightness makes it suitable for indoor application. High on energy efficiency, these aluminium panel lights have a long life and are optimally safe.

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|-------------------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| KEETO SLIM ALUMINIUM RECESSED PANEL LIGHT-ROUND | | | | | | | | | | |
|  | NEW 2204PL03R WW | 3W | 3000K | >0.9 | 120° | >80 | Φ 85*24 | Φ 75 | 370.00 | 01/40 |
| | 2204PL03R NW | 3W | 4000K | >0.9 | 120° | >80 | Φ 85*24 | Φ 75 | 370.00 | 01/40 |
| | 2204PL03R CW | 3W | 6500K | >0.9 | 120° | >80 | Φ 85*24 | Φ 75 | 370.00 | 01/40 |
|  | 2204PL06R WW | 6W | 3000K | >0.9 | 120° | >80 | Φ 120*24 | Φ 105 | 480.00 | 01/40 |
| | 2204PL06R NW | 6W | 4000K | >0.9 | 120° | >80 | Φ 120*24 | Φ 105 | 480.00 | 01/40 |
| | 2204PL06R CW | 6W | 6500K | >0.9 | 120° | >80 | Φ 120*24 | Φ 105 | 480.00 | 01/40 |
|  | 2204PL09R WW | 9W | 3000K | >0.9 | 120° | >80 | Φ 120*24 | Φ 105 | 615.00 | 01/40 |
| | 2204PL09R NW | 9W | 4000K | >0.9 | 120° | >80 | Φ 120*24 | Φ 105 | 615.00 | 01/40 |
| | 2204PL09R CW | 9W | 6500K | >0.9 | 120° | >80 | Φ 120*24 | Φ 105 | 615.00 | 01/40 |
|  | 2204PL12R WW | 12W | 3000K | >0.9 | 120° | >80 | Φ 170*24 | Φ 153 | 740.00 | 01/20 |
| | 2204PL12R NW | 12W | 4000K | >0.9 | 120° | >80 | Φ 170*24 | Φ 153 | 740.00 | 01/20 |
| | 2204PL12R CW | 12W | 6500K | >0.9 | 120° | >80 | Φ 170*24 | Φ 153 | 740.00 | 01/20 |
|  | 2204PL15R WW | 15W | 3000K | >0.9 | 120° | >80 | Φ 170*24 | Φ 153 | 850.00 | 01/20 |
| | 2204PL15R NW | 15W | 4000K | >0.9 | 120° | >80 | Φ 170*24 | Φ 153 | 850.00 | 01/20 |
| | 2204PL15R CW | 15W | 6500K | >0.9 | 120° | >80 | Φ 170*24 | Φ 153 | 850.00 | 01/20 |
|  | 2204PL18R WW | 18W | 3000K | >0.9 | 120° | >80 | Φ 225*24 | Φ 205 | 1020.00 | 01/20 |
| | 2204PL18R NW | 18W | 4000K | >0.9 | 120° | >80 | Φ 225*24 | Φ 205 | 1020.00 | 01/20 |
| | 2204PL18R CW | 18W | 6500K | >0.9 | 120° | >80 | Φ 225*24 | Φ 205 | 1020.00 | 01/20 |
|  | 2204PL22R WW | 22W | 3000K | >0.9 | 120° | >80 | Φ 225*24 | Φ 205 | 1275.00 | 01/20 |
| | 2204PL22R NW | 22W | 4000K | >0.9 | 120° | >80 | Φ 225*24 | Φ 205 | 1275.00 | 01/20 |
| | 2204PL22R CW | 22W | 6500K | >0.9 | 120° | >80 | Φ 225*24 | Φ 205 | 1275.00 | 01/20 |

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|-------------------------|-------|-------------|--------------|------------|-----|------------|-------------|---------|-------|
| KEETO SLIM ALUMINIUM RECESSED PANEL LIGHT-SQUARE | | | | | | | | | | |
|  | NEW 2204PL03S WW | 3W | 3000K | >0.9 | 120° | >80 | 85*85*24 | 75*75 | 370.00 | 01/40 |
| | 2204PL03S NW | 3W | 4000K | >0.9 | 120° | >80 | 85*85*24 | 75*75 | 370.00 | 01/40 |
| | 2204PL03S CW | 3W | 6500K | >0.9 | 120° | >80 | 85*85*24 | 75*75 | 370.00 | 01/40 |
|  | 2204PL06S WW | 6W | 3000K | >0.9 | 120° | >80 | 120*120*24 | 105*105 | 480.00 | 01/40 |
| | 2204PL06S NW | 6W | 4000K | >0.9 | 120° | >80 | 120*120*24 | 105*105 | 480.00 | 01/40 |
| | 2204PL06S CW | 6W | 6500K | >0.9 | 120° | >80 | 120*120*24 | 105*105 | 480.00 | 01/40 |
|  | 2204PL09S WW | 9W | 3000K | >0.9 | 120° | >80 | 120*120*24 | 105*105 | 615.00 | 01/40 |
| | 2204PL09S NW | 9W | 4000K | >0.9 | 120° | >80 | 120*120*24 | 105*105 | 615.00 | 01/40 |
| | 2204PL09S CW | 9W | 6500K | >0.9 | 120° | >80 | 120*120*24 | 105*105 | 615.00 | 01/40 |
|  | 2204PL12S WW | 12W | 3000K | >0.9 | 120° | >80 | 170*170*24 | 153*153 | 740.00 | 01/20 |
| | 2204PL12S NW | 12W | 4000K | >0.9 | 120° | >80 | 170*170*24 | 153*153 | 740.00 | 01/20 |
| | 2204PL12S CW | 12W | 6500K | >0.9 | 120° | >80 | 170*170*24 | 153*153 | 740.00 | 01/20 |
|  | 2204PL15S WW | 15W | 3000K | >0.9 | 120° | >80 | 170*170*24 | 153*153 | 850.00 | 01/20 |
| | 2204PL15S NW | 15W | 4000K | >0.9 | 120° | >80 | 170*170*24 | 153*153 | 850.00 | 01/20 |
| | 2204PL15S CW | 15W | 6500K | >0.9 | 120° | >80 | 170*170*24 | 153*153 | 850.00 | 01/20 |
|  | 2204PL18S WW | 18W | 3000K | >0.9 | 120° | >80 | 225*225*24 | 205*205 | 1020.00 | 01/20 |
| | 2204PL18S NW | 18W | 4000K | >0.9 | 120° | >80 | 225*225*24 | 205*205 | 1020.00 | 01/20 |
| | 2204PL18S CW | 18W | 6500K | >0.9 | 120° | >80 | 225*225*24 | 205*205 | 1020.00 | 01/20 |
|  | 2204PL22S WW | 22W | 3000K | >0.9 | 120° | >80 | 225*225*24 | 205*205 | 1275.00 | 01/20 |
| | 2204PL22S NW | 22W | 4000K | >0.9 | 120° | >80 | 225*225*24 | 205*205 | 1275.00 | 01/20 |
| | 2204PL22S CW | 22W | 6500K | >0.9 | 120° | >80 | 225*225*24 | 205*205 | 1275.00 | 01/20 |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI













ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|------------|---------|-------|
| KEETO SURFACE ALUMINIUM PANEL LIGHT-ROUND | | | | | | | | | |
|  | 2212PL06R WW | 6W | 3000K | >0.9 | 120° | >80 | Φ 120*35 | 585.00 | 01/40 |
| | 2212PL06R NW | 6W | 4000K | >0.9 | 120° | >80 | Φ 120*35 | 585.00 | 01/40 |
| | 2212PL06R CW | 6W | 6500K | >0.9 | 120° | >80 | Φ 120*35 | 585.00 | 01/40 |
|  | 2212PL09R WW | 9W | 3000K | >0.9 | 120° | >80 | Φ 120*35 | 740.00 | 01/40 |
| | 2212PL09R NW | 9W | 4000K | >0.9 | 120° | >80 | Φ 120*35 | 740.00 | 01/40 |
| | 2212PL09R CW | 9W | 6500K | >0.9 | 120° | >80 | Φ 120*35 | 740.00 | 01/40 |
|  | 2212PL12R WW | 12W | 3000K | >0.9 | 120° | >80 | Φ 170*35 | 870.00 | 01/20 |
| | 2212PL12R NW | 12W | 4000K | >0.9 | 120° | >80 | Φ 170*35 | 870.00 | 01/20 |
| | 2212PL12R CW | 12W | 6500K | >0.9 | 120° | >80 | Φ 170*35 | 870.00 | 01/20 |
|  | 2212PL15R WW | 15W | 3000K | >0.9 | 120° | >80 | Φ 170*35 | 985.00 | 01/20 |
| | 2212PL15R NW | 15W | 4000K | >0.9 | 120° | >80 | Φ 170*35 | 985.00 | 01/20 |
| | 2212PL15R CW | 15W | 6500K | >0.9 | 120° | >80 | Φ 170*35 | 985.00 | 01/20 |
|  | 2212PL18R WW | 18W | 3000K | >0.9 | 120° | >80 | Φ 225*35 | 1255.00 | 01/20 |
| | 2212PL18R NW | 18W | 4000K | >0.9 | 120° | >80 | Φ 225*35 | 1255.00 | 01/20 |
| | 2212PL18R CW | 18W | 6500K | >0.9 | 120° | >80 | Φ 225*35 | 1255.00 | 01/20 |
|  | 2212PL22R WW | 22W | 3000K | >0.9 | 120° | >80 | Φ 225*35 | 1550.00 | 01/20 |
| | 2212PL22R NW | 22W | 4000K | >0.9 | 120° | >80 | Φ 225*35 | 1550.00 | 01/20 |
| | 2212PL22R CW | 22W | 6500K | >0.9 | 120° | >80 | Φ 225*35 | 1550.00 | 01/20 |
| KEETO SURFACE ALUMINIUM PANEL LIGHT-SQUARE | | | | | | | | | |
|  | 2212PL06S WW | 6W | 3000K | >0.9 | 120° | >80 | 120*120*35 | 585.00 | 01/40 |
| | 2212PL06S NW | 6W | 4000K | >0.9 | 120° | >80 | 120*120*35 | 585.00 | 01/40 |
| | 2212PL06S CW | 6W | 6500K | >0.9 | 120° | >80 | 120*120*35 | 585.00 | 01/40 |
|  | 2212PL09S WW | 9W | 3000K | >0.9 | 120° | >80 | 120*120*35 | 740.00 | 01/40 |
| | 2212PL09S NW | 9W | 4000K | >0.9 | 120° | >80 | 120*120*35 | 740.00 | 01/40 |
| | 2212PL09S CW | 9W | 6500K | >0.9 | 120° | >80 | 120*120*35 | 740.00 | 01/40 |
|  | 2212PL12S WW | 12W | 3000K | >0.9 | 120° | >80 | 170*170*35 | 870.00 | 01/20 |
| | 2212PL12S NW | 12W | 4000K | >0.9 | 120° | >80 | 170*170*35 | 870.00 | 01/20 |
| | 2212PL12S CW | 12W | 6500K | >0.9 | 120° | >80 | 170*170*35 | 870.00 | 01/20 |
|  | 2212PL15S WW | 15W | 3000K | >0.9 | 120° | >80 | 170*170*35 | 985.00 | 01/20 |
| | 2212PL15S NW | 15W | 4000K | >0.9 | 120° | >80 | 170*170*35 | 985.00 | 01/20 |
| | 2212PL15S CW | 15W | 6500K | >0.9 | 120° | >80 | 170*170*35 | 985.00 | 01/20 |
|  | 2212PL18S WW | 18W | 3000K | >0.9 | 120° | >80 | 225*225*35 | 1255.00 | 01/20 |
| | 2212PL18S NW | 18W | 4000K | >0.9 | 120° | >80 | 225*225*35 | 1255.00 | 01/20 |
| | 2212PL18S CW | 18W | 6500K | >0.9 | 120° | >80 | 225*225*35 | 1255.00 | 01/20 |
|  | 2212PL22S WW | 22W | 3000K | >0.9 | 120° | >80 | 225*225*35 | 1550.00 | 01/20 |
| | 2212PL22S NW | 22W | 4000K | >0.9 | 120° | >80 | 225*225*35 | 1550.00 | 01/20 |
| | 2212PL22S CW | 22W | 6500K | >0.9 | 120° | >80 | 225*225*35 | 1550.00 | 01/20 |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI





ENERGY SAVER





MAINTENANCE FREE










ZERO MERCURY

| Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack | |
|---|--------------|-------------|--------------|------------|------|-----------|-------------|---------|---------|-------|
| KEETO NEO SLIM ALUMINIUM RECESSED PANEL LIGHT-ROUND | | | | | | | | | | |
|  | 2241PL12R WW | 12W | 3000K | >0.9 | 120° | >80 | Φ 144*23 | Φ 131 | 740.00 | 01/20 |
| | 2241PL12R NW | 12W | 4000K | >0.9 | 120° | >80 | Φ 144*23 | Φ 131 | 740.00 | 01/20 |
| | 2241PL12R CW | 12W | 6500K | >0.9 | 120° | >80 | Φ 144*23 | Φ 131 | 740.00 | 01/20 |
|  | 2241PL18R WW | 18W | 3000K | >0.9 | 120° | >80 | Φ 189*23 | Φ 176 | 1020.00 | 01/20 |
| | 2241PL18R NW | 18W | 4000K | >0.9 | 120° | >80 | Φ 189*23 | Φ 176 | 1020.00 | 01/20 |
| | 2241PL18R CW | 18W | 6500K | >0.9 | 120° | >80 | Φ 189*23 | Φ 176 | 1020.00 | 01/20 |

NEW

| Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack | |
|---|--------------|-------------|--------------|------------|------|-----------|-------------|---------|---------|-------|
| KEETO NEO SLIM ALUMINIUM RECESSED PANEL LIGHT-SQUARE | | | | | | | | | | |
|  | 2241PL12S WW | 12W | 3000K | >0.9 | 120° | >80 | 144*144*23 | 131*131 | 740.00 | 01/20 |
| | 2241PL12S NW | 12W | 4000K | >0.9 | 120° | >80 | 144*144*23 | 131*131 | 740.00 | 01/20 |
| | 2241PL12S CW | 12W | 6500K | >0.9 | 120° | >80 | 144*144*23 | 131*131 | 740.00 | 01/20 |
|  | 2241PL18S WW | 18W | 3000K | >0.9 | 120° | >80 | 189*189*23 | 176*176 | 1020.00 | 01/20 |
| | 2241PL18S NW | 18W | 4000K | >0.9 | 120° | >80 | 189*189*23 | 176*176 | 1020.00 | 01/20 |
| | 2241PL18S CW | 18W | 6500K | >0.9 | 120° | >80 | 189*189*23 | 176*176 | 1020.00 | 01/20 |

NEW

| Code | Power In | Model Name | MRP ₹/U | Pack | |
|---|----------|------------|----------------|--------|----|
| KEETO DRIVER | | | | | |
|  | 2204DR03 | 3W | LED Driver 3W | 240.00 | 05 |
|  | 2204DR06 | 6W | LED Driver 6W | 255.00 | 05 |
|  | 2204DR09 | 9W | LED Driver 9W | 300.00 | 05 |
|  | 2204DR12 | 12W | LED Driver 12W | 300.00 | 05 |
|  | 2204DR15 | 15W | LED Driver 15W | 385.00 | 05 |
|  | 2204DR18 | 18W | LED Driver 18W | 385.00 | 05 |
|  | 2204DR22 | 22W | LED Driver 22W | 490.00 | 05 |

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

LET YOUR IMAGINATION
CHASE THE SKY.





KEETO

PANEL LIGHT

BOUNDLESS
ILLUMINATION,
COMPACT FINISH.



Stylish, stunning and ultra-modern, these panels illuminate your spaces uniformly and efficiently. Made to cater to a range of requirements, these add a dash of warmth to your interiors making them look bright and inviting. Ideally suited for commercial and industrial applications.



| Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | MRP ₹/U | Pack |
|------|-------|-------------|--------------|------------|-----|-----------|---------|------|
|------|-------|-------------|--------------|------------|-----|-----------|---------|------|

KEETO BACKLIT SLIM PANEL-SQUARE



| | | | | | | | | |
|--------------|-----|-------|------|------|-----|------------|---------|-------|
| 2204PL40S WW | 40W | 3000K | >0.9 | 120° | >80 | 600*600*30 | 2800.00 | 01/06 |
| 2204PL40S NW | 40W | 4000K | >0.9 | 120° | >80 | 600*600*30 | 2800.00 | 01/06 |
| 2204PL40S CW | 40W | 6500K | >0.9 | 120° | >80 | 600*600*30 | 2800.00 | 01/06 |

| Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | MRP ₹/U | Pack |
|------|-------|-------------|--------------|------------|-----|-----------|---------|------|
|------|-------|-------------|--------------|------------|-----|-----------|---------|------|

KEETO BACKLIT SLIM SURFACE PANEL-SQUARE



| | | | | | | | | |
|--------------|-----|-------|------|------|-----|------------|---------|-------|
| 2212PL40S WW | 40W | 3000K | >0.9 | 120° | >80 | 600*600*60 | 3600.00 | 01/06 |
| 2212PL40S NW | 40W | 4000K | >0.9 | 120° | >80 | 600*600*60 | 3600.00 | 01/06 |
| 2212PL40S CW | 40W | 6500K | >0.9 | 120° | >80 | 600*600*60 | 3600.00 | 01/06 |

NEW

| Code | Power In | Model Name | MRP ₹/U | Pack |
|------|----------|------------|---------|------|
|------|----------|------------|---------|------|

KEETO BACKLIT SLIM PANEL DRIVER



| | | | | |
|----------|-----|----------------|--------|----|
| 2204DR40 | 40W | LED Driver 40W | 860.00 | 05 |
|----------|-----|----------------|--------|----|

| Code | Model Name | MRP ₹/U | Pack |
|------|------------|---------|------|
|------|------------|---------|------|

KEETO BACKLIT SLIM PANEL CLAMP



| | | | |
|----------|---------------|--------|----|
| 2204CL40 | Clamp for 40W | 170.00 | 01 |
|----------|---------------|--------|----|

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

Introducing

KONGO

SLIM SURFACE ALUMINIUM
PANEL LIGHT

ELEVATE EVERY
AMBIENCE.



Designed to transform any space into a captivating and vibrant environment, these lights offer an unparalleled lighting experience that will elevate your surroundings to new heights of sophistication.



Aluminium
Body



Detachable
Driver









Superior Surge
Protection



Beam
Angle



Wide voltage
range 100-300V

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|------------|---------|-------|
| KONGO SLIM SURFACE ALUMINIUM PANEL LIGHT-ROUND | | | | | | | | | |
|  | 2243PL08R WW | 8W | 3000K | >0.9 | 120° | >80 | Φ 108*27 | 700.00 | 01/40 |
| | 2243PL08R NW | 8W | 4000K | >0.9 | 120° | >80 | Φ 108*27 | 700.00 | 01/40 |
| | 2243PL08R CW | 8W | 6500K | >0.9 | 120° | >80 | Φ 108*27 | 700.00 | 01/40 |
|  | 2243PL15R WW | 15W | 3000K | >0.9 | 120° | >80 | Φ 155*27 | 925.00 | 01/20 |
| | 2243PL15R NW | 15W | 4000K | >0.9 | 120° | >80 | Φ 155*27 | 925.00 | 01/20 |
| | 2243PL15R CW | 15W | 6500K | >0.9 | 120° | >80 | Φ 155*27 | 925.00 | 01/20 |
|  | 2243PL22R WW | 22W | 3000K | >0.9 | 120° | >80 | Φ 200*27 | 1395.00 | 01/20 |
| | 2243PL22R NW | 22W | 4000K | >0.9 | 120° | >80 | Φ 200*27 | 1395.00 | 01/20 |
| | 2243PL22R CW | 22W | 6500K | >0.9 | 120° | >80 | Φ 200*27 | 1395.00 | 01/20 |
| KONGO SLIM SURFACE ALUMINIUM PANEL LIGHT-SQUARE | | | | | | | | | |
|  | 2243PL08S WW | 8W | 3000K | >0.9 | 120° | >80 | 108*108*27 | 700.00 | 01/40 |
| | 2243PL08S NW | 8W | 4000K | >0.9 | 120° | >80 | 108*108*27 | 700.00 | 01/40 |
| | 2243PL08S CW | 8W | 6500K | >0.9 | 120° | >80 | 108*108*27 | 700.00 | 01/40 |
|  | 2243PL15S WW | 15W | 3000K | >0.9 | 120° | >80 | 155*155*27 | 925.00 | 01/20 |
| | 2243PL15S NW | 15W | 4000K | >0.9 | 120° | >80 | 155*155*27 | 925.00 | 01/20 |
| | 2243PL15S CW | 15W | 6500K | >0.9 | 120° | >80 | 155*155*27 | 925.00 | 01/20 |
|  | 2243PL22S WW | 22W | 3000K | >0.9 | 120° | >80 | 200*200*27 | 1395.00 | 01/20 |
| | 2243PL22S NW | 22W | 4000K | >0.9 | 120° | >80 | 200*200*27 | 1395.00 | 01/20 |
| | 2243PL22S CW | 22W | 6500K | >0.9 | 120° | >80 | 200*200*27 | 1395.00 | 01/20 |

NEW

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

Introducing

NOVVA

PANEL LIGHT



EXPERIENCE
LED PANEL
LIGHTING
LIKE NEVER
BEFORE.

Discover the amazing possibilities of LED panel lighting with our innovative and stylish products. Whether you want to create a modern, elegant, or cozy ambience, we have the perfect solution for you. Our LED panel lights are energy-saving and long-lasting, offering you a range of colors, shapes, and sizes.



Introducing

Bling

PANEL LIGHT

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack | |
|--|----------------|-------|-------------|--------------|------------|-----|------------|-------------|---------|-------|------------|
| NOVVA PANEL LIGHT-ROUND | | | | | | | | | | | |
|  | 2239PL06R CGBP | 6W | 6500K/GBP | >0.9 | 120° | >80 | Φ 147*30 | Φ 110 | 540.00 | 01/40 | NEW |
| | 2239PL12R CGBP | 12W | 6500K/GBP | >0.9 | 120° | >80 | Φ 196*30 | Φ 160 | 800.00 | 01/20 | |
| NOVVA PANEL LIGHT-SQUARE | | | | | | | | | | | |
|  | 2239PL06S CGBP | 6W | 6500K/GBP | >0.9 | 120° | >80 | 147*147*30 | 110*110 | 540.00 | 01/40 | NEW |
| | 2239PL12S CGBP | 12W | 6500K/GBP | >0.9 | 120° | >80 | 196*196*30 | 160*160 | 800.00 | 01/20 | |
| BLING PANEL LIGHT (RIMLESS)-ROUND | | | | | | | | | | | |
|  | 2240PL12R WW | 12W | 3000K | >0.9 | 120° | >80 | Φ115*38 | Φ 60-105 | 640.00 | 01/40 | NEW |
| | 2240PL12R NW | 12W | 4000K | >0.9 | 120° | >80 | Φ115*38 | Φ 60-105 | 640.00 | 01/40 | |
| | 2240PL12R CW | 12W | 6500K | >0.9 | 120° | >80 | Φ115*38 | Φ 60-105 | 640.00 | 01/40 | |
|  | 2240PL18R WW | 18W | 3000K | >0.9 | 120° | >80 | Φ165*38 | Φ 60-150 | 895.00 | 01/20 | NEW |
| | 2240PL18R NW | 18W | 4000K | >0.9 | 120° | >80 | Φ165*38 | Φ 60-150 | 895.00 | 01/20 | |
| | 2240PL18R CW | 18W | 6500K | >0.9 | 120° | >80 | Φ165*38 | Φ 60-150 | 895.00 | 01/20 | |
| BLING PANEL LIGHT (RIMLESS)-SQUARE | | | | | | | | | | | |
|  | 2240PL12S WW | 12W | 3000K | >0.9 | 120° | >80 | 115*115*38 | Φ 60-105 | 640.00 | 01/40 | NEW |
| | 2240PL12S NW | 12W | 4000K | >0.9 | 120° | >80 | 115*115*38 | Φ 60-105 | 640.00 | 01/40 | |
| | 2240PL12S CW | 12W | 6500K | >0.9 | 120° | >80 | 115*115*38 | Φ 60-105 | 640.00 | 01/40 | |
|  | 2240PL18S WW | 18W | 3000K | >0.9 | 120° | >80 | 165*165*38 | Φ 60-150 | 895.00 | 01/20 | NEW |
| | 2240PL18S NW | 18W | 4000K | >0.9 | 120° | >80 | 165*165*38 | Φ 60-150 | 895.00 | 01/20 | |
| | 2240PL18S CW | 18W | 6500K | >0.9 | 120° | >80 | 165*165*38 | Φ 60-150 | 895.00 | 01/20 | |

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Introducing

KROWN

SURFACE PANEL LIGHT



Minimal
Surface Height



In-built
Driver



Superior Surge
Protection











Voltage range
190-250V



LIGHT THAT'S AS DYNAMIC
AS YOUR IMAGINATION.

Experience a new level of sophistication crafted to seamlessly blend style and efficiency. With its modern design and advanced LED technology, this lighting solution redefines how you illuminate your surroundings.

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | MRP ₹/U | Pack |
|---|----------------|-------|-------------|--------------|------------|-----|------------|---------|-------|
| KROWN SLIM SURFACE PANEL LIGHT-ROUND | | | | | | | | | |
|  | 2237PL06R WW | 6W | 3000K | >0.9 | 180° | >80 | Φ 91*27 | 425.00 | 01/40 |
| | 2237PL06R NW | 6W | 4000K | >0.9 | 180° | >80 | Φ 91*27 | 425.00 | 01/40 |
| | 2237PL06R CW | 6W | 6500K | >0.9 | 180° | >80 | Φ 91*27 | 425.00 | 01/40 |
| | 2237PL06R CRGB | 6W | 6500K/RGB | >0.9 | 180° | >80 | Φ 91*27 | 475.00 | 01/40 |
|  | 2237PL12R WW | 12W | 3000K | >0.9 | 180° | >80 | Φ 120*27 | 680.00 | 01/40 |
| | 2237PL12R NW | 12W | 4000K | >0.9 | 180° | >80 | Φ 120*27 | 680.00 | 01/40 |
| | 2237PL12R CW | 12W | 6500K | >0.9 | 180° | >80 | Φ 120*27 | 680.00 | 01/40 |
| | 2237PL12R CRGB | 12W | 6500K/RGB | >0.9 | 180° | >80 | Φ 120*27 | 745.00 | 01/40 |
|  | 2237PL18R WW | 18W | 3000K | >0.9 | 180° | >80 | Φ 155*27 | 935.00 | 01/20 |
| | 2237PL18R NW | 18W | 4000K | >0.9 | 180° | >80 | Φ 155*27 | 935.00 | 01/20 |
| | 2237PL18R CW | 18W | 6500K | >0.9 | 180° | >80 | Φ 155*27 | 935.00 | 01/20 |
|  | 2237PL24R WW | 24W | 3000K | >0.9 | 180° | >80 | Φ 192*27 | 1275.00 | 01/20 |
| | 2237PL24R NW | 24W | 4000K | >0.9 | 180° | >80 | Φ 192*27 | 1275.00 | 01/20 |
| | 2237PL24R CW | 24W | 6500K | >0.9 | 180° | >80 | Φ 192*27 | 1275.00 | 01/20 |
| KROWN SLIM SURFACE PANEL LIGHT-SQUARE | | | | | | | | | |
|  | 2237PL06S WW | 6W | 3000K | >0.9 | 180° | >80 | 91*91*27 | 425.00 | 01/40 |
| | 2237PL06S NW | 6W | 4000K | >0.9 | 180° | >80 | 91*91*27 | 425.00 | 01/40 |
| | 2237PL06S CW | 6W | 6500K | >0.9 | 180° | >80 | 91*91*27 | 425.00 | 01/40 |
| | 2237PL06S CRGB | 6W | 6500K/RGB | >0.9 | 180° | >80 | 91*91*27 | 475.00 | 01/40 |
|  | 2237PL12S WW | 12W | 3000K | >0.9 | 180° | >80 | 120*120*27 | 680.00 | 01/40 |
| | 2237PL12S NW | 12W | 4000K | >0.9 | 180° | >80 | 120*120*27 | 680.00 | 01/40 |
| | 2237PL12S CW | 12W | 6500K | >0.9 | 180° | >80 | 120*120*27 | 680.00 | 01/40 |
| | 2237PL12S CRGB | 12W | 6500K/RGB | >0.9 | 180° | >80 | 120*120*27 | 745.00 | 01/40 |
|  | 2237PL18S WW | 18W | 3000K | >0.9 | 180° | >80 | 155*155*27 | 935.00 | 01/20 |
| | 2237PL18S NW | 18W | 4000K | >0.9 | 180° | >80 | 155*155*27 | 935.00 | 01/20 |
| | 2237PL18S CW | 18W | 6500K | >0.9 | 180° | >80 | 155*155*27 | 935.00 | 01/20 |
|  | 2237PL24S WW | 24W | 3000K | >0.9 | 180° | >80 | 192*192*27 | 1275.00 | 01/20 |
| | 2237PL24S NW | 24W | 4000K | >0.9 | 180° | >80 | 192*192*27 | 1275.00 | 01/20 |
| | 2237PL24S CW | 24W | 6500K | >0.9 | 180° | >80 | 192*192*27 | 1275.00 | 01/20 |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY



KARIS








DOWN LIGHT

INNOVATION
THAT
COMPLEMENTS
YOUR TASTE.



This innovatively designed variant of Karis Downlight offers enhanced voltage range and comes with 4KV surge protection. A step ahead in its aesthetics and functions, these lights suit every interior style. Karis Downlight products are perfected with unsurpassed excellence to reflect your fine choice.



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|------------------|-------|-------------------------|--------------|------------|-----|------------|-------------|---------|-------|
| KARIS DOWNLIGHT-ROUND | | | | | | | | | | |
|  | 2402DL03R WW | 3W | 3000K | >0.5 | 120° | >80 | Φ 102*51.5 | Φ 55-65 | 320.00 | 01/60 |
| | 2402DL03R NW | 3W | 4000K | >0.5 | 120° | >80 | Φ 102*51.5 | Φ 55-65 | 320.00 | 01/60 |
| | 2402DL03R CW | 3W | 6500K | >0.5 | 120° | >80 | Φ 102*51.5 | Φ 55-65 | 320.00 | 01/60 |
|  | 2402DL03R RD | 3W | Red | >0.5 | 120° | >80 | Φ 102*51.5 | Φ 55-65 | 320.00 | 01/60 |
| | 2402DL03R GN | 3W | Green | >0.5 | 120° | >80 | Φ 102*51.5 | Φ 55-65 | 320.00 | 01/60 |
| | 2402DL03R BE | 3W | Blue | >0.5 | 120° | >80 | Φ 102*51.5 | Φ 55-65 | 320.00 | 01/60 |
| | 2402DL03R PK | 3W | Pink | >0.5 | 120° | >80 | Φ 102*51.5 | Φ 55-65 | 320.00 | 01/60 |
|  | 2402DL05R WW | 5W | 3000K | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 495.00 | 01/40 |
| | 2402DL05R NW | 5W | 4000K | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 495.00 | 01/40 |
| | 2402DL05R CW | 5W | 6500K | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 495.00 | 01/40 |
|  | 2402DL05R RD | 5W | Red | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 495.00 | 01/40 |
| | 2402DL05R GN | 5W | Green | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 495.00 | 01/40 |
| | 2402DL05R BE | 5W | Blue | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 495.00 | 01/40 |
| | 2402DL05R PK | 5W | Pink | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 495.00 | 01/40 |
|  | 2402DL09R WW | 9W | 3000K | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 595.00 | 01/40 |
| | 2402DL09R NW | 9W | 4000K | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 595.00 | 01/40 |
| | 2402DL09R CW | 9W | 6500K | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 595.00 | 01/40 |
|  | 2402DL09R RD | 9W | Red | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 595.00 | 01/40 |
| | 2402DL09R GN | 9W | Green | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 595.00 | 01/40 |
| | 2402DL09R BE | 9W | Blue | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 595.00 | 01/40 |
| | 2402DL09R PK | 9W | Pink | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 595.00 | 01/40 |
| KARIS TRIO DOWNLIGHT-ROUND | | | | | | | | | | |
|  | 2402DL05R 3-in-1 | 5W | 3000K 4000K 6500K | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 510.00 | 01/40 |
| | 2402DL05R RBP | 5W | Red Blue Pink | >0.9 | 120° | >80 | Φ 110*42 | Φ 75 | 525.00 | 01/40 |

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Kutē | Klair

CLASS THAT
REFLECTS
SHEER FLAIR.



Crafted to offer optimum and efficient brightness, these are best suitable to be used indoors. The sturdy body makes it durable while its cutting-edge technology makes it energy-efficient and long-lasting. The use of the finest materials and absolute precision in conceiving the product ensures uniform and consistent brightness.





Klair

DOWN LIGHT



ELEVATE YOUR SPACE WITH LED SURFACE DOWNLIGHTS.











Enhance the appearance and ambiance of your spaces with our LED surface downlights. Our LED surface downlights are slim, sleek, and maintenance-free, offering you a stunning and hassle-free lighting experience. These are also eco-friendly, mercury-free, and energy-efficient, saving you money and the environment.

Introducing

KANDID

SURFACE DOWN LIGHT



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack | |
|---|----------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|--------|--|
| KUTE SURFACE LIGHT | | | | | | | | | | | |
|  | 2408PL03R WW | 3W | 3000K | >0.9 | 120° | >80 | Φ 68.5*13 | - | 175.00 | 20/200 | |
| | 2408PL03R NW | 3W | 4000K | >0.9 | 120° | >80 | Φ 68.5*13 | - | 175.00 | 20/200 | |
| | 2408PL03R CW | 3W | 6500K | >0.9 | 120° | >80 | Φ 68.5*13 | - | 175.00 | 20/200 | |
|  | 2408PL03R RD | 3W | Red | >0.9 | 120° | >80 | Φ 68.5*13 | - | 175.00 | 20/200 | |
| | 2408PL03R GN | 3W | Green | >0.9 | 120° | >80 | Φ 68.5*13 | - | 175.00 | 20/200 | |
| | 2408PL03R BE | 3W | Blue | >0.9 | 120° | >80 | Φ 68.5*13 | - | 175.00 | 20/200 | |
| | 2408PL03R PK | 3W | Pink | >0.9 | 120° | >80 | Φ 68.5*13 | - | 175.00 | 20/200 | |
| KUTE SURFACE LIGHT BLACK | | | | | | | | | | | |
|  | 2408PL03R B WW | 3W | 3000K | >0.9 | 120° | >80 | Φ 68.5*13 | - | 215.00 | 20/200 | |
| | 2408PL03R B NW | 3W | 4000K | >0.9 | 120° | >80 | Φ 68.5*13 | - | 215.00 | 20/200 | |
| | 2408PL03R B CW | 3W | 6500K | >0.9 | 120° | >80 | Φ 68.5*13 | - | 215.00 | 20/200 | |
|  | 2408PL03R B RD | 3W | Red | >0.9 | 120° | >80 | Φ 68.5*13 | - | 215.00 | 20/200 | |
| | 2408PL03R B GN | 3W | Green | >0.9 | 120° | >80 | Φ 68.5*13 | - | 215.00 | 20/200 | |
| | 2408PL03R B BE | 3W | Blue | >0.9 | 120° | >80 | Φ 68.5*13 | - | 215.00 | 20/200 | |
| | 2408PL03R B PK | 3W | Pink | >0.9 | 120° | >80 | Φ 68.5*13 | - | 215.00 | 20/200 | |
| KLAIR DOWNLIGHT-ROUND | | | | | | | | | | | |
|  | 2403DL03R WW | 3W | 3000K | >0.9 | 120° | >80 | Φ 80*33 | Φ 62 | 245.00 | 01/80 | |
| | 2403DL03R NW | 3W | 4000K | >0.9 | 120° | >80 | Φ 80*33 | Φ 62 | 245.00 | 01/80 | |
| | 2403DL03R CW | 3W | 6500K | >0.9 | 120° | >80 | Φ 80*33 | Φ 62 | 245.00 | 01/80 | |
|  | 2403DL03R RD | 3W | Red | >0.9 | 120° | >80 | Φ 80*33 | Φ 62 | 245.00 | 01/80 | |
| | 2403DL03R GN | 3W | Green | >0.9 | 120° | >80 | Φ 80*33 | Φ 62 | 245.00 | 01/80 | |
| | 2403DL03R BE | 3W | Blue | >0.9 | 120° | >80 | Φ 80*33 | Φ 62 | 245.00 | 01/80 | |
| | 2403DL03R PK | 3W | Pink | >0.9 | 120° | >80 | Φ 80*33 | Φ 62 | 245.00 | 01/80 | |
| KLAY JUNCTION BOX DOWNLIGHT-ROUND | | | | | | | | | | | |
|  | 2424DL03R WW | 3W | 3000K | >0.9 | 180° | >80 | Φ 74*27 | Φ 52 | 220.00 | 01/90 | |
| | 2424DL03R NW | 3W | 4000K | >0.9 | 180° | >80 | Φ 74*27 | Φ 52 | 220.00 | 01/90 | |
| | 2424DL03R CW | 3W | 6500K | >0.9 | 180° | >80 | Φ 74*27 | Φ 52 | 220.00 | 01/90 | |
|  | 2424DL03R RD | 3W | Red | >0.9 | 180° | >80 | Φ 74*27 | Φ 52 | 220.00 | 01/90 | |
| | 2424DL03R GN | 3W | Green | >0.9 | 180° | >80 | Φ 74*27 | Φ 52 | 220.00 | 01/90 | |
| | 2424DL03R BE | 3W | Blue | >0.9 | 180° | >80 | Φ 74*27 | Φ 52 | 220.00 | 01/90 | |
| | 2424DL03R PK | 3W | Pink | >0.9 | 180° | >80 | Φ 74*27 | Φ 52 | 220.00 | 01/90 | |
| KANDID SURFACE DOWN LIGHT | | | | | | | | | | | |
|  | 2238DL07R WW | 7W | 3000K | >0.9 | 120° | >80 | Φ 85*45 | - | 595.00 | 01/60 | |
| | 2238DL07R NW | 7W | 4000K | >0.9 | 120° | >80 | Φ 85*45 | - | 595.00 | 01/60 | |
| | 2238DL07R CW | 7W | 6500K | >0.9 | 120° | >80 | Φ 85*45 | - | 595.00 | 01/60 | |
|  | 2238DL10R WW | 10W | 3000K | >0.9 | 120° | >80 | Φ 110*45 | - | 725.00 | 01/40 | |
| | 2238DL10R NW | 10W | 4000K | >0.9 | 120° | >80 | Φ 110*45 | - | 725.00 | 01/40 | |
| | 2238DL10R CW | 10W | 6500K | >0.9 | 120° | >80 | Φ 110*45 | - | 725.00 | 01/40 | |
|  | 2238DL15R WW | 15W | 3000K | >0.9 | 120° | >80 | Φ 155*45 | - | 935.00 | 01/40 | |
| | 2238DL15R NW | 15W | 4000K | >0.9 | 120° | >80 | Φ 155*45 | - | 935.00 | 01/40 | |
| | 2238DL15R CW | 15W | 6500K | >0.9 | 120° | >80 | Φ 155*45 | - | 935.00 | 01/40 | |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

Introducing

KLIFF

ALUMINIUM DOWN LIGHT

SUPERIOR PERFORMANCE MEETS REFINED DESIGN.

With Kliff downlight, experience the perfect synergy of functionality and aesthetics, ensuring your space is brilliantly lit with a touch of sophistication. Illuminate with confidence, choose Kliff for a lighting solution that surpasses expectations.



Finned Heat Sink*

Suitable for low depth ceiling

-  Aluminium Die-cast Body
-  Detachable Driver
-  Superior Surge Protection
-  Beam Angle 120°
-  Wide voltage range 100-300V

*For Better Heat dissipation which results in long life & better results of LED Lights.

Introducing




KLIFF

ALUMINIUM DOWN LIGHT




LIGHT UP HAPPINESS.

Experience brilliant, energy-efficient lighting with Kliff LED lights. Transform your environment with cutting-edge technology and style.



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| KLIFF DEEP RECESSED ALUMINIUM DOWN LIGHT-ROUND | | | | | | | | | | |
|  | 2244DL12R WW | 12W | 3000K | >0.9 | 120° | >80 | Φ 120*52 | Φ 116 | 990.00 | 01/20 |
| | 2244DL12R NW | 12W | 4000K | >0.9 | 120° | >80 | Φ 120*52 | Φ 116 | 990.00 | 01/20 |
| | 2244DL12R CW | 12W | 6500K | >0.9 | 120° | >80 | Φ 120*52 | Φ 116 | 990.00 | 01/20 |
|  | 2244DL18R WW | 18W | 3000K | >0.9 | 120° | >80 | Φ 155*52 | Φ 148 | 1240.00 | 01/20 |
| | 2244DL18R NW | 18W | 4000K | >0.9 | 120° | >80 | Φ 155*52 | Φ 148 | 1240.00 | 01/20 |
| | 2244DL18R CW | 18W | 6500K | >0.9 | 120° | >80 | Φ 155*52 | Φ 148 | 1240.00 | 01/20 |
|  | 2244DL24R WW | 24W | 3000K | >0.9 | 120° | >80 | Φ 175*55 | Φ 170 | 1575.00 | 01/20 |
| | 2244DL24R NW | 24W | 4000K | >0.9 | 120° | >80 | Φ 175*55 | Φ 170 | 1575.00 | 01/20 |
| | 2244DL24R CW | 24W | 6500K | >0.9 | 120° | >80 | Φ 175*55 | Φ 170 | 1575.00 | 01/20 |

NEW

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|------------|-------------|---------|-------|
| KLIFF DEEP RECESSED ALUMINIUM DOWN LIGHT-SQUARE | | | | | | | | | | |
|  | 2244DL12S WW | 12W | 3000K | >0.9 | 120° | >80 | 110*110*52 | 105*105 | 990.00 | 01/20 |
| | 2244DL12S NW | 12W | 4000K | >0.9 | 120° | >80 | 110*110*52 | 105*105 | 990.00 | 01/20 |
| | 2244DL12S CW | 12W | 6500K | >0.9 | 120° | >80 | 110*110*52 | 105*105 | 990.00 | 01/20 |
|  | 2244DL18S WW | 18W | 3000K | >0.9 | 120° | >80 | 145*145*52 | 136*136 | 1240.00 | 01/20 |
| | 2244DL18S NW | 18W | 4000K | >0.9 | 120° | >80 | 145*145*52 | 136*136 | 1240.00 | 01/20 |
| | 2244DL18S CW | 18W | 6500K | >0.9 | 120° | >80 | 145*145*52 | 136*136 | 1240.00 | 01/20 |
|  | 2244DL24S WW | 24W | 3000K | >0.9 | 120° | >80 | 171*171*55 | 158*158 | 1575.00 | 01/20 |
| | 2244DL24S NW | 24W | 4000K | >0.9 | 120° | >80 | 171*171*55 | 158*158 | 1575.00 | 01/20 |
| | 2244DL24S CW | 24W | 6500K | >0.9 | 120° | >80 | 171*171*55 | 158*158 | 1575.00 | 01/20 |

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY



Kutē 2.0 trio

3-IN-1 COLOUR CHANGING
JUNCTION BOX LED LIGHT

INNOVATING TO ELEVATE CONVENIENCE.

Now, no more hassles of changing bulbs and holders,
easy replacement of both with just one product on your
existing junction box.

3-IN-1 Colour Changing Light
(3000K, 4000K & 6500K)
Available in 7W

Changes colour by clicking
the switch OFF & ON



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|--------|
| KUTE 2.0 JUNCTION BOX LED LIGHT | | | | | | | | | | |
|  | 2413PL03R WW | 3W | 3000K | >0.9 | 180° | >80 | Φ 80*28 | - | 190.00 | 10/200 |
| | 2413PL03R NW | 3W | 4000K | >0.9 | 180° | >80 | Φ 80*28 | - | 190.00 | 10/200 |
| | 2413PL03R CW | 3W | 6500K | >0.9 | 180° | >80 | Φ 80*28 | - | 190.00 | 10/200 |
|  | 2413PL03R RD | 3W | Red | >0.9 | 180° | >80 | Φ 80*28 | - | 190.00 | 10/200 |
| | 2413PL03R GN | 3W | Green | >0.9 | 180° | >80 | Φ 80*28 | - | 190.00 | 10/200 |
| | 2413PL03R BE | 3W | Blue | >0.9 | 180° | >80 | Φ 80*28 | - | 190.00 | 10/200 |
| | 2413PL03R PK | 3W | Pink | >0.9 | 180° | >80 | Φ 80*28 | - | 190.00 | 10/200 |
|  | 2413PL07R WW | 7W | 3000K | >0.9 | 180° | >80 | Φ 80*28 | - | 250.00 | 10/200 |
| | 2413PL07R NW | 7W | 4000K | >0.9 | 180° | >80 | Φ 80*28 | - | 250.00 | 10/200 |
| | 2413PL07R CW | 7W | 6500K | >0.9 | 180° | >80 | Φ 80*28 | - | 250.00 | 10/200 |
|  | 2413PL07R RD | 7W | Red | >0.9 | 180° | >80 | Φ 80*28 | - | 250.00 | 10/200 |
| | 2413PL07R GN | 7W | Green | >0.9 | 180° | >80 | Φ 80*28 | - | 250.00 | 10/200 |
| | 2413PL07R BE | 7W | Blue | >0.9 | 180° | >80 | Φ 80*28 | - | 250.00 | 10/200 |
| | 2413PL07R PK | 7W | Pink | >0.9 | 180° | >80 | Φ 80*28 | - | 250.00 | 10/200 |
| KUTE 2.0 TRIO 3-IN-1 COLOUR CHANGING JUNCTION BOX LED LIGHT | | | | | | | | | | |
|  | 2413JB07R | 7W | 3000K | >0.9 | 180° | >80 | Φ 80*28 | - | 280.00 | 10/200 |
| | | | 4000K | | | | | | | |
| | | | 6500K | | | | | | | |

All dimensions in mm



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

Introducing

IGLOO
Kenzo
BOAT

IGLOO ◀
Bulkhead Light



ILLUMINATING SPACES, INSPIRING MINDS.




The beauty of any place lies in its ambience and its lighting. These stunning LED lights are designed to suit various requirements while offering uniform lighting and unmatched style. An epitome of superior innovation and impeccable finesse, these are an ideal choice when it comes to bright, durable LED lights.



KENZO
Down Light



▶ BOAT
IP65 Bulkhead Light for Outdoor



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|---------------------------|-------|-------------------|--------------|------------|-----|-----------|-------------|---------|-------|
| KENZO MULTI-COLOUR CONCEALED DOWNLIGHT-ROUND | | | | | | | | | | |
|  | 2423CB07R CR | 7W | 6500K/Red | >0.9 | 180° | >80 | Φ 100*36 | Φ 75 | 300.00 | 01/60 |
| | 2423CB07R CG | 7W | 6500K/Green | >0.9 | 180° | >80 | Φ 100*36 | Φ 75 | 300.00 | 01/60 |
| | 2423CB07R CB | 7W | 6500K/Blue | >0.9 | 180° | >80 | Φ 100*36 | Φ 75 | 300.00 | 01/60 |
| | 2423CB07R CP | 7W | 6500K/Pink | >0.9 | 180° | >80 | Φ 100*36 | Φ 75 | 300.00 | 01/60 |
| | 2423CB07R CRGB | 7W | 6500K/RGB | >0.9 | 180° | >80 | Φ 100*36 | Φ 75 | 300.00 | 01/60 |
| | 2423CB07R CWW | 7W | 6500K/3000K | >0.9 | 180° | >80 | Φ 100*36 | Φ 75 | 300.00 | 01/60 |
|  | 2423CB09R WW | 9W | 3000K | >0.9 | 180° | >80 | Φ 100*36 | Φ 75 | 325.00 | 01/60 |
| | 2423CB09R NW | 9W | 4000K | >0.9 | 180° | >80 | Φ 100*36 | Φ 75 | 325.00 | 01/60 |
| | 2423CD09R CW | 9W | 6500K | >0.9 | 180° | >80 | Φ 100*36 | Φ 75 | 325.00 | 01/60 |
| | 2423CB09R 3-in-1 | 9W | 3000K/4000K/6500K | >0.9 | 180° | >80 | Φ 100*36 | Φ 75 | 370.00 | 01/60 |
|  | NEW 2423CB12R CRGB | 12W | 6500K/RGB | >0.9 | 180° | >80 | Φ 115*42 | Φ 75 | 540.00 | 01/60 |

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|--|------------------|-------|-------------------|--------------|------------|-----|-----------|-------------|---------|-------|
| KENZO MULTI-COLOUR JUNCTION BOX DOWNLIGHT-ROUND | | | | | | | | | | |
|  | 2423JB07R CR | 7W | 6500K/Red | >0.9 | 180° | >80 | Φ 100*42 | Φ 52 | 290.00 | 01/40 |
| | 2423JB07R CG | 7W | 6500K/Green | >0.9 | 180° | >80 | Φ 100*42 | Φ 52 | 290.00 | 01/40 |
| | 2423JB07R CB | 7W | 6500K/Blue | >0.9 | 180° | >80 | Φ 100*42 | Φ 52 | 290.00 | 01/40 |
| | 2423JB07R CP | 7W | 6500K/Pink | >0.9 | 180° | >80 | Φ 100*42 | Φ 52 | 290.00 | 01/40 |
| | 2423JB07R CRGB | 7W | 6500K/RGB | >0.9 | 180° | >80 | Φ 100*42 | Φ 52 | 290.00 | 01/40 |
|  | 2423JB09R WW | 9W | 3000K | >0.9 | 180° | >80 | Φ 100*42 | Φ 52 | 310.00 | 01/40 |
| | 2423JB09R NW | 9W | 4000K | >0.9 | 180° | >80 | Φ 100*42 | Φ 52 | 310.00 | 01/40 |
| | 2423JB09R CW | 9W | 6500K | >0.9 | 180° | >80 | Φ 100*42 | Φ 52 | 310.00 | 01/40 |
| | 2423JB09R 3-in-1 | 9W | 3000K/4000K/6500K | >0.9 | 180° | >80 | Φ 100*42 | Φ 52 | 360.00 | 01/40 |

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|-------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| IGLOO BULK HEAD | | | | | | | | | | |
|  | 2426BH10 WW | 10W | 3000K | >0.9 | 180° | >80 | 166*80*63 | - | 510.00 | 01/30 |
| | 2426BH10 NW | 10W | 4000K | >0.9 | 180° | >80 | 166*80*63 | - | 510.00 | 01/30 |
| | 2426BH10 CW | 10W | 6500K | >0.9 | 180° | >80 | 166*80*63 | - | 510.00 | 01/30 |
| BOAT BULK HEAD | | | | | | | | | | |
|  | 2429BH10 WW | 10W | 3000K | >0.9 | 180° | >80 | 117*71*61 | - | 425.00 | 01/54 |
| | 2429BH10 NW | 10W | 4000K | >0.9 | 180° | >80 | 117*71*61 | - | 425.00 | 01/54 |
| | 2429BH10 CW | 10W | 6500K | >0.9 | 180° | >80 | 117*71*61 | - | 425.00 | 01/54 |
|  | 2429BH18 WW | 18W | 3000K | >0.9 | 180° | >80 | 166*84*67 | - | 575.00 | 01/30 |
| | 2429BH18 NW | 18W | 4000K | >0.9 | 180° | >80 | 166*84*67 | - | 575.00 | 01/30 |
| | 2429BH18 CW | 18W | 6500K | >0.9 | 180° | >80 | 166*84*67 | - | 575.00 | 01/30 |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE




ZERO MERCURY



HIGH- GRADE HEAT SINKS



Manages heat efficiently and
enhances longer life.



Intelligently Engineered

The high-surge protection reflects
the good electrical design and
quality components.



TRULY green

Energy-efficient products that
minimise energy wastage.



Shows the natural
colours of the objects.

Introducing

PRIMUS

SPOT LIGHT

IMMERSE YOURSELF
IN THE PERFECT
BALANCE OF
AESTHETICS AND
FUNCTIONALITY.



In-built
Driver







Superior Surge
Protection



Wide voltage
range 110-300V

Discover the allure of precision lighting with Primus Spotlights. From highlighting design features to creating dramatic visual effects, these lights empower you to curate your environment's character.

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| PRIMUS SPOTLIGHT | | | | | | | | | | |
|  | 2233SL03R WW | 3W | 3000K | >0.9 | 45° | >80 | Φ 75*43 | Φ 60 | 340.00 | 01/40 |
| | 2233SL03R NW | 3W | 4000K | >0.9 | 45° | >80 | Φ 75*43 | Φ 60 | 340.00 | 01/40 |
| | 2233SL03R CW | 3W | 6500K | >0.9 | 45° | >80 | Φ 75*43 | Φ 60 | 340.00 | 01/40 |
|  | 2233SL06R WW | 6W | 3000K | >0.9 | 60° | >80 | Φ 95*46 | Φ 75 | 420.00 | 01/40 |
| | 2233SL06R NW | 6W | 4000K | >0.9 | 60° | >80 | Φ 95*46 | Φ 75 | 420.00 | 01/40 |
| | 2233SL06R CW | 6W | 6500K | >0.9 | 60° | >80 | Φ 95*46 | Φ 75 | 420.00 | 01/40 |
|  | 2233SL09R WW | 9W | 3000K | >0.9 | 60° | >80 | Φ 116*52 | Φ 100 | 640.00 | 01/40 |
| | 2233SL09R NW | 9W | 4000K | >0.9 | 60° | >80 | Φ 116*52 | Φ 100 | 640.00 | 01/40 |
| | 2233SL09R CW | 9W | 6500K | >0.9 | 60° | >80 | Φ 116*52 | Φ 100 | 640.00 | 01/40 |
|  | 2233SL12R WW | 12W | 3000K | >0.9 | 60° | >80 | Φ 139*55 | Φ 125 | 800.00 | 01/40 |
| | 2233SL12R NW | 12W | 4000K | >0.9 | 60° | >80 | Φ 139*55 | Φ 125 | 800.00 | 01/40 |
| | 2233SL12R CW | 12W | 6500K | >0.9 | 60° | >80 | Φ 139*55 | Φ 125 | 800.00 | 01/40 |

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

KORNET

DEEP COB SPOT LIGHT



WEAVING
ENCHANTING
EXPERIENCES.



Aluminium
Die-cast Body



Beam
Angle



Detachable
Driver



Wide voltage
range 110-300V



30,000H
Lifespan















IP20



Superior Surge
Protection

Epitomizing ambient lighting like never-before, these sleek and stylish aluminium deep recessed COB LED spot lights gives minimum exposure without compromising the elegance of the ceiling, chrome reflectors with narrow beam angle harmonise the light. These COB LED spot lights are all you need to take the aura of your spaces up by a few notches. Stunning in its style and efficient in its function, these ultra-modern jewels are bound to complement every space and style.

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|--|-------------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| KORNET DEEP COB SPOTLIGHT BLACK-ROUND [STEEL CHROME] (ALUMINIUM DIE-CAST HOUSING) | | | | | | | | | | |
|  | 2221SL07R WW SL | 7W | 3000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R NW SL | 7W | 4000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R CW SL | 7W | 6500K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
|  | 2221SL12R WW SL | 12W | 3000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R NW SL | 12W | 4000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R CW SL | 12W | 6500K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| KORNET DEEP COB SPOTLIGHT BLACK-ROUND [ROSE GOLD CHROME] (ALUMINIUM DIE-CAST HOUSING) | | | | | | | | | | |
|  | 2221SL07R WW RG | 7W | 3000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R NW RG | 7W | 4000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R CW RG | 7W | 6500K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
|  | 2221SL12R WW RG | 12W | 3000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R NW RG | 12W | 4000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R CW RG | 12W | 6500K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| KORNET DEEP COB SPOTLIGHT BLACK-ROUND [BLACK CHROME] (ALUMINIUM DIE-CAST HOUSING) | | | | | | | | | | |
|  | 2221SL07R WW BK | 7W | 3000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R NW BK | 7W | 4000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R CW BK | 7W | 6500K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
|  | 2221SL12R WW BK | 12W | 3000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R NW BK | 12W | 4000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R CW BK | 12W | 6500K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| KORNET DEEP COB SPOTLIGHT WHITE-ROUND [STEEL CHROME] (ALUMINIUM DIE-CAST HOUSING) | | | | | | | | | | |
|  | 2221SL07R W WW SL | 7W | 3000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R W NW SL | 7W | 4000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R W CW SL | 7W | 6500K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
|  | 2221SL12R W WW SL | 12W | 3000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R W NW SL | 12W | 4000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R W CW SL | 12W | 6500K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| KORNET DEEP COB SPOTLIGHT WHITE-ROUND [ROSE GOLD CHROME] (ALUMINIUM DIE-CAST HOUSING) | | | | | | | | | | |
|  | 2221SL07R W WW RG | 7W | 3000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R W NW RG | 7W | 4000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R W CW RG | 7W | 6500K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
|  | 2221SL12R W WW RG | 12W | 3000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R W NW RG | 12W | 4000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R W CW RG | 12W | 6500K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| KORNET DEEP COB SPOTLIGHT WHITE-ROUND [BLACK CHROME] (ALUMINIUM DIE-CAST HOUSING) | | | | | | | | | | |
|  | 2221SL07R W WW BK | 7W | 3000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R W NW BK | 7W | 4000K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
| | 2221SL07R W CW BK | 7W | 6500K | >0.5 | 24° | >80 | Φ 65*65 | Φ 60 | 1170.00 | 01/20 |
|  | 2221SL12R W WW BK | 12W | 3000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R W NW BK | 12W | 4000K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |
| | 2221SL12R W CW BK | 12W | 6500K | >0.9 | 24° | >80 | Φ 80*80 | Φ 75 | 1620.00 | 01/20 |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY



KORNET 2.0

DEEP COB SPOT LIGHT

RADIANCE ENGINEERED
TO PERFECTION.

Designed to augment the beauty of your spaces, Kornet 2.0 aluminium COB LED spot lights are built to last. These sturdy and efficient pieces of impeccable radiance light up your spaces with innovative excellence and are bound to leave lasting impressions. Adorn your spaces with these radiant beauties now.



Aluminium
Die-cast Body



Detachable
Driver



30,000H
Lifespan



Superior Surge
Protection



Beam
Angle









Wide voltage
range 110-300V




IP20



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| KORNET 2.0 DEEP COB SPOTLIGHT-ROUND (ALUMINIUM DIE-CAST HOUSING) | | | | | | | | | | |
|  | 2222SL05R WW | 5W | 3000K | >0.5 | 24° | >80 | Φ 50*55 | Φ 45 | 720.00 | 01/20 |
| | 2222SL05R NW | 5W | 4000K | >0.5 | 24° | >80 | Φ 50*55 | Φ 45 | 720.00 | 01/20 |
| | 2222SL05R CW | 5W | 6500K | >0.5 | 24° | >80 | Φ 50*55 | Φ 45 | 720.00 | 01/20 |
|  | 2222SL10R WW | 10W | 3000K | >0.5 | 24° | >80 | Φ 75*70 | Φ 70 | 1260.00 | 01/20 |
| | 2222SL10R NW | 10W | 4000K | >0.5 | 24° | >80 | Φ 75*70 | Φ 70 | 1260.00 | 01/20 |
| | 2222SL10R CW | 10W | 6500K | >0.5 | 24° | >80 | Φ 75*70 | Φ 70 | 1260.00 | 01/20 |
|  | 2222SL15R WW | 15W | 3000K | >0.9 | 24° | >80 | Φ 85*80 | Φ 75 | 1620.00 | 01/20 |
| | 2222SL15R NW | 15W | 4000K | >0.9 | 24° | >80 | Φ 85*80 | Φ 75 | 1620.00 | 01/20 |
| | 2222SL15R CW | 15W | 6500K | >0.9 | 24° | >80 | Φ 85*80 | Φ 75 | 1620.00 | 01/20 |

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|----------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| KORNET 2.0 DEEP COB SPOTLIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING) | | | | | | | | | | |
|  | 2222SL05R B WW | 5W | 3000K | >0.5 | 24° | >80 | Φ 50*55 | Φ 45 | 765.00 | 01/20 |
| | 2222SL05R B NW | 5W | 4000K | >0.5 | 24° | >80 | Φ 50*55 | Φ 45 | 765.00 | 01/20 |
| | 2222SL05R B CW | 5W | 6500K | >0.5 | 24° | >80 | Φ 50*55 | Φ 45 | 765.00 | 01/20 |
|  | 2222SL10R B WW | 10W | 3000K | >0.5 | 24° | >80 | Φ 75*70 | Φ 70 | 1350.00 | 01/20 |
| | 2222SL10R B NW | 10W | 4000K | >0.5 | 24° | >80 | Φ 75*70 | Φ 70 | 1350.00 | 01/20 |
| | 2222SL10R B CW | 10W | 6500K | >0.5 | 24° | >80 | Φ 75*70 | Φ 70 | 1350.00 | 01/20 |
|  | 2222SL15R B WW | 15W | 3000K | >0.9 | 24° | >80 | Φ 85*80 | Φ 75 | 1755.00 | 01/20 |
| | 2222SL15R B NW | 15W | 4000K | >0.9 | 24° | >80 | Φ 85*80 | Φ 75 | 1755.00 | 01/20 |
| | 2222SL15R B CW | 15W | 6500K | >0.9 | 24° | >80 | Φ 85*80 | Φ 75 | 1755.00 | 01/20 |

NEW

| | Code | Power In | Model Name | MRP ₹/U | Pack |
|---|----------|----------|----------------|---------|------|
| KORNET DRIVER | | | | | |
|  | 2221DR05 | 5W | LED Driver 5W | 280.00 | 05 |
| | 2221DR07 | 7W | LED Driver 7W | 325.00 | 05 |
| | 2221DR10 | 10W | LED Driver 10W | 370.00 | 05 |
| | 2221DR12 | 12W | LED Driver 12W | 395.00 | 05 |
| | 2221DR15 | 15W | LED Driver 15W | 430.00 | 05 |

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER




MAINTENANCE FREE



ZERO MERCURY

A DASH OF VERVE IN EVERY CORNER.


Now, experience extreme brightness from a compact device. As the innovative technology used in our tiltable Karat COB Lights with aluminium die-cast housing makes your spaces exceptionally bright. What's more, you can benefit from extra efficiency, save energy, long lamp life and high lumen output.






Faceted high gloss reflectors for perfect beam angle









Swivel Angle 25°




Superior fin design for thermal management in heat sink



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|--------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| KARAT COB SPOTLIGHT-ROUND (ALUMINIUM DIE-CAST HOUSING) | | | | | | | | | | |
|  | 2214SL03R WW | 3W | 3000K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 610.00 | 01/50 |
| | 2214SL03R NW | 3W | 4000K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 610.00 | 01/50 |
| | 2214SL03R CW | 3W | 6500K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 610.00 | 01/50 |
|  | 2214SL05R WW | 5W | 3000K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 630.00 | 01/50 |
| | 2214SL05R NW | 5W | 4000K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 630.00 | 01/50 |
| | 2214SL05R CW | 5W | 6500K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 630.00 | 01/50 |
|  | 2214SL10R WW | 10W | 3000K | >0.9 | 60° | >80 | Φ 85*60 | Φ 65 | 1035.00 | 01/50 |
| | 2214SL10R NW | 10W | 4000K | >0.9 | 60° | >80 | Φ 85*60 | Φ 65 | 1035.00 | 01/50 |
| | 2214SL10R CW | 10W | 6500K | >0.9 | 60° | >80 | Φ 85*60 | Φ 65 | 1035.00 | 01/50 |
|  | 2214SL15R WW | 15W | 3000K | >0.9 | 60° | >80 | Φ 110*70 | Φ 80 | 1350.00 | 01/20 |
| | 2214SL15R NW | 15W | 4000K | >0.9 | 60° | >80 | Φ 110*70 | Φ 80 | 1350.00 | 01/20 |
| | 2214SL15R CW | 15W | 6500K | >0.9 | 60° | >80 | Φ 110*70 | Φ 80 | 1350.00 | 01/20 |
|  | 2214SL25R WW | 25W | 3000K | >0.9 | 60° | >80 | Φ 136*80 | Φ 115 | 1845.00 | 01/20 |
| | 2214SL25R NW | 25W | 4000K | >0.9 | 60° | >80 | Φ 136*80 | Φ 115 | 1845.00 | 01/20 |
| | 2214SL25R CW | 25W | 6500K | >0.9 | 60° | >80 | Φ 136*80 | Φ 115 | 1845.00 | 01/20 |
|  | 2214SL35R WW | 35W | 3000K | >0.9 | 60° | >80 | Φ 160*85 | Φ 135 | 2250.00 | 01/20 |
| | 2214SL35R NW | 35W | 4000K | >0.9 | 60° | >80 | Φ 160*85 | Φ 135 | 2250.00 | 01/20 |
| | 2214SL35R CW | 35W | 6500K | >0.9 | 60° | >80 | Φ 160*85 | Φ 135 | 2250.00 | 01/20 |

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|----------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| KARAT COB SPOTLIGHT BLACK-ROUND (ALUMINIUM DIE-CAST HOUSING) | | | | | | | | | | |
|  | 2214SL03R B WW | 3W | 3000K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 630.00 | 01/50 |
| | 2214SL03R B NW | 3W | 4000K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 630.00 | 01/50 |
| | 2214SL03R B CW | 3W | 6500K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 630.00 | 01/50 |
|  | 2214SL05R B WW | 5W | 3000K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 655.00 | 01/50 |
| | 2214SL05R B NW | 5W | 4000K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 655.00 | 01/50 |
| | 2214SL05R B CW | 5W | 6500K | >0.5 | 60° | >80 | Φ 70*45 | Φ 50 | 655.00 | 01/50 |
|  | 2214SL10R B WW | 10W | 3000K | >0.9 | 60° | >80 | Φ 85*60 | Φ 65 | 1080.00 | 01/50 |
| | 2214SL10R B NW | 10W | 4000K | >0.9 | 60° | >80 | Φ 85*60 | Φ 65 | 1080.00 | 01/50 |
| | 2214SL10R B CW | 10W | 6500K | >0.9 | 60° | >80 | Φ 85*60 | Φ 65 | 1080.00 | 01/50 |
|  | 2214SL15R B WW | 15W | 3000K | >0.9 | 60° | >80 | Φ 110*70 | Φ 80 | 1420.00 | 01/20 |
| | 2214SL15R B NW | 15W | 4000K | >0.9 | 60° | >80 | Φ 110*70 | Φ 80 | 1420.00 | 01/20 |
| | 2214SL15R B CW | 15W | 6500K | >0.9 | 60° | >80 | Φ 110*70 | Φ 80 | 1420.00 | 01/20 |
|  | 2214SL25R B WW | 25W | 3000K | >0.9 | 60° | >80 | Φ 136*80 | Φ 115 | 1935.00 | 01/20 |
| | 2214SL25R B NW | 25W | 4000K | >0.9 | 60° | >80 | Φ 136*80 | Φ 115 | 1935.00 | 01/20 |
| | 2214SL25R B CW | 25W | 6500K | >0.9 | 60° | >80 | Φ 136*80 | Φ 115 | 1935.00 | 01/20 |
|  | 2214SL35R B WW | 35W | 3000K | >0.9 | 60° | >80 | Φ 160*85 | Φ 135 | 2365.00 | 01/20 |
| | 2214SL35R B NW | 35W | 4000K | >0.9 | 60° | >80 | Φ 160*85 | Φ 135 | 2365.00 | 01/20 |
| | 2214SL35R B CW | 35W | 6500K | >0.9 | 60° | >80 | Φ 160*85 | Φ 135 | 2365.00 | 01/20 |

NEW

| | Code | Power In | Model Name | MRP ₹/U | Pack |
|---|----------|----------|----------------|---------|------|
| KARAT DRIVER | | | | | |
|  | 2214DR03 | 3W | LED Driver 3W | 250.00 | 05 |
| | 2214DR05 | 5W | LED Driver 5W | 250.00 | 05 |
| | 2214DR10 | 10W | LED Driver 10W | 335.00 | 05 |
| | 2214DR15 | 15W | LED Driver 15W | 390.00 | 05 |
| | 2214DR25 | 25W | LED Driver 25W | 475.00 | 05 |
| | 2214DR35 | 35W | LED Driver 35W | 550.00 | 05 |

NEW

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

Introducing

DEKO

COB SPOT LIGHT

SWITCH ON BRILLIANCE.

Whether you need focused illumination for highlighting artwork or creating a cozy reading nook, these aluminium COB LED spot lights offer versatility and precision. Upgrade your lighting experience with Deko today.



Finned Heat Sink*



Aluminium Die-cast Body



Detachable Driver



Superior Surge Protection












Beam Angle



Wide voltage range 100-300V

*For Better Heat dissipation which results in long life & better results of LED Lights.

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack |
|---|-----------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|-------|
| DEKO COB SPOT LIGHT-ROUND [STEEL CHROME] | | | | | | | | | | |
|  | 2245SL07R WW SL | 7W | 3000K | >0.5 | 38° | >80 | Φ 70*50 | Φ 64 | 945.00 | 01/20 |
| | 2245SL07R NW SL | 7W | 4000K | >0.5 | 38° | >80 | Φ 70*50 | Φ 64 | 945.00 | 01/20 |
| | 2245SL07R CW SL | 7W | 6500K | >0.5 | 38° | >80 | Φ 70*50 | Φ 64 | 945.00 | 01/20 |
|  | 2245SL12R WW SL | 12W | 3000K | >0.9 | 38° | >80 | Φ 85*65 | Φ 78 | 1350.00 | 01/20 |
| | 2245SL12R NW SL | 12W | 4000K | >0.9 | 38° | >80 | Φ 85*65 | Φ 78 | 1350.00 | 01/20 |
| | 2245SL12R CW SL | 12W | 6500K | >0.9 | 38° | >80 | Φ 85*65 | Φ 78 | 1350.00 | 01/20 |
|  | 2245SL18R WW SL | 18W | 3000K | >0.9 | 38° | >80 | Φ 95*75 | Φ 87 | 1575.00 | 01/20 |
| | 2245SL18R NW SL | 18W | 4000K | >0.9 | 38° | >80 | Φ 95*75 | Φ 87 | 1575.00 | 01/20 |
| | 2245SL18R CW SL | 18W | 6500K | >0.9 | 38° | >80 | Φ 95*75 | Φ 87 | 1575.00 | 01/20 |
| DEKO COB SPOT LIGHT-ROUND [ROSE GOLD CHROME] | | | | | | | | | | |
|  | 2245SL07R WW RG | 7W | 3000K | >0.5 | 38° | >80 | Φ 70*50 | Φ 64 | 945.00 | 01/20 |
| | 2245SL07R NW RG | 7W | 4000K | >0.5 | 38° | >80 | Φ 70*50 | Φ 64 | 945.00 | 01/20 |
| | 2245SL07R CW RG | 7W | 6500K | >0.5 | 38° | >80 | Φ 70*50 | Φ 64 | 945.00 | 01/20 |
|  | 2245SL12R WW RG | 12W | 3000K | >0.9 | 38° | >80 | Φ 85*65 | Φ 78 | 1350.00 | 01/20 |
| | 2245SL12R NW RG | 12W | 4000K | >0.9 | 38° | >80 | Φ 85*65 | Φ 78 | 1350.00 | 01/20 |
| | 2245SL12R CW RG | 12W | 6500K | >0.9 | 38° | >80 | Φ 85*65 | Φ 78 | 1350.00 | 01/20 |
|  | 2245SL18R WW RG | 18W | 3000K | >0.9 | 38° | >80 | Φ 95*75 | Φ 87 | 1575.00 | 01/20 |
| | 2245SL18R NW RG | 18W | 4000K | >0.9 | 38° | >80 | Φ 95*75 | Φ 87 | 1575.00 | 01/20 |
| | 2245SL18R CW RG | 18W | 6500K | >0.9 | 38° | >80 | Φ 95*75 | Φ 87 | 1575.00 | 01/20 |
| DEKO COB SPOT LIGHT-ROUND [BLACK CHROME] | | | | | | | | | | |
|  | 2245SL07R WW BK | 7W | 3000K | >0.5 | 38° | >80 | Φ 70*50 | Φ 64 | 945.00 | 01/20 |
| | 2245SL07R NW BK | 7W | 4000K | >0.5 | 38° | >80 | Φ 70*50 | Φ 64 | 945.00 | 01/20 |
| | 2245SL07R CW BK | 7W | 6500K | >0.5 | 38° | >80 | Φ 70*50 | Φ 64 | 945.00 | 01/20 |
|  | 2245SL12R WW BK | 12W | 3000K | >0.9 | 38° | >80 | Φ 85*65 | Φ 78 | 1350.00 | 01/20 |
| | 2245SL12R NW BK | 12W | 4000K | >0.9 | 38° | >80 | Φ 85*65 | Φ 78 | 1350.00 | 01/20 |
| | 2245SL12R CW BK | 12W | 6500K | >0.9 | 38° | >80 | Φ 85*65 | Φ 78 | 1350.00 | 01/20 |
|  | 2245SL18R WW BK | 18W | 3000K | >0.9 | 38° | >80 | Φ 95*75 | Φ 87 | 1575.00 | 01/20 |
| | 2245SL18R NW BK | 18W | 4000K | >0.9 | 38° | >80 | Φ 95*75 | Φ 87 | 1575.00 | 01/20 |
| | 2245SL18R CW BK | 18W | 6500K | >0.9 | 38° | >80 | Φ 95*75 | Φ 87 | 1575.00 | 01/20 |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY



KANDY 2.0

SPOT LIGHT

SHINE AN
INNOVATIVE
LIGHT ON
YOUR SPACES



Redefining minimalistic design with innovative styles, Kandy 2.0 spot lights with in-built driver are suitable to draw attention to certain corners of your spaces and make them stand out.

Inbuilt Driver



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | Cutout Size | MRP ₹/U | Pack | |
|---|----------------|-------|-------------|--------------|------------|-----|-----------|-------------|---------|--------|------------|
| KANDY 2.0 SPOTLIGHT-ROUND | | | | | | | | | | | NEW |
| | 2427SL02R WW | 2W | 3000K | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02R NW | 2W | 4000K | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02R CW | 2W | 6500K | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02R RD | 2W | Red | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02R GN | 2W | Green | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02R BE | 2W | Blue | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02R PK | 2W | Pink | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 170.00 | 20/320 | |
| | | | | | | | | | | | |
| KANDY 2.0 SPOTLIGHT-SQUARE | | | | | | | | | | | NEW |
| | 2427SL02S WW | 2W | 3000K | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02S NW | 2W | 4000K | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02S CW | 2W | 6500K | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02S RD | 2W | Red | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02S GN | 2W | Green | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02S BE | 2W | Blue | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 170.00 | 20/320 | |
| | 2427SL02S PK | 2W | Pink | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 170.00 | 20/320 | |
| | | | | | | | | | | | |
| KANDY 2.0 SPOTLIGHT BLACK-ROUND | | | | | | | | | | | NEW |
| | 2427SL02R B WW | 2W | 3000K | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02R B NW | 2W | 4000K | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02R B CW | 2W | 6500K | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02R B RD | 2W | Red | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02R B GN | 2W | Green | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02R B BE | 2W | Blue | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02R B PK | 2W | Pink | >0.9 | 30° | >80 | Φ 42*16 | Φ 32 | 210.00 | 20/320 | |
| | | | | | | | | | | | |
| KANDY 2.0 SPOTLIGHT BLACK-SQUARE | | | | | | | | | | | NEW |
| | 2427SL02S B WW | 2W | 3000K | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02S B NW | 2W | 4000K | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02S B CW | 2W | 6500K | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02S B RD | 2W | Red | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02S B GN | 2W | Green | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02S B BE | 2W | Blue | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 210.00 | 20/320 | |
| | 2427SL02S B PK | 2W | Pink | >0.9 | 30° | >80 | 42*42*16 | Φ 32 | 210.00 | 20/320 | |
| | | | | | | | | | | | |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

Introducing

MATRIX

TRACK LIGHT



Faceted Reflector

LIGHT UP YOUR SPACES WITH MODERN-DESIGNS.

Elevate the style statement of your spaces with Matrix aluminium Track LED Lights. These versatile and energy-efficient fixtures offer a customizable lighting solution for any room. Whether you want to create a vibrant, modern ambience or a warm, cozy atmosphere, these are your go-to choice.









Beam Angle





Superior Surge Protection



Wide voltage range 100-300V

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | MRP ₹/U | Pack | |
|---|---------------|-------|-------------|--------------|------------|-----|---------|-------|------------|
| MATRIX TRACK LIGHT WHITE | | | | | | | | | |
|  | 2247TL10 WW | 10W | 3000K | >0.9 | 38° | >80 | 1065.00 | 01/20 | NEW |
| | 2247TL10 NW | 10W | 4000K | >0.9 | 38° | >80 | 1065.00 | 01/20 | |
| | 2247TL10 CW | 10W | 6500K | >0.9 | 38° | >80 | 1065.00 | 01/20 | |
|  | 2247TL20 WW | 20W | 3000K | >0.9 | 38° | >80 | 1445.00 | 01/20 | |
| | 2247TL20 NW | 20W | 4000K | >0.9 | 38° | >80 | 1445.00 | 01/20 | |
| | 2247TL20 CW | 20W | 6500K | >0.9 | 38° | >80 | 1445.00 | 01/20 | |
|  | 2247TL30 WW | 30W | 3000K | >0.9 | 38° | >80 | 1870.00 | 01/20 | |
| | 2247TL30 NW | 30W | 4000K | >0.9 | 38° | >80 | 1870.00 | 01/20 | |
| | 2247TL30 CW | 30W | 6500K | >0.9 | 38° | >80 | 1870.00 | 01/20 | |
| MATRIX TRACK LIGHT BLACK | | | | | | | | | |
|  | 2247TL10 B WW | 10W | 3000K | >0.9 | 38° | >80 | 1065.00 | 01/20 | NEW |
| | 2247TL10 B NW | 10W | 4000K | >0.9 | 38° | >80 | 1065.00 | 01/20 | |
| | 2247TL10 B CW | 10W | 6500K | >0.9 | 38° | >80 | 1065.00 | 01/20 | |
|  | 2247TL20 B WW | 20W | 3000K | >0.9 | 38° | >80 | 1445.00 | 01/20 | |
| | 2247TL20 B NW | 20W | 4000K | >0.9 | 38° | >80 | 1445.00 | 01/20 | |
| | 2247TL20 B CW | 20W | 6500K | >0.9 | 38° | >80 | 1445.00 | 01/20 | |
|  | 2247TL30 B WW | 30W | 3000K | >0.9 | 38° | >80 | 1870.00 | 01/20 | |
| | 2247TL30 B NW | 30W | 4000K | >0.9 | 38° | >80 | 1870.00 | 01/20 | |
| | 2247TL30 B CW | 30W | 6500K | >0.9 | 38° | >80 | 1870.00 | 01/20 | |

| | Code | Product | MRP ₹/U | Pack | |
|---|------------|--|---------|-------|------------|
| MATRIX TRACK WHITE | | | | | |
|  | 2247TS01 | 1 Meter Track For Single Phase Track Light | 525.00 | 01/20 | NEW |
| MATRIX TRACK BLACK | | | | | |
|  | 2247TS01 B | 1 Meter Track For Single Phase Track Light | 525.00 | 01/20 | NEW |

All dimensions in mm



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

ELEGANCE PAINTED BRIGHT.

KOVE
STRIP LIGHT

GROOVE
ROPE LIGHT

Light up every corner of your space with these incredible LED strip lights that lend superior brightness and the perfect touch of elegance to your interiors. Specifically designed to add to the style quotient of your spaces, these strips come with adhesive at the backside for easy application and are best used for background lighting or decorative lighting.



High Lumens



120°
Beam Angle



5 Meters



IP20






The logo for KOVE, where the letters are filled with a grid of small white dots, giving it a pixelated or LED-like appearance. The letters are in a bold, sans-serif font.



STRIP LIGHT




A SYMPHONY OF VIVID COLOURS.


Delight each part of your space with a world-class quality LED strip light that sets the mood right for every occasion. An ultimate piece of jewel for your interiors that offers efficient lighting while adding to the vibe of your décor.

AVAILABLE IN
COOL WHITE, NATURAL WHITE,
WARM WHITE, RED, GREEN,
BLUE & PINK.

| | Code | Power 5 Mtr | No. of LED Per Mtr | Colour Temp | Lumens Per LED | Input Voltage | CRI | MRP ₹/U | Length In Mtr | Pack |
|--|-------------|----------------|-----------------------|----------------|-------------------|------------------|-----|---------|------------------|-------|
| KOVE STRIP LIGHT IP20 SMD 2835 | | | | | | | | | | |
|  | 2218SP30 WW | 30W | 60 | 3000K | 23 | 12V | >80 | 565.00 | 5 | 01/40 |
| | 2218SP30 NW | 30W | 60 | 4000K | 23 | 12V | >80 | 565.00 | 5 | 01/40 |
| | 2218SP30 CW | 30W | 60 | 6500K | 23 | 12V | >80 | 565.00 | 5 | 01/40 |
|  | 2218SP30 RD | 30W | 60 | Red | 23 | 12V | >80 | 600.00 | 5 | 01/40 |
| | 2218SP30 GN | 30W | 60 | Green | 23 | 12V | >80 | 600.00 | 5 | 01/40 |
| | 2218SP30 BE | 30W | 60 | Blue | 23 | 12V | >80 | 600.00 | 5 | 01/40 |
| | 2218SP30 PK | 30W | 60 | Pink | 23 | 12V | >80 | 620.00 | 5 | 01/40 |
|  | 2218SP60 WW | 60W | 120 | 3000K | 23 | 12V | >80 | 800.00 | 5 | 01/40 |
| | 2218SP60 NW | 60W | 120 | 4000K | 23 | 12V | >80 | 800.00 | 5 | 01/40 |
| | 2218SP60 CW | 60W | 120 | 6500K | 23 | 12V | >80 | 800.00 | 5 | 01/40 |
|  | 2218SP60 RD | 60W | 120 | Red | 23 | 12V | >80 | 860.00 | 5 | 01/40 |
| | 2218SP60 GN | 60W | 120 | Green | 23 | 12V | >80 | 860.00 | 5 | 01/40 |
| | 2218SP60 BE | 60W | 120 | Blue | 23 | 12V | >80 | 860.00 | 5 | 01/40 |
| | 2218SP60 PK | 60W | 120 | Pink | 23 | 12V | >80 | 900.00 | 5 | 01/40 |
|  | 2418SP60 WW | 60W | 240 | 3000K | 23 | 12V | >80 | 1150.00 | 5 | 01/40 |
| | 2418SP60 NW | 60W | 240 | 4000K | 23 | 12V | >80 | 1150.00 | 5 | 01/40 |
| | 2418SP60 CW | 60W | 240 | 6500K | 23 | 12V | >80 | 1150.00 | 5 | 01/40 |


| KOVE DELUXE STRIP LIGHT IP20 SMD 2835 | | | | | | | | | | |
|--|-------------|-----|-----|-------|----|-----|-----|---------|---|-------|
|  | 2242SP60 WW | 60W | 120 | 3000K | 26 | 12V | >80 | 935.00 | 5 | 01/40 |
| | 2242SP60 NW | 60W | 120 | 4000K | 26 | 12V | >80 | 935.00 | 5 | 01/40 |
| | 2242SP60 CW | 60W | 120 | 6500K | 26 | 12V | >80 | 935.00 | 5 | 01/40 |
|  | 2242SP85 WW | 85W | 168 | 3000K | 26 | 12V | >80 | 1235.00 | 5 | 01/40 |
| | 2242SP85 NW | 85W | 168 | 4000K | 26 | 12V | >80 | 1235.00 | 5 | 01/40 |
| | 2242SP85 CW | 85W | 168 | 6500K | 26 | 12V | >80 | 1235.00 | 5 | 01/40 |

| KOVE ULTRA STRIP LIGHT IP20 SMD 2835 | | | | | | | | | | |
|--|------------------------------|------|-----|-------|----|-----|-----|---------|---|-------|
|  | 2219SP60 3-in-1 (Tunable) | 60W | 120 | 3000K | 26 | 12V | >80 | 960.00 | 5 | 01/40 |
| | | | | 4000K | | | | | | |
| | | | | 6500K | | | | | | |
|  | 2219SP90 WW | 90W | 180 | 3000K | 26 | 12V | >80 | 1315.00 | 5 | 01/40 |
| | 2219SP90 NW | 90W | 180 | 4000K | 26 | 12V | >80 | 1315.00 | 5 | 01/40 |
| | 2219SP90 CW | 90W | 180 | 6500K | 26 | 12V | >80 | 1315.00 | 5 | 01/40 |
|  | 2219SP105 WW | 105W | 240 | 3000K | 26 | 12V | >80 | 1540.00 | 5 | 01/40 |
| | 2219SP105 NW | 105W | 240 | 4000K | 26 | 12V | >80 | 1540.00 | 5 | 01/40 |
| | 2219SP105 CW | 105W | 240 | 6500K | 26 | 12V | >80 | 1540.00 | 5 | 01/40 |

| | Code | Power In | Model Name | MRP ₹/U | Pack |
|---|----------|----------|----------------|---------|-------|
| KOVE STRIP LIGHT DRIVER | | | | | |
|  | 2219DR24 | 24W | LED Driver 24W | 420.00 | 01/72 |

| KOVE STRIP LIGHT DRIVER (ALUMINIUM) | | | | | |
|---|-----------|------|-----------------|---------|-------|
|  | 2218DR24 | 24W | LED Driver 24W | 420.00 | 01/72 |
| | 2218DR60 | 60W | LED Driver 60W | 880.00 | 01/48 |
| | 2218DR120 | 120W | LED Driver 120W | 1640.00 | 01/24 |

| | Code | Model Name | MRP ₹/U | Pack |
|--|------|------------|---------|------|
|--|------|------------|---------|------|

| RF REMOTE CONTROLLER | | | | |
|---|---------------|------------------------------------|---------|----|
|  | 2219RE 3-in-1 | Kove RF Remote Controller & Remote | 2640.00 | 01 |

Introducing

GROOVE

ROPE LIGHT



LIGHT UP
YOUR LIFE
WITH
GROOVE.

Introducing GROOVE,
the LED Rope Light that will
brighten up any space.
Get ready to shine.

AVAILABLE IN DIFFERENT COLOURS



Cool White



Natural White



Warm White



Red





Green



Blue



Pink

| | Code | Power 1 Mtr | No. of LED Per Mtr | Colour Temp | Input Voltage | CRI | MRP ₹/U | Length In Mtr | Pack |
|---|-------------|----------------|-----------------------|----------------|------------------|-----|---------|------------------|------|
| GROOVE ROPE LIGHT IP65 SMD 2835 | | | | | | | | | |
|  | 2250RL10 WW | 10W | 120 | 3000K | 220V~ | >80 | 9500.00 | 50 | 01 |
| | 2250RL10 NW | 10W | 120 | 4000K | 220V~ | >80 | 9500.00 | 50 | 01 |
| | 2250RL10 CW | 10W | 120 | 6500K | 220V~ | >80 | 9500.00 | 50 | 01 |
|  | 2250RL10 RD | 10W | 120 | Red | 220V~ | >80 | 9950.00 | 50 | 01 |
| | 2250RL10 GN | 10W | 120 | Green | 220V~ | >80 | 9950.00 | 50 | 01 |
| | 2250RL10 BE | 10W | 120 | Blue | 220V~ | >80 | 9950.00 | 50 | 01 |
| | 2250RL10 PK | 10W | 120 | Pink | 220V~ | >80 | 9950.00 | 50 | 01 |

NEW



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

WHERE LIGHT
MEETS LIMITLESS
POSSIBILITIES.

Introducing

KEETO

INVERTER BULB

CRAFTING MOODS WITH A GLOW.

A one-of-a-kind offering from the house of Kolors, these inverter bulbs with turbocharger are a piece of accessory that every space must have. Designed to uniformly light up your spaces with unmatched radiance, these bulbs are sturdy and offer world-class quality.



RATED LIFE
30000 HOURS*



Turbcharge

Charging Time: 4-6 Hours

10W



In-built Driver




















Superior Surge Protection



Beam Angle



Wide voltage range 100-300V

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | MRP ₹/U | Pack |
|---|-------------------------|-------|-------------|--------------|------------|-----|---------|--------|
| KEETO BULB - B22 | | | | | | | | |
|  | 2204BU03 WW | 3W | 3000K | >0.9 | 180° | >80 | 170.00 | 10/90 |
| | 2204BU03 NW | 3W | 4000K | >0.9 | 180° | >80 | 170.00 | 10/90 |
| | 2204BU03 CW | 3W | 6500K | >0.9 | 180° | >80 | 170.00 | 10/90 |
|  | 2204BU05 WW | 5W | 3000K | >0.9 | 180° | >80 | 170.00 | 50/200 |
| | 2204BU05 CW | 5W | 6500K | >0.9 | 180° | >80 | 170.00 | 50/200 |
|  | 2204BU07 WW | 7W | 3000K | >0.9 | 180° | >80 | 175.00 | 50/200 |
| | 2204BU07 CW | 7W | 6500K | >0.9 | 180° | >80 | 175.00 | 50/200 |
|  | 2204BU09 WW | 9W | 3000K | >0.9 | 180° | >80 | 185.00 | 50/200 |
| | 2204BU09 NW | 9W | 4000K | >0.9 | 180° | >80 | 185.00 | 50/200 |
| | 2204BU09 CW | 9W | 6500K | >0.9 | 180° | >80 | 185.00 | 50/200 |
|  | 2204BU12 WW | 12W | 3000K | >0.9 | 180° | >80 | 325.00 | 10/60 |
| | 2204BU12 CW | 12W | 6500K | >0.9 | 180° | >80 | 325.00 | 10/60 |
|  | 2204BU15 WW | 15W | 3000K | >0.9 | 180° | >80 | 390.00 | 10/60 |
| | 2204BU15 CW | 15W | 6500K | >0.9 | 180° | >80 | 390.00 | 10/60 |
|  | 2204BU18 WW | 18W | 3000K | >0.9 | 180° | >80 | 475.00 | 10/60 |
| | 2204BU18 CW | 18W | 6500K | >0.9 | 180° | >80 | 475.00 | 10/60 |
|  | 2204BU20 WW | 20W | 3000K | >0.9 | 180° | >80 | 575.00 | 10/60 |
| | 2204BU20 CW | 20W | 6500K | >0.9 | 180° | >80 | 575.00 | 10/60 |
|  | 2204BU23 WW | 23W | 3000K | >0.9 | 180° | >80 | 650.00 | 10/30 |
| | 2204BU23 CW | 23W | 6500K | >0.9 | 180° | >80 | 650.00 | 10/30 |
|  | 2204BU30 WW | 30W | 3000K | >0.9 | 180° | >80 | 900.00 | 01/20 |
| | 2204BU30 CW | 30W | 6500K | >0.9 | 180° | >80 | 900.00 | 01/20 |
|  | 2204BU40 WW | 40W | 3000K | >0.9 | 180° | >80 | 1125.00 | 01/12 |
| | 2204BU40 CW | 40W | 6500K | >0.9 | 180° | >80 | 1125.00 | 01/12 |
|  | 2204BU50 WW | 50W | 3000K | >0.9 | 180° | >80 | 1325.00 | 01/12 |
| | 2204BU50 CW | 50W | 6500K | >0.9 | 180° | >80 | 1325.00 | 01/12 |
| KEETO INVERTER LAMP - B22 | | | | | | | | |
|  | 2204IB09 CW | 9W | 6500K | >0.9 | 180° | >80 | 750.00 | 01/50 |
|  | NEW 2204IB10 CW | 10W | 6500K | >0.9 | 180° | >80 | 800.00 | 01/50 |
|  | NEW 2204IB15 CW | 15W | 6500K | >0.9 | 180° | >80 | 1150.00 | 01/40 |
| NANO NIGHT LAMP - B22 | | | | | | | | |
|  | 2204BU00 WE | 0.5W | White | >0.9 | 180° | >80 | 70.00 | 60 |
| | 2204BU00 YW | 0.5W | Yellow | >0.9 | 180° | >80 | 70.00 | 60 |
| | 2204BU00 RD | 0.5W | Red | >0.9 | 180° | >80 | 70.00 | 60 |
| | 2204BU00 PK | 0.5W | Pink | >0.9 | 180° | >80 | 70.00 | 60 |
| | 2204BU00 GN | 0.5W | Green | >0.9 | 180° | >80 | 70.00 | 60 |
| | 2204BU00 OE | 0.5W | Orange | >0.9 | 180° | >80 | 70.00 | 60 |
| | 2204BU00 BE | 0.5W | Blue | >0.9 | 180° | >80 | 70.00 | 60 |
| | TEENY 2 PIN BULB | | | | | | | |
|  | 2249PB00 WE | 0.5W | White | >0.9 | 180° | >80 | | |
| | 2249PB00 YW | 0.5W | Yellow | >0.9 | 180° | >80 | | |
| | 2249PB00 RD | 0.5W | Red | >0.9 | 180° | >80 | | |
| | 2249PB00 PK | 0.5W | Pink | >0.9 | 180° | >80 | | |
| | 2249PB00 GN | 0.5W | Green | >0.9 | 180° | >80 | | |
| | 2249PB00 OE | 0.5W | Orange | >0.9 | 180° | >80 | | |
| | 2249PB00 BE | 0.5W | Blue | >0.9 | 180° | >80 | | |

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.
 Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).



KEETO









BULB

FUSING ARTISTRY
WITH A TOUCH OF
TECHNOLOGY.



A revolutionary lighting solution designed to illuminate your life with eco-friendly brilliance. This advanced LED bulb not only provides bright and energy-efficient lighting but also ensures uniform lighting, making it the perfect addition to your spaces.



| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | MRP ₹/U | Pack |
|--|-------------|-------|-------------|--------------|------------|-----|---------|-------|
| KEETO BULB - E27 (SCREW TYPE) | | | | | | | | |
|  | 2204BS03 WW | 3W | 3000K | >0.9 | 180° | >80 | 180.00 | 10/90 |
| | 2204BS03 NW | 3W | 4000K | >0.9 | 180° | >80 | 180.00 | 10/90 |
| | 2204BS03 CW | 3W | 6500K | >0.9 | 180° | >80 | 180.00 | 10/90 |
|  | 2204BS05 WW | 5W | 3000K | >0.9 | 180° | >80 | 180.00 | 10/90 |
| | 2204BS05 NW | 5W | 4000K | >0.9 | 180° | >80 | 180.00 | 10/90 |
| | 2204BS05 CW | 5W | 6500K | >0.9 | 180° | >80 | 180.00 | 10/90 |
|  | 2204BS07 WW | 7W | 3000K | >0.9 | 180° | >80 | 185.00 | 10/90 |
| | 2204BS07 CW | 7W | 6500K | >0.9 | 180° | >80 | 185.00 | 10/90 |
|  | 2204BS09 WW | 9W | 3000K | >0.9 | 180° | >80 | 195.00 | 10/90 |
| | 2204BS09 NW | 9W | 4000K | >0.9 | 180° | >80 | 195.00 | 10/90 |
| | 2204BS09 CW | 9W | 6500K | >0.9 | 180° | >80 | 195.00 | 10/90 |
|  | 2204BS12 WW | 12W | 3000K | >0.9 | 180° | >80 | 350.00 | 10/60 |
| | 2204BS12 NW | 12W | 4000K | >0.9 | 180° | >80 | 350.00 | 10/60 |
| | 2204BS12 CW | 12W | 6500K | >0.9 | 180° | >80 | 350.00 | 10/60 |
|  | 2204BS30 WW | 30W | 3000K | >0.9 | 180° | >80 | 950.00 | 01/20 |
| | 2204BS30 NW | 30W | 4000K | >0.9 | 180° | >80 | 950.00 | 01/20 |
| | 2204BS30 CW | 30W | 6500K | >0.9 | 180° | >80 | 950.00 | 01/20 |
|  | 2204BS40 WW | 40W | 3000K | >0.9 | 180° | >80 | 1200.00 | 01/12 |
| | 2204BS40 NW | 40W | 4000K | >0.9 | 180° | >80 | 1200.00 | 01/12 |
| | 2204BS40 CW | 40W | 6500K | >0.9 | 180° | >80 | 1200.00 | 01/12 |
|  | 2204BS50 WW | 50W | 3000K | >0.9 | 180° | >80 | 1425.00 | 01/12 |
| | 2204BS50 NW | 50W | 4000K | >0.9 | 180° | >80 | 1425.00 | 01/12 |
| | 2204BS50 CW | 50W | 6500K | >0.9 | 180° | >80 | 1425.00 | 01/12 |



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.

Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).



KATE









T-BULB

TRANSFORM
YOUR SPACE
WITH LED
BULBS.



ka^odle
BULB

Transform your space with LED bulbs that are high on radiance and functionality. Our LED bulbs are modern, elegant, and comfortable, offering you brightness and eye-friendliness. Our LED bulbs are also durable, energy-efficient, and adjustable, giving you the freedom to turn them in any direction.

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | MRP ₹/U | Pack | |
|---|-------------|-------|-------------|--------------|------------|-----|---------|--------|-----|
| KANDLE BULB - E27 (SCREW TYPE) | | | | | | | | | |
|  | 2228BS03 WW | 3W | 3000K | >0.9 | 180° | >80 | 195.00 | 10/200 | NEW |
| | 2228BS03 NW | 3W | 4000K | >0.9 | 180° | >80 | 195.00 | 10/200 | |
| | 2228BS03 CW | 3W | 6500K | >0.9 | 180° | >80 | 195.00 | 10/200 | |
|  | 2228BS05 WW | 5W | 3000K | >0.9 | 180° | >80 | 200.00 | 10/200 | NEW |
| | 2228BS05 NW | 5W | 4000K | >0.9 | 180° | >80 | 200.00 | 10/200 | |
| | 2228BS05 CW | 5W | 6500K | >0.9 | 180° | >80 | 200.00 | 10/200 | |
| KANDLE BULB - E14 (SCREW TYPE) | | | | | | | | | |
|  | 2225BS03 WW | 3W | 3000K | >0.9 | 180° | >80 | 220.00 | 10/200 | NEW |
| | 2225BS03 NW | 3W | 4000K | >0.9 | 180° | >80 | 220.00 | 10/200 | |
| | 2225BS03 CW | 3W | 6500K | >0.9 | 180° | >80 | 220.00 | 10/200 | |
|  | 2225BS05 WW | 5W | 3000K | >0.9 | 180° | >80 | 225.00 | 10/200 | NEW |
| | 2225BS05 NW | 5W | 4000K | >0.9 | 180° | >80 | 225.00 | 10/200 | |
| | 2225BS05 CW | 5W | 6500K | >0.9 | 180° | >80 | 225.00 | 10/200 | |
| KANDLE BULB - B22 | | | | | | | | | |
|  | 2228BU03 WW | 3W | 3000K | >0.9 | 180° | >80 | 210.00 | 10/200 | NEW |
| | 2228BU03 NW | 3W | 4000K | >0.9 | 180° | >80 | 210.00 | 10/200 | |
| | 2228BU03 CW | 3W | 6500K | >0.9 | 180° | >80 | 210.00 | 10/200 | |
|  | 2228BU05 WW | 5W | 3000K | >0.9 | 180° | >80 | 215.00 | 10/200 | NEW |
| | 2228BU05 NW | 5W | 4000K | >0.9 | 180° | >80 | 215.00 | 10/200 | |
| | 2228BU05 CW | 5W | 6500K | >0.9 | 180° | >80 | 215.00 | 10/200 | |
|  | 2228BU05 RD | 5W | Red | >0.9 | 180° | >80 | 225.00 | 10/200 | NEW |
| | 2228BU05 GN | 5W | Green | >0.9 | 180° | >80 | 225.00 | 10/200 | |
| | 2228BU05 BE | 5W | Blue | >0.9 | 180° | >80 | 225.00 | 10/200 | |
| | 2228BU05 PK | 5W | Pink | >0.9 | 180° | >80 | 225.00 | 10/200 | |
| KATE T-BULB - B22 | | | | | | | | | |
|  | 2417TB10 WW | 10W | 3000K | >0.9 | 120° | >80 | 375.00 | 10/200 | NEW |
| | 2417TB10 CW | 10W | 6500K | >0.9 | 120° | >80 | 375.00 | 10/200 | |



ROBUST
DESIGN



GREEN
PRODUCT



SUPERIOR
CRI



ENERGY
SAVER



MAINTENANCE
FREE



ZERO
MERCURY

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.

Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).

Introducing

KBALL

FULL DOME BULB

LIGHTING THE
WAY FORWARD
WITH LED
INNOVATION.




















Delight your spaces with radiance that's uniform, bright and long-lasting. A reflection of finesse and impeccable style, these bulbs are brought to life to complement your stunning interiors and your exceptional taste.

Introducing

KGLOW

FULL DOME BULB

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | MRP ₹/U | Pack | |
|---|-------------|-------|-------------|--------------|------------|-----|---------|--------|------------|
| KBALL FULL DOME BULB - B22 | | | | | | | | | |
|  | 2230BU05 WW | 5W | 3000K | >0.9 | 240° | >80 | 160.00 | 50/200 | NEW |
| | 2230BU05 NW | 5W | 4000K | >0.9 | 240° | >80 | 160.00 | 50/200 | |
| | 2230BU05 CW | 5W | 6500K | >0.9 | 240° | >80 | 160.00 | 50/200 | |
|  | 2230BU07 WW | 7W | 3000K | >0.9 | 240° | >80 | 165.00 | 50/200 | |
| | 2230BU07 CW | 7W | 6500K | >0.9 | 240° | >80 | 165.00 | 50/200 | |
|  | 2230BU09 WW | 9W | 3000K | >0.9 | 240° | >80 | 175.00 | 50/200 | |
| | 2230BU09 NW | 9W | 4000K | >0.9 | 240° | >80 | 175.00 | 50/200 | |
| | 2230BU09 CW | 9W | 6500K | >0.9 | 240° | >80 | 175.00 | 50/200 | |
|  | 2230BU09 RD | 9W | Red | >0.9 | 240° | >80 | 190.00 | 50/200 | |
| | 2230BU09 GN | 9W | Green | >0.9 | 240° | >80 | 190.00 | 50/200 | |
| | 2230BU09 BE | 9W | Blue | >0.9 | 240° | >80 | 190.00 | 50/200 | |
| | 2230BU09 PK | 9W | Pink | >0.9 | 240° | >80 | 190.00 | 50/200 | |
| | 2230BU09 OE | 9W | Orange | >0.9 | 240° | >80 | 190.00 | 50/200 | |
|  | 2230BU12 WW | 12W | 3000K | >0.9 | 240° | >80 | 295.00 | 01/90 | |
| | 2230BU12 NW | 12W | 4000K | >0.9 | 240° | >80 | 295.00 | 01/90 | |
| | 2230BU12 CW | 12W | 6500K | >0.9 | 240° | >80 | 295.00 | 01/90 | |
|  | 2230BU15 WW | 15W | 3000K | >0.9 | 240° | >80 | 350.00 | 01/90 | |
| | 2230BU15 CW | 15W | 6500K | >0.9 | 240° | >80 | 350.00 | 01/90 | |
|  | 2230BU18 WW | 18W | 3000K | >0.9 | 240° | >80 | 450.00 | 01/60 | |
| | 2230BU18 CW | 18W | 6500K | >0.9 | 240° | >80 | 450.00 | 01/60 | |
|  | 2230BU20 WW | 20W | 3000K | >0.9 | 240° | >80 | 540.00 | 01/60 | |
| | 2230BU20 CW | 20W | 6500K | >0.9 | 240° | >80 | 540.00 | 01/60 | |
|  | 2230BU25 WW | 25W | 3000K | >0.9 | 240° | >80 | 650.00 | 01/30 | |
| | 2230BU25 CW | 25W | 6500K | >0.9 | 240° | >80 | 650.00 | 01/30 | |
|  | 2230BU30 WW | 30W | 3000K | >0.9 | 240° | >80 | 850.00 | 01/20 | |
| | 2230BU30 CW | 30W | 6500K | >0.9 | 240° | >80 | 850.00 | 01/20 | |
|  | 2230BU40 WW | 40W | 3000K | >0.9 | 240° | >80 | 1075.00 | 01/12 | |
| | 2230BU40 CW | 40W | 6500K | >0.9 | 240° | >80 | 1075.00 | 01/12 | |
|  | 2230BU50 WW | 50W | 3000K | >0.9 | 240° | >80 | 1250.00 | 01/12 | |
| | 2230BU50 CW | 50W | 6500K | >0.9 | 240° | >80 | 1250.00 | 01/12 | |
|  | 2230BU60 WW | 60W | 3000K | >0.9 | 240° | >80 | 1500.00 | 01/12 | |
| | 2230BU60 CW | 60W | 6500K | >0.9 | 240° | >80 | 1500.00 | 01/12 | |
| KGLOW FULL DOME BULB - B22 | | | | | | | | | |
|  | 2246BU05 WW | 5W | 3000K | >0.9 | 240° | >80 | 160.00 | 50/200 | NEW |
| | 2246BU05 CW | 5W | 6500K | >0.9 | 240° | >80 | 160.00 | 50/200 | |
|  | 2246BU07 WW | 7W | 3000K | >0.9 | 240° | >80 | 165.00 | 50/200 | |
| | 2246BU07 CW | 7W | 6500K | >0.9 | 240° | >80 | 165.00 | 50/200 | |
|  | 2246BU09 WW | 9W | 3000K | >0.9 | 240° | >80 | 170.00 | 50/200 | |
| | 2246BU09 NW | 9W | 4000K | >0.9 | 240° | >80 | 170.00 | 50/200 | |
| | 2246BU09 CW | 9W | 6500K | >0.9 | 240° | >80 | 170.00 | 50/200 | |
|  | 2246BU09 RD | 9W | Red | >0.9 | 240° | >80 | 185.00 | 50/200 | |
| | 2246BU09 GN | 9W | Green | >0.9 | 240° | >80 | 185.00 | 50/200 | |
| | 2246BU09 BE | 9W | Blue | >0.9 | 240° | >80 | 185.00 | 50/200 | |
| | 2246BU09 PK | 9W | Pink | >0.9 | 240° | >80 | 185.00 | 50/200 | |
| | 2246BU09 OE | 9W | Orange | >0.9 | 240° | >80 | 185.00 | 50/200 | |



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.

Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).


BRING ALIVE THE
MAGIC OF MODERN
AESTHETICS.

KOMET

BATTEN LIGHT

KOSMIK

BATTEN LIGHT



Oval Shape














Aluminium Body

REDEFINING SMART LIGHTING.

Enjoy unvarying illumination across spaces and save on your energy bills too.

In addition, being lightweight, you don't need much manpower or accessories to fix these lights. Komet batten made with aluminium material is crafted to enrich your decor, these lights celebrate the very joy of life. The unique oval shape of Kosmik batten is sleek and easy to install.

| | Code | Power | Colour Temp | Power Factor | Beam Angle | CRI | Dimension | MRP ₹/U | Pack | |
|---|-----------------|-------|-------------------------|--------------|------------|-----|-----------|---------|-------|------------|
| KARIS BATTEN LIGHT | | | | | | | | | | |
|  | 2402BA36 WW | 36W | 3000K | >0.9 | 120° | >80 | 1130 | 650.00 | 01/25 | NEW |
| | 2402BA36 NW | 36W | 4000K | >0.9 | 120° | >80 | 1130 | 650.00 | 01/25 | |
| | 2402BA36 CW | 36W | 6500K | >0.9 | 120° | >80 | 1130 | 650.00 | 01/25 | |
| KARIS TRIO 3-IN-1 COLOUR CHANGING BATTEN LIGHT | | | | | | | | | | |
|  | 2402BA20 3-in-1 | 20W | 3000K 4000K 6500K | >0.9 | 120° | >80 | 1130 | 555.00 | 01/20 | NEW |
| | | | | | | | | | | |
| | | | | | | | | | | |
| NYX BATTEN LIGHT | | | | | | | | | | |
|  | 2431BA05 WW | 5W | 3000K | >0.9 | 120° | >80 | 280 | 365.00 | 01/25 | NEW |
| | 2431BA05 NW | 5W | 4000K | >0.9 | 120° | >80 | 280 | 365.00 | 01/25 | |
| | 2431BA05 CW | 5W | 6500K | >0.9 | 120° | >80 | 280 | 365.00 | 01/25 | |
|  | 2431BA05 RD | 5W | Red | >0.9 | 120° | >80 | 280 | 385.00 | 01/25 | |
| | 2431BA05 GN | 5W | Green | >0.9 | 120° | >80 | 280 | 385.00 | 01/25 | |
| | 2431BA05 BE | 5W | Blue | >0.9 | 120° | >80 | 280 | 385.00 | 01/25 | |
| | 2431BA05 PK | 5W | Pink | >0.9 | 120° | >80 | 280 | 385.00 | 01/25 | |
|  | 2431BA10 WW | 10W | 3000K | >0.9 | 120° | >80 | 570 | 385.00 | 01/25 | |
| | 2431BA10 NW | 10W | 4000K | >0.9 | 120° | >80 | 570 | 385.00 | 01/25 | |
| | 2431BA10 CW | 10W | 6500K | >0.9 | 120° | >80 | 570 | 385.00 | 01/25 | |
|  | 2431BA10 RD | 10W | Red | >0.9 | 120° | >80 | 570 | 415.00 | 01/25 | |
| | 2431BA10 GN | 10W | Green | >0.9 | 120° | >80 | 570 | 415.00 | 01/25 | |
| | 2431BA10 BE | 10W | Blue | >0.9 | 120° | >80 | 570 | 415.00 | 01/25 | |
| | 2431BA10 PK | 10W | Pink | >0.9 | 120° | >80 | 570 | 415.00 | 01/25 | |
|  | 2431BA20 WW | 20W | 3000K | >0.9 | 120° | >80 | 1120 | 405.00 | 01/25 | |
| | 2431BA20 NW | 20W | 4000K | >0.9 | 120° | >80 | 1120 | 405.00 | 01/25 | |
| | 2431BA20 CW | 20W | 6500K | >0.9 | 120° | >80 | 1120 | 405.00 | 01/25 | |
|  | 2431BA20 RD | 20W | Red | >0.9 | 120° | >80 | 1120 | 440.00 | 01/25 | |
| | 2431BA20 GN | 20W | Green | >0.9 | 120° | >80 | 1120 | 440.00 | 01/25 | |
| | 2431BA20 BE | 20W | Blue | >0.9 | 120° | >80 | 1120 | 440.00 | 01/25 | |
| | 2431BA20 PK | 20W | Pink | >0.9 | 120° | >80 | 1120 | 440.00 | 01/25 | |
|  | 2431BA20 OE | 20W | Orange | >0.9 | 120° | >80 | 1120 | 440.00 | 01/25 | |
| | 2431BA24 WW | 24W | 3000K | >0.9 | 120° | >80 | 1140 | 470.00 | 01/25 | |
| | 2431BA24 NW | 24W | 4000K | >0.9 | 120° | >80 | 1140 | 470.00 | 01/25 | |
| | 2431BA24 CW | 24W | 6500K | >0.9 | 120° | >80 | 1140 | 470.00 | 01/25 | |
| KOSMIK OVAL BATTEN LIGHT | | | | | | | | | | |
|  | 2415BA24 WW | 24W | 3000K | >0.9 | 120° | >80 | 1140 | 470.00 | 01/25 | NEW |
| | 2415BA24 NW | 24W | 4000K | >0.9 | 120° | >80 | 1140 | 470.00 | 01/25 | |
| | 2415BA24 CW | 24W | 6500K | >0.9 | 120° | >80 | 1140 | 470.00 | 01/25 | |
| KOMET BATTEN LIGHT (ALUMINIUM HOUSING) | | | | | | | | | | |
|  | 2216BA40 WW | 40W | 3000K | >0.9 | 120° | >80 | 1180 | 725.00 | 01/20 | NEW |
| | 2216BA40 NW | 40W | 4000K | >0.9 | 120° | >80 | 1180 | 725.00 | 01/20 | |
| | 2216BA40 CW | 40W | 6500K | >0.9 | 120° | >80 | 1180 | 725.00 | 01/20 | |

All dimensions in mm

*For all the above product prices please check with the Local - Representative/ Dealer/ Depot/ Distributor.
Net prices are applicable on all the above products. (Please note LED Product discount is not applicable on these products).

ELEVATING
OUTDOOR
EXPERIENCES.



Introducing

KITE

STREET LIGHT

ILLUMINATE
YOUR
OUTDOORS
WITH LED
STREET LIGHTS.











Introducing

EDGE

STREET LIGHT

Make your outdoors shine with our innovative and stylish LED street lights. Whether you want to create a modern, elegant, or cozy ambience, we have the perfect solution for you. Our LED street lights are durable, versatile, and energy-efficient, offering you a range of colors, shapes, and sizes to suit your needs.

| | Code | Power | Colour Temp | Power Factor | Beam Angle | MRP ₹/U | Pack | | |
|---|--------------|-------|-------------|--------------|------------|---------|-------|------------|------------|
| KITE STREET LIGHT | | | | | | | | | |
|  | 2235ST24 WW | 24W | 3000K | >0.9 | 120° | 1380.00 | 01/20 | NEW | |
| | 2235ST24 CW | 24W | 6500K | >0.9 | 120° | 1380.00 | 01/20 | | |
|  | 2235ST36 WW | 36W | 3000K | >0.9 | 120° | 1855.00 | 01/20 | | |
| | 2235ST36 CW | 36W | 6500K | >0.9 | 120° | 1855.00 | 01/20 | | |
|  | 2235ST50 WW | 50W | 3000K | >0.9 | 120° | 2565.00 | 01/10 | | |
| | 2235ST50 CW | 50W | 6500K | >0.9 | 120° | 2565.00 | 01/10 | | |
|  | 2235ST100 WW | 100W | 3000K | >0.9 | 120° | 4275.00 | 01/05 | | |
| | 2235ST100 CW | 100W | 6500K | >0.9 | 120° | 4275.00 | 01/05 | | |
| KITE STREET LIGHT WITH LIGHT DETECTOR SENSOR | | | | | | | | | |
|  | 2236ST36 WW | 36W | 3000K | >0.9 | 120° | 2140.00 | 01/20 | | NEW |
| | 2236ST36 CW | 36W | 6500K | >0.9 | 120° | 2140.00 | 01/20 | | |
|  | 2236ST50 WW | 50W | 3000K | >0.9 | 120° | 2945.00 | 01/10 | | |
| | 2236ST50 CW | 50W | 6500K | >0.9 | 120° | 2945.00 | 01/10 | | |
|  | 2236ST100 WW | 100W | 3000K | >0.9 | 120° | 4750.00 | 01/05 | | |
| | 2236ST100 CW | 100W | 6500K | >0.9 | 120° | 4750.00 | 01/05 | | |
| EDGE STREET LIGHT | | | | | | | | | |
|  | 2234ST20 WW | 20W | 3000K | >0.9 | 120° | 1080.00 | 01/20 | NEW | |
| | 2234ST20 CW | 20W | 6500K | >0.9 | 120° | 1080.00 | 01/20 | | |



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

Street Lights are IP66 Protected.

Introducing

KITE

FLOOD LIGHT

BRIGHTEN UP
YOUR OUTDOORS
WITH LED FLOOD
LIGHTS.















Introducing

KANON

FLOOD LIGHT

Brighten up your outdoors with maximum efficiency and durability with our LED flood lights. Our LED flood lights are powerful, sturdy, and stylish, offering you uniform and precise illumination. Our LED flood lights are also eco-friendly, energy-saving, and long-lasting, giving you the best value for your money.

| | Code | Power | Colour Temp | Power Factor | Beam Angle | MRP ₹/U | Pack | | |
|---|--------------|-------|-------------|--------------|------------|---------|-------|------------|------------|
| KITE FLOOD LIGHT | | | | | | | | | |
|  | 2235FL30 WW | 30W | 3000K | >0.9 | 120° | 1710.00 | 01/10 | NEW | |
| | 2235FL30 CW | 30W | 6500K | >0.9 | 120° | 1710.00 | 01/10 | | |
|  | 2235FL50 WW | 50W | 3000K | >0.9 | 120° | 2385.00 | 01/10 | | |
| | 2235FL50 CW | 50W | 6500K | >0.9 | 120° | 2385.00 | 01/10 | | |
|  | 2235FL100 WW | 100W | 3000K | >0.9 | 120° | 4050.00 | 01/10 | | |
| | 2235FL100 CW | 100W | 6500K | >0.9 | 120° | 4050.00 | 01/10 | | |
|  | 2235FL200 WW | 200W | 3000K | >0.9 | 120° | 8100.00 | 01/05 | | |
| | 2235FL200 CW | 200W | 6500K | >0.9 | 120° | 8100.00 | 01/05 | | |
| KANON FLOOD LIGHT | | | | | | | | | |
|  | 2432FL20 WW | 20W | 3000K | >0.9 | 120° | 1440.00 | 01/10 | | NEW |
| | 2432FL20 CW | 20W | 6500K | >0.9 | 120° | 1440.00 | 01/10 | | |
|  | 2432FL20 RD | 20W | Red | >0.9 | 120° | 1560.00 | 01/10 | | |
| | 2432FL20 GN | 20W | Green | >0.9 | 120° | 1560.00 | 01/10 | | |
| | 2432FL20 BE | 20W | Blue | >0.9 | 120° | 1560.00 | 01/10 | | |
| | 2432FL30 WW | 30W | 3000K | >0.9 | 120° | 1800.00 | 01/05 | | |
|  | 2432FL30 CW | 30W | 6500K | >0.9 | 120° | 1800.00 | 01/05 | | |
| | 2432FL30 RD | 30W | Red | >0.9 | 120° | 1960.00 | 01/05 | | |
|  | 2432FL30 GN | 30W | Green | >0.9 | 120° | 1960.00 | 01/05 | | |
| | 2432FL30 BE | 30W | Blue | >0.9 | 120° | 1960.00 | 01/05 | | |
| | 2432FL50 WW | 50W | 3000K | >0.9 | 120° | 2480.00 | 01/05 | | |
|  | 2432FL50 CW | 50W | 6500K | >0.9 | 120° | 2480.00 | 01/05 | | |
| | 2432FL100 WW | 100W | 3000K | >0.9 | 120° | 4320.00 | 01/03 | | |
|  | 2432FL100 CW | 100W | 6500K | >0.9 | 120° | 4320.00 | 01/03 | | |
| | 2432FL150 WW | 150W | 3000K | >0.9 | 120° | 6400.00 | 01/03 | | |
|  | 2432FL150 CW | 150W | 6500K | >0.9 | 120° | 6400.00 | 01/03 | | |
| | 2432FL200 WW | 200W | 3000K | >0.9 | 120° | 9600.00 | 01/03 | | |
|  | 2432FL200 CW | 200W | 6500K | >0.9 | 120° | 9600.00 | 01/03 | | |



ROBUST DESIGN



GREEN PRODUCT



SUPERIOR CRI



ENERGY SAVER



MAINTENANCE FREE



ZERO MERCURY

Flood Lights are IP66 Protected.



Add radiance to your life.

Bright lights play an important role in our overall well-being, it's important to have the right lights that offer uniform brightness in our spaces. Our stunning range of LED lightings are the right blend of innovation and science and cater to varied requirements. These are designed specifically to illuminate your spaces incredibly and lift your mood.

Disclaimer

- Actual products may vary from the product shown in this catalogue.
- Due to the very nature of the basic raw material - due to environmental/climatic/ temperature/lot to lot variation etc. reasons, their finish and colour may vary from piece to piece, which is beyond the Company's control.
- The data provided here are indicative & may be revised without prior intimation.
- All specifications are based on standard test conditions in Laboratory at standard temperature and pressures.
- Kolors logo is trademark & property of Kolors India Private Limited. Misuse of any intellectual property, or any other content displayed herein is strictly prohibited.
- All Kolors products must be opened and repaired exclusively by personnel trained and approved by Kolors. Any unauthorized opening or repair completely cancel all liabilities and rights to replacement and warranties.
- The Company will not be liable for damages arising due to incorrect installation.
- Any attempt made to rectify, dismantle or alter the product may lead to electrical shock or may destroy the product for which the company is not responsible. The Company is also not responsible for any consequential loss or damage or installation costs arising out of the same.
- The Company undertakes to replace or repair products at its discretion should they become defective solely as a result of faulty materials or workmanship. Warranty of any kind becomes invalid if the product has not been installed or maintained in accordance with the Company's instruction, or in any attempts has been made to rectify, dismantle or alter the product and does not extend to cover consequential loss or damage or installation costs arising from the defective product.
- Limitation of liability: Company shall not be liable for any special, indirect, incidental or consequential damages what so ever including but not limited to loss of profit, revenue or data (whether or indirect or commercial loss for breach of any express or implied warranty on your product even if the Company has been advised of the possibility of such damages).
- The Company reserves the right to modify or change the product design and specification in the future without prior intimation. Similarly, colours and finishes are also liable to change without any prior intimation.

Terms & Conditions

- This cancels all our previous price lists.
- This price list is subject to change without prior notice.
- The MRP rates are inclusive of all taxes.
- Warranty policy subject to change without prior notice.



make
life
better



KOLORS INDIA PRIVATE LIMITED

401, Vastu Prestige, Sundarban Complex
Link Road, Andheri (W), Mumbai - 400 053

TOLL FREE: 1800 221 470

EMAIL: sales@kolorsworld.com

Follow us on:    

kolorsworld.com